

CmDust-Result

***** General Information *****

CmDust Version 6.81 Build 3477 of 2019-04-02
Copyright (C) 2005-2019 by WIBU-SYSTEMS AG. All rights reserved.

CmDustLog created at 2019-07-05 13:24:17 (UTC)
CmDust was started from: C:\Program Files (x86)\CodeMeter\Runtime\bin
Current User has administrator rights

***** System Information *****

OS: Microsoft Windows 7 Professional Service Pack 1, 64-Bit (C:\Windows\
Computer Name: WIN-PJKPVFB03UR
Found IP address: 192.168.1.126 | 192.168.1.129 | ::1
USERNAME=GGPW7x64
USERDOMAIN=WIN-PJKPVFB03UR
LOGONSERVER=\\WIN-PJKPVFB03UR
SID = 0
SESSIONNAME=Console
New SID 255

Language Settings:
Machine: Spanish
Current User: Spanish

DataExecutionProtection state:
OPTIN (Only windows system components and services have DEP applied.)
Current User has administrator rights

Overview of available drives:
C:\ = Fix Drive Bus=Sas;VMware, VMware Virtual S (122877 MB, 42679 MB free)
D:\ = CDROM
HID Devices:
No HID Devices found.

***** Relevant registry entries *****

[HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\WIBU-SYSTEMS\CodeMeter] <All>
RuntimeVersion <All> = "6.81.3477.500"

[HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\WIBU-SYSTEMS\CodeMeter\Server] <All>

[HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion] <All>
HelpFile <All> = "C:\Program Files (x86)\CodeMeter\Runtime\help\6.81"

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter] <All>
RuntimeVersion <All> = "6.81.3477.500"

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server] <All>

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion] <All>
ApiCommunicationMode <All> = "6"
ApiCommunicationModeServer <All> = "1"
BindAddress <All> = "0.0.0.0"
CleanupTimeout <All> = "120"
CmActPath <All> = ""
CmInstanceId <All> = "1301687652"
CmWANPort <All> = "22351"
CmWebSocketApi <All> = "1"
EnabledContainerTypes <All> = "4294967295"
ExePath <All> = "C:\Program Files (x86)\CodeMeter\Runtime\bin"
HelpFile <All> = "C:\Program Files (x86)\CodeMeter\Runtime\help\6.81"
IsCmWANServer <All> = "0"
IsNetworkServer <All> = "0"
LogLicenseTracking <All> = "0"
LogPath <All> = "C:\ProgramData\CodeMeter\Logs"

CmDust-Result

Logging <All> = "0"
MaxMessageLen <All> = "67108864"
NetworkAccessFsb <All> = "0"
NetworkPort <All> = "22350"
NetworkTimeout <All> = "100"
ProxyPort <All> = "0"
ProxyServer <All> = ""
ProxyUser <All> = ""
ShmTimeout <All> = "10"
StartAlways <All> = "1"
SystemStartThreshold <All> = "300"
TimeServerURL1 <All> = "cmtime.codemeter.com"
TimeServerURL2 <All> = "cmtime.codemeter.us"
TimeServerURL3 <All> = "cmtime.codemeter.de"
UDPCachingTime <All> = "20"
UDPWaitingTime <All> = "1000"
UseUmsDA <All> = "1"
WaitForServiceAfterSystemStart <All> = "120"

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion\Access
Control] <All>
Enabled <All> = "0"

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion\Backup
] <All>
Interval <All> = "24"
Path <All> = "C:\ProgramData\CodeMeter\Backup"
UpdateCertifiedTime <All> = "0"

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion\HTTP]
<All>
DigestAuthentication <All> = "0"
Port <All> = "22352"
PreparedBorrowingConfiguration <All> = "0"
ReadAuthenticationEnabled <All> = "0"
ReadPassword <All> = ""
RemoteRead <All> = "1"
RemoteWrite <All> = "0"
WritePassword <All> = ""

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion\HTTPS]
<All>
CertificateChainFile <All> = ""
Enabled <All> = "0"
Port <All> = "22353"
PrivateKeyFile <All> = ""

[HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CodeMeter\Server\CurrentVersion\Triple
ModeRedundancy] <All>
TmrEnabled <All> = "0"

Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\WIBU-SYSTEMS\SmartShelter
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\SmartShelter
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\6.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\7.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\8.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\9.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\10.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\11.0\InstallPath
Could not find or read in registry:

CmDust-Result

HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\6.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\7.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\8.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\9.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\10.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\11.0\InstallPath
Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\DC\InstallPath
[HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Acrobat Reader\DC\InstallPath]
<All>
<All> = "C:\Program Files (x86)\Adobe\Acrobat Reader DC\Reader"

Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\wow6432Node\Adobe\Adobe Acrobat\2015\InstallPath
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\CodeMeter.exe] <All>
DependOnService <All> = "winmgmt" "Tcpip"
Description <All> = "CodeMeter Runtime Server"
DisplayName <All> = "CodeMeter Runtime Server"
ErrorControl <All> = "0"
ImagePath <All> = ""C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeter.exe""
ObjectName <All> = "LocalSystem"
Start <All> = "2"
Type <All> = "272"

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\CodeMeter.exe\Security]
<All>
Security <All> = "01 00 14 80 a0 00 00 00 ac 00 00 00 14 00 00 00 30 00 00 00 02
00 1c 00 01 00 00 00 02 80 14 00 ff 01 0f 00 01 01 00 00 00 00 01 00 00 00 00
02 00 70 00 05 00 00 00 00 14 00 8d 00 00 00 01 01 00 00 00 00 01 00 00 00
00 00 00 14 00 fd 01 02 00 01 01 00 00 00 00 00 05 12 00 00 00 00 18 00 ..."

Could not find or read in registry:
HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\AxProtector
Could not find or read in registry: HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CM
Password Manager
Could not find or read in registry: HKEY_LOCAL_MACHINE\SOFTWARE\WIBU-SYSTEMS\CM
Password Manager
[HKEY_CURRENT_USER\SOFTWARE\wow6432Node\WIBU-SYSTEMS]

[HKEY_CURRENT_USER\SOFTWARE\wow6432Node\WIBU-SYSTEMS\CodeMeterCC]
ProcessID = "1512"

[HKEY_CURRENT_USER\SOFTWARE\WIBU-SYSTEMS]

[HKEY_CURRENT_USER\SOFTWARE\WIBU-SYSTEMS\CodeMeterCC]
ProcessID = "1512"

Could not find or read in registry: HKEY_CURRENT_USER\SOFTWARE\WIBU-SYSTEMS AG
Could not find or read in registry: HKEY_CURRENT_USER\SOFTWARE\WIBU-SYSTEMS AG
Could not find or read in registry: HKEY_LOCAL_MACHINE\SOFTWARE\Griffin
Technologies\SecuriKey
Could not find or read in registry: HKEY_CURRENT_USER\SOFTWARE\Steganos

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\USBSTOR]
"Start"="3"

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\usbhub]
"Start"="3"

[HKEY_CLASSES_ROOT\Interface\{00040000-0000-1010-8005-0000C06B5161}]
"(Default)"="ITTrigger"

CmDust-Result

[HKEY_CLASSES_ROOT\wibuCmTrigger.Trigger\CLSID]
"(Default)"="{00040000-0000-1011-8005-0000C06B5161}"

There is no CodeMeter.ini file.

=====

***** Relevant files *****

=====

File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeter.exe; Version: 6.81 (Build 3477, Count 500)
File: wibuCm32.dll; Version: 6.81 (Build 3477, Count 500)
found in location: C:\windows\SysWOW64\wibuCm32.dll
File: wibuCm64.dll; Version: 6.81 (Build 3477, Count 500)
found in location: C:\windows\system32\wibuCm64.dll
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC.exe; Version: 6.81 (Build 3477, Count 500)
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_de.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_en.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_es.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_fr.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_it.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_ja.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_ru.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CodeMeterCC_zh.qm; Timestamp: 2019-04-01 22:53
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\CmRmtAct32.dll; Version: 6.81 (Build 3477, Count 500)
File: C:\Program Files\CodeMeter\Runtime\bin\CmRmtAct64.dll; Version: 6.81 (Build 3477, Count 500)
File: wibucmJNI.dll; Version: 6.81 (Build 3477, Count 500)
found in location: C:\windows\SysWOW64\wibucmJNI.dll
File: wibucmJNI64.dll; Version: 6.81 (Build 3477, Count 500)
found in location: C:\windows\system32\wibucmJNI64.dll
File: C:\Program Files\CodeMeter\Runtime\bin\CmWebAdmin.exe; Version: 6.81 (Build 3477, Count 500)
File: C:\Program Files (x86)\CodeMeter\Runtime\bin\wibuCmTrigger32.dll; Version: 6.81 (Build 3477, Count 500)
File: C:\Program Files\CodeMeter\Runtime\bin\wibuCmTrigger64.dll; Version: 6.81 (Build 3477, Count 500)
File: C:\windows\SysWOW64\wibuXpm4J32.dll; Version: 10.31 (Build 3477, Count 500)
File: C:\windows\system32\wibuXpm4J64.dll; Version: 10.31 (Build 3477, Count 500)
File: C:\windows\system32\DRIVERS\usbstor.sys; Version: 6.01 (Build 7601, Count 17514)
File: C:\windows\system32\DRIVERS\usbhub.sys; Version: 6.01 (Build 7601, Count 17514)
File: C:\windows\system32\DRIVERS\Usbd.sys; Version: 6.01 (Build 7600, Count 16385)
File: C:\windows\system32\winInet.dll; Version: 11.00 (Build 9600, Count 17840)
File: C:\windows\system32\usbui.dll; Version: 6.01 (Build 7600, Count 16385)
File: C:\windows\system32\DRIVERS\Usbport.sys; Version: 6.01 (Build 7601, Count 17514)
File: C:\windows\system32\DRIVERS\usbuhci.sys; Version: 6.01 (Build 7600, Count 16385)
File: C:\windows\system32\DRIVERS\usbehci.sys; Version: 6.01 (Build 7601, Count 17514)
File: C:\ProgramData\CodeMeter\Backup; Timestamp: 2019-07-04 23:47
File: C:\ProgramData\CodeMeter\CmAct; Timestamp: 2019-07-04 23:47
File: C:\ProgramData\CodeMeter\Logs; Timestamp: 2019-07-05 08:24

CmDust-Result

LicenseLock-2019-06-13-123734-1560447454353.log
LicenseLock-2019-06-13-123748-1560447468799.log
LicenseLock-2019-06-13-123800-1560447480950.log
LicenseLock-2019-06-13-123905-1560447545332.log
LicenseLock-2019-06-13-123955-1560447595308.log
LicenseLock-2019-06-13-124104-1560447664290.log
LicenseLock-2019-06-13-124104-1560447664984.log
LicenseLock-2019-06-13-124411-1560447851669.log
LicenseLock-2019-06-13-124515-1560447915036.log
LicenseLock-2019-06-13-124754-1560448074697.log
LicenseLock-2019-06-13-124834-1560448114524.log
LicenseLock-2019-06-13-124838-1560448118689.log
LicenseLock-2019-06-13-124840-1560448120296.log
LicenseLock-2019-06-13-124841-1560448121091.log
LicenseLock-2019-06-13-124843-1560448123385.log
LicenseLock-2019-06-13-125017-1560448217042.log
LicenseLock-2019-06-13-125217-1560448337222.log
LicenseLock-2019-06-13-125226-1560448346893.log
LicenseLock-2019-06-13-125254-1560448374685.log
LicenseLock-2019-06-13-125350-1560448430190.log
LicenseLock-2019-06-13-125538-1560448538282.log
LicenseLock-2019-06-13-125908-1560448748358.log
LicenseLock-2019-06-24-163235-1561411955039.log
LicenseLock-2019-06-24-163322-1561412002214.log
LicenseLock-2019-06-24-163557-1561412157433.log
LicenseLock-2019-06-24-163617-1561412177018.log
LicenseLock-2019-06-24-163736-1561412256682.log
LicenseLock-2019-06-24-163753-1561412273811.log
LicenseLock-2019-07-05-001008-1562303408514.log
LicenseLock-2019-07-05-002818-1562304498722.log
LicenseLock-2019-07-05-002854-1562304534080.log
LicenseLock-2019-07-05-002916-1562304556703.log
LicenseLock-2019-07-05-003027-1562304627200.log
LicenseLock-2019-07-05-003040-1562304640782.log
LicenseLock-2019-07-05-003321-1562304801788.log
LicenseLock-2019-07-05-003324-1562304804039.log
LicenseLock-2019-07-05-003344-1562304824475.log
LicenseLock-2019-07-05-003606-1562304966016.log
LicenseLock-2019-07-05-003710-1562305030635.log
LicenseLock-2019-07-05-004732-1562305652158.log
LicenseLock-2019-07-05-010222-1562306542629.log
LicenseLock-2019-07-05-010647-1562306807925.log
LicenseLock-2019-07-05-010733-1562306853076.log
LicenseLock-2019-07-05-010746-1562306866133.log
LicenseLock-2019-07-05-010828-1562306908436.log
LicenseLock-2019-07-05-010847-1562306927155.log
LicenseLock-2019-07-05-010920-1562306960692.log
LicenseLock-2019-07-05-010922-1562306962845.log
LicenseLock-2019-07-05-011150-1562307110452.log
LicenseLock-2019-07-05-011438-1562307278245.log
LicenseLock-2019-07-05-081827-1562332707141.log
LicenseLock-2019-07-05-082105-1562332865726.log
LicenseLock-2019-07-05-082304-1562332984074.log
LicenseLock-2019-07-05-082343-1562333023232.log
LicenseLock-2019-07-05-082417-1562333057840.log
LicenseLock-2019-07-05-082451-1562333091348.log

=====

***** .NET Framework *****

=====

Installed .NetFramework versions:

.NET Framework 1.0 is not installed.
.NET Framework 1.1 is not installed.
.NET Framework 2.0 service pack 2 is installed.
.NET Framework 3.0 service pack 2 is installed.
.NET Framework 3.5 service pack 1 is installed.
.NET Framework 4.0 (client) is installed with no service packs.

CmDust-Result

.NET Framework 4.0 (full) is installed with no service packs.
.NET Framework 4.7 or later is installed.

In this context relevant files:

File:

C:\Windows\assembly\GAC\wibuCmNET\3.34.190.500__01d86e1eb0c69c23\wibuCmNET.dll;
Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\wibuCmNET\6.40.228.501__01d86e1eb0c69c23\wibuCmNET.dll;
Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\wibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\wibuCmNET.dll; Version: 6.50 (Build 248, Count 503)

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\wibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\wibuCmNET.dll; Version: 6.81 (Build 280, Count 500)

File:

C:\Windows\assembly\GAC\policy.2.0.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.2.0.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.2.1.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.2.1.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.2.10.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.2.10.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.2.20.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.2.20.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.3.0.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.3.0.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.3.20.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.3.20.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.3.30.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.3.30.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.3.31.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.3.31.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.3.32.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.3.32.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.3.33.wibuCmNET\3.34.190.500__01d86e1eb0c69c23\policy.3.33.wibuCmNET.dll; Version: 3.34 (Build 190, Count 500)

File:

C:\Windows\assembly\GAC\policy.4.0.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.0.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\assembly\GAC\policy.4.1.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.1.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\assembly\GAC\policy.4.10.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.10.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\assembly\GAC\policy.4.20.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.20.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\assembly\GAC\policy.4.30.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.30.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\assembly\GAC\policy.4.40.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.40.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

C:\Windows\assembly\GAC\policy.4.50.wibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.4.50.wibuCmNET.dll; Version: 6.40 (Build 228, Count 501)

File:

CmDust-Result

C:\Windows\assembly\GAC\policy.5.0.WibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.5.0.WibuCmNET.dll; Version: 6.40 (Build 228, Count 501)
File:
C:\Windows\assembly\GAC\policy.5.10.WibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.5.10.WibuCmNET.dll; Version: 6.40 (Build 228, Count 501)
File:
C:\Windows\assembly\GAC\policy.5.20.WibuCmNET\6.40.228.501__01d86e1eb0c69c23\policy.5.20.WibuCmNET.dll; Version: 6.40 (Build 228, Count 501)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.0.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.0.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.0.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.0.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.1.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.1.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.1.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.1.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.10.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.10.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.10.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.10.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.20.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.20.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.20.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.20.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.30.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.30.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.30.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.30.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.40.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.40.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.40.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.40.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.50.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.4.50.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.4.50.WibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.4.50.WibuCmNET.dll; Version: 6.81 (Build 280, Count 500)
File:
C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.5.0.WibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.5.0.WibuCmNET.dll; Version: 6.50 (Build 248, Count 503)

CmDust-Result

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.5.0.wibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.5.0.wibuCmNET.dll; Version: 6.81 (Build 280, Count 500)

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.5.10.wibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.5.10.wibuCmNET.dll; Version: 6.50 (Build 248, Count 503)

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.5.10.wibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.5.10.wibuCmNET.dll; Version: 6.81 (Build 280, Count 500)

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.5.20.wibuCmNET\v4.0_6.50.248.503__01d86e1eb0c69c23\policy.5.20.wibuCmNET.dll; Version: 6.50 (Build 248, Count 503)

File:

C:\Windows\Microsoft.NET\assembly\GAC_MSIL\policy.5.20.wibuCmNET\v4.0_6.81.280.500__01d86e1eb0c69c23\policy.5.20.wibuCmNET.dll; Version: 6.81 (Build 280, Count 500)

File:

C:\Windows\Microsoft.NET\assembly\GAC_32\mscorlib\v4.0_4.0.0.0__b77a5c561934e089\mscorlib.dll; Version: 4.07 (Build 3062, Count 0)

File:

C:\Windows\Microsoft.NET\assembly\GAC_64\mscorlib\v4.0_4.0.0.0__b77a5c561934e089\mscorlib.dll; Version: 4.07 (Build 3062, Count 0)

File: C:\Windows\Microsoft.NET\Framework\v2.0.50727\mscorlib.dll; version: 2.00 (Build 50727, Count 5420)

File: C:\Windows\Microsoft.NET\Framework\v4.0.30319\mscorlib.dll; version: 4.07 (Build 3062, Count 0)

File: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\mscorlib.dll; version: 2.00 (Build 50727, Count 5420)

File: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll; version: 4.07 (Build 3062, Count 0)

=====Get Additional Information=====

No running CodeMeter.exe found

SecuriKey is not active.

Internet Explorer Version: 9.11.9600.17843.

=====

ERROR:Error 101 in CmAccess().

Error: Checking the API functions failed!

=====Dump of Files=====

=====

***** Eventlog *****

=====

Error: Dumping Eventlog failed!

=====

***** CmDust finished at 2019-07-05 13:26:46 UTC *****

=====