```
13.02.19 10:14:22.506 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
13.02.19 10:14:22.519 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
13.02.19 10:14:22.520 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.02.19 10:14:22.520 CommonRemoting
  INFO  - Start listening on TCP port 41120
13.02.19 10:14:22.520 CommonRemoting
  INFO  - Start listening on TCP port 41121
13.02.19 10:14:22.613 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
13.02.19 10:14:22.754 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
13.02.19 10:14:22.768 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.02.19 10:14:22.769 CommonRemoting
  INFO  - Start listening on TCP port 41123
13.02.19 10:14:22.772 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01660, IPC
13.02.19 10:14:22.789 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C023F0, IPC
13.02.19 10:14:22.810 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
13.02.19 10:14:22.815 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
13.02.19 10:14:22.824 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
13.02.19 10:14:22.829 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.02.19 10:14:22.831 CommonRemoting
  INFO  - Start listening on TCP port 41124
13.02.19 10:14:22.833 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C02860, IPC
13.02.19 10:14:22.849 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C02CD0, IPC
13.02.19 10:14:22.877 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1E01628, IPC
13.02.19 10:14:22.886 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
13.02.19 10:14:22.917 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
13.02.19 10:14:22.920 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
13.02.19 10:14:23.035 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
13.02.19 10:14:23.064 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
13.02.19 10:14:23.072 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
13.02.19 10:14:23.151 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.038 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
```

```
loaded.
13.02.19 10:14:24.041 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.045 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.049 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.052 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.055 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.076 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.080 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.101 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.125 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
13.02.19 10:14:24.234 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.294 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
13.02.19 10:14:24.315 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
13.02.19 10:14:24.372 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
13.02.19 10:14:25.272 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
13.02.19 10:14:25.370 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
13.02.19 10:14:25.397 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
13.02.19 10:14:25.849 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
13.02.19 10:14:25.853 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
13.02.19 10:14:25.886 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
13.02.19 10:14:25.917 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
13.02.19 10:14:25.921 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
13.02.19 10:14:25.926 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
```

```
'MainProcess' loaded.
13.02.19 10:14:26.372 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
13.02.19 10:14:26.376 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
13.02.19 10:14:26.380 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
13.02.19 10:14:26.382 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
13.02.19 10:14:26.384 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
13.02.19 10:14:26.385 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
13.02.19 10:14:26.387 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
13.02.19 10:14:26.390 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
13.02.19 10:14:26.391 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
13.02.19 10:14:26.392 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
13.02.19 10:14:26.393 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
13.02.19 10:14:26.394 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
13.02.19 10:14:26.398 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
13.02.19 10:14:26.400 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
13.02.19 10:14:26.401 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
13.02.19 10:14:26.408 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
13.02.19 10:14:26.410 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
13.02.19 10:14:26.412 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
13.02.19 10:14:26.476 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
13.02.19 10:14:26.479 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
13.02.19 10:14:26.481 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
13.02.19 10:14:26.484 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
13.02.19 10:14:26.488 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
13.02.19 10:14:26.490 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
13.02.19 10:14:26.492 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
13.02.19 10:14:26.495 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
```

```
13.02.19 10:14:26.496 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
13.02.19 10:14:26.498 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
13.02.19 10:14:26.499 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
13.02.19 10:14:26.501 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
13.02.19 10:14:26.504 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
13.02.19 10:14:26.509 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
13.02.19 10:14:26.512 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
13.02.19 10:14:26.515 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
13.02.19 10:14:26.516 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
13.02.19 10:14:26.518 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
13.02.19 10:14:26.520 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
13.02.19 10:14:26.521 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
13.02.19 10:14:26.523 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
13.02.19 10:14:26.524 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
13.02.19 10:14:26.525 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
13.02.19 10:14:26.526 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
13.02.19 10:14:26.549 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
13.02.19 10:14:26.562 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
13.02.19 10:14:26.566 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
13.02.19 10:14:26.569 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
13.02.19 10:14:26.701 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
13.02.19 10:14:26.733 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
13.02.19 10:14:26.737 Arp.System.Um.Internal.LinuxUserProvider
```

```
  INFO  - user 'admin' selected for export
13.02.19 10:14:26.821 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
13.02.19 10:14:27.603 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (enp1s0 at 00:A0:45:A7:FB:10) with 1 ports.
13.02.19 10:14:27.604 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 2 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
13.02.19 10:14:27.647 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1530 for script '/etc/init.d/plcnext stop'
13.02.19 10:14:27.650 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
13.02.19 10:14:27.652 Arp.Device.Interface.Internal.Target.HwFuncPci
  INFO  - Found PCIe device 0: VenID 0x8086 DevID 0x157b, Addr: 0xc0000000,
i210ie
13.02.19 10:14:27.681 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
13.02.19 10:14:27.749 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
13.02.19 10:14:27.992 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
13.02.19 10:14:28.079 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
13.02.19 10:14:28.080 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
13.02.19 10:14:28.090 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
13.02.19 10:14:28.182 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
13.02.19 10:14:28.184 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 2
13.02.19 10:14:28.186 Arp.Io.ProfinetStack.System.Internal.System
  WARN  - Directory '/opt/plcnext/profinet' not found so it will be created
13.02.19 10:14:28.188 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
13.02.19 10:14:31.947 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
13.02.19 10:14:33.938 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
13.02.19 10:14:35.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
13.02.19 10:14:35.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.02.19 10:14:35.927 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
13.02.19 10:14:35.928 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
13.02.19 10:14:35.928 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.02.19 10:14:35.928 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
13.02.19 10:14:35.941 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
13.02.19 10:14:37.369 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - I&M0 request for the device instance ID 1 received
13.02.19 10:14:37.369 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.02.19 10:14:37.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
13.02.19 10:14:37.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
13.02.19 10:14:37.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.02.19 10:14:37.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
13.02.19 10:14:37.383 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
13.02.19 10:14:37.463 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Enter EhmiComponent: Initialize
13.02.19 10:14:37.466 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Exit  EhmiComponent: Initialize
13.02.19 10:14:37.467 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 EhmiComponent: SubscribeServices
13.02.19 10:14:37.469 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
13.02.19 10:14:37.484 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Exit  EhmiComponent: LoadSettings
13.02.19 10:14:37.486 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Enter EhmiComponent: SetupSettings
13.02.19 10:14:37.489 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 SetThreshold level=6.
13.02.19 10:14:37.492 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736    IndentSize=0
13.02.19 10:14:37.494 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736    IndentSize=0
13.02.19 10:14:37.498 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
13.02.19 10:14:37.502 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Exit  EhmiComponent: SetupSettings
13.02.19 10:14:37.503 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 EhmiComponent: PublishServices
13.02.19 10:14:38.150 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
13.02.19 10:14:38.154 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
13.02.19 10:14:38.160 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
13.02.19 10:14:38.174 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
13.02.19 10:14:38.179 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
```

```
13.02.19 10:14:38.180 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
13.02.19 10:14:38.227 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
13.02.19 10:14:38.251 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
13.02.19 10:14:38.307 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
13.02.19 10:14:38.323 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
13.02.19 10:14:38.425 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
13.02.19 10:14:38.459 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
13.02.19 10:14:38.487 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
13.02.19 10:14:38.505 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
13.02.19 10:14:38.520 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
13.02.19 10:14:38.521 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.02.19 10:14:38.522 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
13.02.19 10:14:38.523 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.02.19 10:14:38.525 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
13.02.19 10:14:38.527 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
13.02.19 10:14:38.528 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
13.02.19 10:14:38.530 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.02.19 10:14:38.532 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
13.02.19 10:14:38.553 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
```

```
exist.
13.02.19 10:14:38.583 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
13.02.19 10:14:38.585 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.02.19 10:14:38.603 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.02.19 10:14:38.608 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
13.02.19 10:14:38.610 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
13.02.19 10:14:38.610 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 EhmiComponent: LoadConfig
13.02.19 10:14:38.610 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 EhmiComponent: SetupConfig
13.02.19 10:14:38.842 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.02.19 10:14:38.865 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
13.02.19 10:14:38.869 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 3 ports
13.02.19 10:14:40.647 Arp.System.Commons.Security.IdentityStore
  WARN  - Missing certificate in identity store
/opt/plcnext/Security/IdentityStores/OPC UA-self-signed/certificate.pem
13.02.19 10:14:40.648
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  CRITICAL - Existing
certificate does not match private key => Creating new self-signed certificate
13.02.19 10:14:40.740 Arp.System.Commons.Security.TrustStoreProvider
  ERROR - TryGetTrustStore failed with: TrustStore Empty does not exist
13.02.19 10:14:40.744 Arp.System.Commons.Security.TrustStore
  INFO  - Directory /opt/plcnext/Security/TrustStores/Empty/trusted does not
exist. => Cannot load any Trusted Certificates
13.02.19 10:14:40.745 Arp.System.Commons.Security.TrustStore
  INFO  - Directory /opt/plcnext/Security/TrustStores/Empty/issuers does not
exist. => Cannot load any Trusted Certificates
13.02.19 10:14:40.758
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
13.02.19 10:14:41.391 OpcServer
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
13.02.19 10:14:41.391 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
13.02.19 10:14:41.393 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
13.02.19 10:14:41.404 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
13.02.19 10:14:41.420 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Enter EhmiComponent: Start
13.02.19 10:14:41.434 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736   OpenListenSocket ListenSocket=0x2c,
```

```
BindPort=127.0.0.1:9999
13.02.19 10:14:41.442 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736    Cannot find authorizationTokenTimeout in project.json
13.02.19 10:14:41.446 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069468736   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.02.19 10:14:41.452 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069468736    Cannot read the type.dictionary.json file.
13.02.19 10:14:41.458 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069468736   Load Cannot read fileName=data.dictionary.json
13.02.19 10:14:41.460 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069468736 Exit  EhmiComponent: Start
13.02.19 10:14:41.463 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.02.19 10:14:41.465 CommonRemoting
  INFO  - Start listening on TCP port 41100
13.02.19 10:14:41.467 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
13.02.19 10:14:41.472 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
13.02.19 10:14:42.231 CommonRemoting
  INFO  - Accepted connection #0: connectionId=00372FC8, 192.168.1.1 ->
0.0.0.0:41100
13.02.19 10:14:42.498
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=00372FC8,
securityToken=80A82009
27.09.19 00:59:15.058
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  - Clearing
authentication: connectionId=00372FC8, securityToken=80A82009
27.09.19 00:59:15.066 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = 00372FC8
27.09.19 00:59:15.070 CommonRemoting
  INFO  - Closing connection: connectionId=00372FC8
27.09.19 00:59:18.988 CommonRemoting
  INFO  - Accepted connection #0: connectionId=00374B38, 192.168.1.1 ->
0.0.0.0:41100
27.09.19 00:59:19.129
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=00374B38,
securityToken=9A8EFAC5
27.09.19 00:59:19.308 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
27.09.19 00:59:19.310 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
27.09.19 00:59:19.311 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: OnPlcStopping
27.09.19 00:59:19.313 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: StopPlc
27.09.19 00:59:19.344 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Enter EhmiComponent: OnPlcStopped
27.09.19 00:59:19.347 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600    Cannot find authorizationTokenTimeout in project.json
```

```
27.09.19 00:59:19.358 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2779857600   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
27.09.19 00:59:19.363 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Exit  EhmiComponent: OnPlcStopped
27.09.19 00:59:19.477 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Enter EhmiComponent: OnPlcUnloading, onError=false
27.09.19 00:59:19.480 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Exit  EhmiComponent: OnPlcUnloading
27.09.19 00:59:19.485 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: ResetPlc, isChanging=false
27.09.19 00:59:19.486 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: UnloadPlc, isChanging=false
27.09.19 00:59:19.511 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: OnPlcUnloaded, onError=false
27.09.19 00:59:19.567
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  - Clearing
authentication: connectionId=00374B38, securityToken=9A8EFAC5
27.09.19 00:59:19.572 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = 00374B38
27.09.19 00:59:19.575 CommonRemoting
  INFO  - Closing connection: connectionId=00374B38
27.09.19 00:59:26.271 CommonRemoting
  INFO  - Accepted connection #0: connectionId=00374B38, 192.168.1.1 ->
0.0.0.0:41100
27.09.19 00:59:26.421
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=00374B38,
securityToken=D72CF348
27.09.19 00:59:26.488 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
27.09.19 00:59:26.491 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: OnPlcLoading
27.09.19 00:59:32.602 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Stopped OPC UA Server successfully.
27.09.19 00:59:32.604 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Configuration changed, Server will restart!
27.09.19 00:59:34.113 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
27.09.19 00:59:34.171 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
27.09.19 00:59:34.176 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
27.09.19 00:59:34.184 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
27.09.19 00:59:34.190 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: da97d46e-6f09-49c7-8861-3da972c388b7.tic
27.09.19 00:59:34.203 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
27.09.19 00:59:34.207 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
```

```
27.09.19 00:59:34.592 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
27.09.19 00:59:34.657 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
27.09.19 00:59:35.040 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
27.09.19 00:59:35.044 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please and some variables...
27.09.19 00:59:35.045 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please and some variables...
27.09.19 00:59:35.045 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: LoadPlc, isChanging=false
27.09.19 00:59:35.046 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: SetupPlc, isChanging=false
27.09.19 00:59:35.047 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Enter EhmiComponent: OnPlcLoaded
27.09.19 00:59:35.049 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Exit  EhmiComponent: OnPlcLoaded
27.09.19 00:59:35.478 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: OnPlcStarting, startKind=Cold
27.09.19 00:59:35.520 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: StartPlc, startKind=Cold
27.09.19 00:59:35.523 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Enter EhmiComponent: OnPlcStarted
27.09.19 00:59:35.529 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600    Cannot find authorizationTokenTimeout in project.json
27.09.19 00:59:35.533 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2779857600   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
27.09.19 00:59:35.539 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2779857600    Cannot read the type.dictionary.json file.
27.09.19 00:59:35.546 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2779857600   Load Cannot read fileName=data.dictionary.json
27.09.19 00:59:35.546 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Exit  EhmiComponent: OnPlcStarted
27.09.19 00:59:35.581
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  WARN  -
Configuration for subject alternative names is changed => replacing existing
self-signed certificate
27.09.19 00:59:35.977
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
27.09.19 00:59:37.131 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axcf2152:4840 listening at
opc.tcp://0.0.0.0:4840
27.09.19 00:59:37.133 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
27.09.19 00:59:37.135 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
27.09.19 00:59:39.409 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
27.09.19 00:59:39.409 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
```

```
27.09.19 00:59:39.409 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: OnPlcStopping
27.09.19 00:59:39.409 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: StopPlc
27.09.19 00:59:39.424 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Enter EhmiComponent: OnPlcStopped
27.09.19 00:59:39.427 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600    Cannot find authorizationTokenTimeout in project.json
27.09.19 00:59:39.429 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2779857600   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
27.09.19 00:59:39.429 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Exit  EhmiComponent: OnPlcStopped
27.09.19 00:59:39.537 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Enter EhmiComponent: OnPlcUnloading, onError=false
27.09.19 00:59:39.538 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 Exit  EhmiComponent: OnPlcUnloading
27.09.19 00:59:39.541 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: ResetPlc, isChanging=false
27.09.19 00:59:39.541 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: UnloadPlc, isChanging=false
27.09.19 00:59:39.693 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2779857600 EhmiComponent: OnPlcUnloaded, onError=false
27.09.19 00:59:39.747
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  - Clearing
authentication: connectionId=00374B38, securityToken=D72CF348
27.09.19 00:59:39.753 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = 00374B38
27.09.19 00:59:39.757 CommonRemoting
  INFO  - Closing connection: connectionId=00374B38
12.12.19 16:34:57.782 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
12.12.19 16:34:57.796 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
12.12.19 16:34:57.797 CommonRemoting
  INFO  - Starting remoting server (version=4)
12.12.19 16:34:57.797 CommonRemoting
  INFO  - Start listening on TCP port 41120
12.12.19 16:34:57.798 CommonRemoting
  INFO  - Start listening on TCP port 41121
12.12.19 16:34:57.893 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
12.12.19 16:34:58.038 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
12.12.19 16:34:58.053 CommonRemoting
  INFO  - Starting remoting server (version=4)
12.12.19 16:34:58.054 CommonRemoting
  INFO  - Start listening on TCP port 41124
12.12.19 16:34:58.057 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01660, IPC
12.12.19 16:34:58.071 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C023F0, IPC
12.12.19 16:34:58.101 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401628, IPC
```

```
12.12.19 16:34:58.108 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
12.12.19 16:34:58.113 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
12.12.19 16:34:58.124 CommonRemoting
  INFO  - Starting remoting server (version=4)
12.12.19 16:34:58.125 CommonRemoting
  INFO  - Start listening on TCP port 41123
12.12.19 16:34:58.128 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C02860, IPC
12.12.19 16:34:58.145 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C02CD0, IPC
12.12.19 16:34:58.169 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
12.12.19 16:34:58.177 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
12.12.19 16:34:58.199 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
12.12.19 16:34:58.201 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
12.12.19 16:34:58.314 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
12.12.19 16:34:58.343 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
12.12.19 16:34:58.349 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
12.12.19 16:34:58.421 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.128 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
12.12.19 16:34:59.132 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.136 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.140 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.144 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.148 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.169 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.173 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.193 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.218 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
12.12.19 16:34:59.325 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
12.12.19 16:34:59.383 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
```

```
12.12.19 16:34:59.404 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
12.12.19 16:34:59.462 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
12.12.19 16:35:00.362 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
12.12.19 16:35:00.454 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
12.12.19 16:35:00.480 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
12.12.19 16:35:00.956 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
12.12.19 16:35:00.960 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
12.12.19 16:35:00.990 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
12.12.19 16:35:01.019 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
12.12.19 16:35:01.023 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
12.12.19 16:35:01.028 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
12.12.19 16:35:01.457 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
12.12.19 16:35:01.460 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
12.12.19 16:35:01.463 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
12.12.19 16:35:01.464 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
12.12.19 16:35:01.466 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
12.12.19 16:35:01.467 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
12.12.19 16:35:01.469 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
12.12.19 16:35:01.471 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
12.12.19 16:35:01.471 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
12.12.19 16:35:01.472 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
12.12.19 16:35:01.472 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
```

```
12.12.19 16:35:01.473 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
12.12.19 16:35:01.476 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
12.12.19 16:35:01.478 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
12.12.19 16:35:01.479 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
12.12.19 16:35:01.487 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
12.12.19 16:35:01.489 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
12.12.19 16:35:01.491 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
12.12.19 16:35:01.553 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
12.12.19 16:35:01.554 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
12.12.19 16:35:01.556 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
12.12.19 16:35:01.558 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
12.12.19 16:35:01.560 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
12.12.19 16:35:01.562 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
12.12.19 16:35:01.563 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
12.12.19 16:35:01.565 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
12.12.19 16:35:01.566 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
12.12.19 16:35:01.567 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
12.12.19 16:35:01.567 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
12.12.19 16:35:01.568 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
12.12.19 16:35:01.571 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
12.12.19 16:35:01.574 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
12.12.19 16:35:01.576 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
12.12.19 16:35:01.579 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
12.12.19 16:35:01.579 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
12.12.19 16:35:01.580 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
```

```
12.12.19 16:35:01.582 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
12.12.19 16:35:01.583 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
12.12.19 16:35:01.584 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
12.12.19 16:35:01.585 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
12.12.19 16:35:01.586 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
12.12.19 16:35:01.586 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
12.12.19 16:35:01.608 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
12.12.19 16:35:01.619 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
12.12.19 16:35:01.622 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
12.12.19 16:35:01.624 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
12.12.19 16:35:01.759 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
12.12.19 16:35:01.789 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
12.12.19 16:35:01.792 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
12.12.19 16:35:02.324 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
12.12.19 16:35:02.851 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
12.12.19 16:35:02.885 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1247 for script '/etc/init.d/plcnext stop'
12.12.19 16:35:02.889 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
12.12.19 16:35:02.917 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
12.12.19 16:35:02.983 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
12.12.19 16:35:03.225 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
12.12.19 16:35:03.328 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
12.12.19 16:35:03.328 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
12.12.19 16:35:03.340 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
12.12.19 16:35:03.419 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
```

```
12.12.19 16:35:03.421 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
12.12.19 16:35:03.423 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
12.12.19 16:35:04.458 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
12.12.19 16:35:06.452 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
12.12.19 16:35:07.856 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
12.12.19 16:35:07.856 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
12.12.19 16:35:07.856 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
12.12.19 16:35:07.856 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
12.12.19 16:35:07.856 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
12.12.19 16:35:07.856 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
12.12.19 16:35:07.868 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
12.12.19 16:35:09.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
12.12.19 16:35:09.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
12.12.19 16:35:09.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
12.12.19 16:35:09.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
12.12.19 16:35:09.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
12.12.19 16:35:09.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
12.12.19 16:35:09.342 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
12.12.19 16:35:09.432 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Enter EhmiComponent: Initialize
12.12.19 16:35:09.434 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Exit  EhmiComponent: Initialize
12.12.19 16:35:09.435 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 EhmiComponent: SubscribeServices
12.12.19 16:35:09.436 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
12.12.19 16:35:09.456 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Exit  EhmiComponent: LoadSettings
12.12.19 16:35:09.457 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Enter EhmiComponent: SetupSettings
12.12.19 16:35:09.460 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 SetThreshold level=6.
12.12.19 16:35:09.462 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688    IndentSize=0
12.12.19 16:35:09.463 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069722688    IndentSize=0
12.12.19 16:35:09.467 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
12.12.19 16:35:09.470 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Exit  EhmiComponent: SetupSettings
12.12.19 16:35:09.471 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 EhmiComponent: PublishServices
12.12.19 16:35:10.132 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
12.12.19 16:35:10.136 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
12.12.19 16:35:10.141 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
12.12.19 16:35:10.154 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
12.12.19 16:35:10.157 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
12.12.19 16:35:10.158 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
12.12.19 16:35:10.189 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
12.12.19 16:35:10.212 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
12.12.19 16:35:10.269 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
12.12.19 16:35:10.287 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
12.12.19 16:35:10.383 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
12.12.19 16:35:10.419 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
12.12.19 16:35:10.448 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
12.12.19 16:35:10.467 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
12.12.19 16:35:10.483 root
  WARN  - Cannot resolve
```

```
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
12.12.19 16:35:10.484 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
12.12.19 16:35:10.485 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
12.12.19 16:35:10.487 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
12.12.19 16:35:10.488 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
12.12.19 16:35:10.489 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
12.12.19 16:35:10.489 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
12.12.19 16:35:10.490 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
12.12.19 16:35:10.492 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
12.12.19 16:35:10.513 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.
12.12.19 16:35:10.542 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
12.12.19 16:35:10.544 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
12.12.19 16:35:10.565 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
12.12.19 16:35:10.570 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
12.12.19 16:35:10.572 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
12.12.19 16:35:10.573 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 EhmiComponent: LoadConfig
12.12.19 16:35:10.575 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 EhmiComponent: SetupConfig
12.12.19 16:35:10.818 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
12.12.19 16:35:10.843 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
12.12.19 16:35:10.843 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
12.12.19 16:35:10.884
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  WARN  -
Configuration for subject alternative names is changed => replacing existing
self-signed certificate
12.12.19 16:35:11.254
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
12.12.19 16:35:11.908 OpcServer
```

```
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
12.12.19 16:35:11.910 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
12.12.19 16:35:11.912 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
12.12.19 16:35:11.923 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
12.12.19 16:35:11.934 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Enter EhmiComponent: Start
12.12.19 16:35:11.946 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688   OpenListenSocket ListenSocket=0x2c,
BindPort=127.0.0.1:9999
12.12.19 16:35:11.953 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688    Cannot find authorizationTokenTimeout in project.json
12.12.19 16:35:11.957 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069722688   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
12.12.19 16:35:11.962 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069722688    Cannot read the type.dictionary.json file.
12.12.19 16:35:11.967 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069722688   Load Cannot read fileName=data.dictionary.json
12.12.19 16:35:11.969 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069722688 Exit  EhmiComponent: Start
12.12.19 16:35:11.972 CommonRemoting
  INFO  - Starting remoting server (version=4)
12.12.19 16:35:11.974 CommonRemoting
  INFO  - Start listening on TCP port 41100
12.12.19 16:35:11.977 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
12.12.19 16:35:11.981 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
14.12.19 09:49:53.742 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
14.12.19 09:49:53.756 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
14.12.19 09:49:53.757 CommonRemoting
  INFO  - Starting remoting server (version=4)
14.12.19 09:49:53.757 CommonRemoting
  INFO  - Start listening on TCP port 41120
14.12.19 09:49:53.758 CommonRemoting
  INFO  - Start listening on TCP port 41121
14.12.19 09:49:53.851 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
14.12.19 09:49:54.003 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
14.12.19 09:49:54.019 CommonRemoting
  INFO  - Starting remoting server (version=4)
14.12.19 09:49:54.020 CommonRemoting
  INFO  - Start listening on TCP port 41124
14.12.19 09:49:54.023 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01660, IPC
```

```
14.12.19 09:49:54.043 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C023F0, IPC
14.12.19 09:49:54.047 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
14.12.19 09:49:54.062 CommonRemoting
  INFO  - Starting remoting server (version=4)
14.12.19 09:49:54.063 CommonRemoting
  INFO  - Start listening on TCP port 41123
14.12.19 09:49:54.065 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C02860, IPC
14.12.19 09:49:54.073 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401598, IPC
14.12.19 09:49:54.082 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
14.12.19 09:49:54.084 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C02CD0, IPC
14.12.19 09:49:54.108 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
14.12.19 09:49:54.118 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
14.12.19 09:49:54.155 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
14.12.19 09:49:54.157 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
14.12.19 09:49:54.272 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
14.12.19 09:49:54.301 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
14.12.19 09:49:54.308 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
14.12.19 09:49:54.384 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.159 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
14.12.19 09:49:55.163 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.168 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.172 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.176 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.180 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.204 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.208 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.229 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.254 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
```

```
14.12.19 09:49:55.367 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.430 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
14.12.19 09:49:55.452 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
14.12.19 09:49:55.513 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
14.12.19 09:49:56.416 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
14.12.19 09:49:56.505 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
14.12.19 09:49:56.529 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
14.12.19 09:49:56.867 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
14.12.19 09:49:56.871 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
14.12.19 09:49:56.901 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
14.12.19 09:49:56.929 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
14.12.19 09:49:56.933 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
14.12.19 09:49:56.937 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
14.12.19 09:49:57.424 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
14.12.19 09:49:57.428 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
14.12.19 09:49:57.431 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
14.12.19 09:49:57.433 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
14.12.19 09:49:57.434 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
14.12.19 09:49:57.435 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
14.12.19 09:49:57.437 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
14.12.19 09:49:57.439 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
14.12.19 09:49:57.441 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
```

```
14.12.19 09:49:57.442 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
14.12.19 09:49:57.443 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
14.12.19 09:49:57.444 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
14.12.19 09:49:57.447 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
14.12.19 09:49:57.448 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
14.12.19 09:49:57.449 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
14.12.19 09:49:57.457 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
14.12.19 09:49:57.460 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
14.12.19 09:49:57.462 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
14.12.19 09:49:57.541 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
14.12.19 09:49:57.543 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
14.12.19 09:49:57.545 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
14.12.19 09:49:57.549 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
14.12.19 09:49:57.553 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
14.12.19 09:49:57.555 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
14.12.19 09:49:57.556 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
14.12.19 09:49:57.560 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
14.12.19 09:49:57.561 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
14.12.19 09:49:57.562 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
14.12.19 09:49:57.564 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
14.12.19 09:49:57.566 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
14.12.19 09:49:57.569 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
14.12.19 09:49:57.574 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
14.12.19 09:49:57.576 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
14.12.19 09:49:57.580 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
14.12.19 09:49:57.582 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
14.12.19 09:49:57.583 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
14.12.19 09:49:57.585 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
14.12.19 09:49:57.586 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
14.12.19 09:49:57.588 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
14.12.19 09:49:57.591 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
14.12.19 09:49:57.592 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
14.12.19 09:49:57.593 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
14.12.19 09:49:57.617 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
14.12.19 09:49:57.631 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
14.12.19 09:49:57.634 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
14.12.19 09:49:57.635 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
14.12.19 09:49:57.925 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
14.12.19 09:49:57.963 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
14.12.19 09:49:57.967 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
14.12.19 09:49:58.312 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
14.12.19 09:49:59.121 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
14.12.19 09:49:59.159 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1246 for script '/etc/init.d/plcnext stop'
14.12.19 09:49:59.162 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
14.12.19 09:49:59.191 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
14.12.19 09:49:59.262 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
14.12.19 09:49:59.507 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
14.12.19 09:49:59.627 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
14.12.19 09:49:59.628 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
14.12.19 09:49:59.638 Arp.Io.Axioline.AxiolineComponent
```

```
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
14.12.19 09:49:59.715 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
14.12.19 09:49:59.717 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
14.12.19 09:49:59.719 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
14.12.19 09:50:00.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
14.12.19 09:50:02.967 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
14.12.19 09:50:03.377 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
14.12.19 09:50:03.378 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
14.12.19 09:50:03.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
14.12.19 09:50:03.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
14.12.19 09:50:03.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
14.12.19 09:50:03.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
14.12.19 09:50:03.392 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
14.12.19 09:50:04.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
14.12.19 09:50:04.028 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
14.12.19 09:50:04.028 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
14.12.19 09:50:04.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
14.12.19 09:50:04.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
14.12.19 09:50:04.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
14.12.19 09:50:04.036 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
14.12.19 09:50:04.103 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Enter EhmiComponent: Initialize
14.12.19 09:50:04.105 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Exit  EhmiComponent: Initialize
14.12.19 09:50:04.105 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 EhmiComponent: SubscribeServices
14.12.19 09:50:04.106 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
14.12.19 09:50:04.120 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Exit  EhmiComponent: LoadSettings
14.12.19 09:50:04.121 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Enter EhmiComponent: SetupSettings
14.12.19 09:50:04.123 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3070066752 SetThreshold level=6.
14.12.19 09:50:04.125 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752    IndentSize=0
14.12.19 09:50:04.126 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752    IndentSize=0
14.12.19 09:50:04.129 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
14.12.19 09:50:04.131 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Exit  EhmiComponent: SetupSettings
14.12.19 09:50:04.132 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 EhmiComponent: PublishServices
14.12.19 09:50:04.785 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
14.12.19 09:50:04.789 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
14.12.19 09:50:04.793 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
14.12.19 09:50:04.805 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
14.12.19 09:50:04.807 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
14.12.19 09:50:04.808 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
14.12.19 09:50:04.834 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
14.12.19 09:50:04.856 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
14.12.19 09:50:04.905 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
14.12.19 09:50:04.920 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
14.12.19 09:50:05.010 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
14.12.19 09:50:05.041 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
14.12.19 09:50:05.066 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
```

```
14.12.19 09:50:05.085 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
14.12.19 09:50:05.099 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
14.12.19 09:50:05.101 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
14.12.19 09:50:05.102 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
14.12.19 09:50:05.103 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
14.12.19 09:50:05.105 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
14.12.19 09:50:05.105 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
14.12.19 09:50:05.106 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
14.12.19 09:50:05.108 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
14.12.19 09:50:05.109 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
14.12.19 09:50:05.130 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.
14.12.19 09:50:05.160 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
14.12.19 09:50:05.162 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
14.12.19 09:50:05.177 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
14.12.19 09:50:05.182 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
14.12.19 09:50:05.184 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
14.12.19 09:50:05.185 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 EhmiComponent: LoadConfig
14.12.19 09:50:05.186 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 EhmiComponent: SetupConfig
14.12.19 09:50:05.701 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
14.12.19 09:50:05.724 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
14.12.19 09:50:05.725 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
14.12.19 09:50:05.776
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
14.12.19 09:50:06.760 OpcServer
```

```
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
14.12.19 09:50:06.761 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
14.12.19 09:50:06.764 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
14.12.19 09:50:06.773 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
14.12.19 09:50:06.787 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Enter EhmiComponent: Start
14.12.19 09:50:06.796 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752   OpenListenSocket ListenSocket=0x2b,
BindPort=127.0.0.1:9999
14.12.19 09:50:06.800 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752    Cannot find authorizationTokenTimeout in project.json
14.12.19 09:50:06.802 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070066752   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
14.12.19 09:50:06.806 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070066752    Cannot read the type.dictionary.json file.
14.12.19 09:50:06.809 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070066752   Load Cannot read fileName=data.dictionary.json
14.12.19 09:50:06.811 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070066752 Exit  EhmiComponent: Start
14.12.19 09:50:06.813 CommonRemoting
  INFO  - Starting remoting server (version=4)
14.12.19 09:50:06.814 CommonRemoting
  INFO  - Start listening on TCP port 41100
14.12.19 09:50:06.816 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
14.12.19 09:50:06.820 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
17.12.19 23:03:56.792 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
17.12.19 23:03:56.805 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
17.12.19 23:03:56.806 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:03:56.807 CommonRemoting
  INFO  - Start listening on TCP port 41120
17.12.19 23:03:56.807 CommonRemoting
  INFO  - Start listening on TCP port 41121
17.12.19 23:03:56.910 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
17.12.19 23:03:57.063 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
17.12.19 23:03:57.075 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:03:57.075 CommonRemoting
  INFO  - Start listening on TCP port 41123
17.12.19 23:03:57.079 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2602860, IPC
```

```
17.12.19 23:03:57.098 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B26035F0, IPC
17.12.19 23:03:57.112 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
17.12.19 23:03:57.128 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:03:57.128 CommonRemoting
  INFO  - Start listening on TCP port 41124
17.12.19 23:03:57.130 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
17.12.19 23:03:57.132 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B2603A60, IPC
17.12.19 23:03:57.140 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
17.12.19 23:03:57.149 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B2603ED0, IPC
17.12.19 23:03:57.172 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401598, IPC
17.12.19 23:03:57.181 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
17.12.19 23:03:57.214 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
17.12.19 23:03:57.216 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
17.12.19 23:03:57.330 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
17.12.19 23:03:57.358 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
17.12.19 23:03:57.365 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
17.12.19 23:03:57.440 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.277 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
17.12.19 23:03:58.281 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.286 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.290 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.294 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.298 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.335 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.339 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.375 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.411 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
```

```
17.12.19 23:03:58.523 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.592 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
17.12.19 23:03:58.614 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
17.12.19 23:03:58.674 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
17.12.19 23:03:59.539 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
17.12.19 23:03:59.625 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
17.12.19 23:03:59.649 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
17.12.19 23:04:00.000 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
17.12.19 23:04:00.004 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
17.12.19 23:04:00.036 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
17.12.19 23:04:00.068 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
17.12.19 23:04:00.072 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
17.12.19 23:04:00.076 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
17.12.19 23:04:00.551 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
17.12.19 23:04:00.555 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
17.12.19 23:04:00.558 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
17.12.19 23:04:00.559 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
17.12.19 23:04:00.561 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
17.12.19 23:04:00.562 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
17.12.19 23:04:00.563 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
17.12.19 23:04:00.565 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
17.12.19 23:04:00.566 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
```

```
17.12.19 23:04:00.567 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
17.12.19 23:04:00.568 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
17.12.19 23:04:00.569 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
17.12.19 23:04:00.571 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
17.12.19 23:04:00.572 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
17.12.19 23:04:00.573 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
17.12.19 23:04:00.581 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
17.12.19 23:04:00.583 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
17.12.19 23:04:00.584 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
17.12.19 23:04:00.659 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
17.12.19 23:04:00.660 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
17.12.19 23:04:00.662 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
17.12.19 23:04:00.665 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
17.12.19 23:04:00.668 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
17.12.19 23:04:00.670 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
17.12.19 23:04:00.671 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
17.12.19 23:04:00.674 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
17.12.19 23:04:00.675 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
17.12.19 23:04:00.676 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
17.12.19 23:04:00.677 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
17.12.19 23:04:00.678 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
17.12.19 23:04:00.681 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
17.12.19 23:04:00.685 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
17.12.19 23:04:00.686 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
17.12.19 23:04:00.690 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
17.12.19 23:04:00.691 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
17.12.19 23:04:00.692 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
17.12.19 23:04:00.693 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
17.12.19 23:04:00.694 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
17.12.19 23:04:00.695 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
17.12.19 23:04:00.696 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
17.12.19 23:04:00.698 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
17.12.19 23:04:00.698 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
17.12.19 23:04:00.720 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
17.12.19 23:04:00.733 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
17.12.19 23:04:00.735 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
17.12.19 23:04:00.738 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
17.12.19 23:04:00.861 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
17.12.19 23:04:00.887 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
17.12.19 23:04:00.890 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
17.12.19 23:04:01.285 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
17.12.19 23:04:02.342 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
17.12.19 23:04:02.367 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1246 for script '/etc/init.d/plcnext stop'
17.12.19 23:04:02.371 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
17.12.19 23:04:02.399 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
17.12.19 23:04:02.465 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
17.12.19 23:04:02.696 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
17.12.19 23:04:02.787 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
17.12.19 23:04:02.788 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
17.12.19 23:04:02.797 Arp.Io.Axioline.AxiolineComponent
```

```
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
17.12.19 23:04:02.883 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
17.12.19 23:04:02.886 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
17.12.19 23:04:02.888 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
17.12.19 23:04:04.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
17.12.19 23:04:06.165 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
17.12.19 23:04:06.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
17.12.19 23:04:06.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:04:06.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
17.12.19 23:04:06.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
17.12.19 23:04:06.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:04:06.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
17.12.19 23:04:06.824 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
17.12.19 23:04:07.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
17.12.19 23:04:07.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:04:07.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
17.12.19 23:04:07.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
17.12.19 23:04:07.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:04:07.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
17.12.19 23:04:07.471 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
17.12.19 23:04:07.546 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Enter EhmiComponent: Initialize
17.12.19 23:04:07.548 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Exit  EhmiComponent: Initialize
17.12.19 23:04:07.549 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 EhmiComponent: SubscribeServices
17.12.19 23:04:07.550 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
17.12.19 23:04:07.565 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Exit  EhmiComponent: LoadSettings
17.12.19 23:04:07.566 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Enter EhmiComponent: SetupSettings
17.12.19 23:04:07.568 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069251648 SetThreshold level=6.
17.12.19 23:04:07.571 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648    IndentSize=0
17.12.19 23:04:07.572 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648    IndentSize=0
17.12.19 23:04:07.575 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
17.12.19 23:04:07.577 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Exit  EhmiComponent: SetupSettings
17.12.19 23:04:07.578 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 EhmiComponent: PublishServices
17.12.19 23:04:08.228 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
17.12.19 23:04:08.232 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
17.12.19 23:04:08.238 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
17.12.19 23:04:08.251 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
17.12.19 23:04:08.253 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
17.12.19 23:04:08.254 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
17.12.19 23:04:08.284 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
17.12.19 23:04:08.306 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
17.12.19 23:04:08.362 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
17.12.19 23:04:08.377 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
17.12.19 23:04:08.462 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
17.12.19 23:04:08.492 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
17.12.19 23:04:08.515 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
```

```
17.12.19 23:04:08.531 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
17.12.19 23:04:08.544 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
17.12.19 23:04:08.546 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
17.12.19 23:04:08.546 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
17.12.19 23:04:08.549 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
17.12.19 23:04:08.551 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
17.12.19 23:04:08.552 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
17.12.19 23:04:08.552 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
17.12.19 23:04:08.554 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
17.12.19 23:04:08.555 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
17.12.19 23:04:08.573 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.
17.12.19 23:04:08.599 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
17.12.19 23:04:08.601 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
17.12.19 23:04:08.617 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
17.12.19 23:04:08.621 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
17.12.19 23:04:08.623 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
17.12.19 23:04:08.625 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 EhmiComponent: LoadConfig
17.12.19 23:04:08.625 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 EhmiComponent: SetupConfig
17.12.19 23:04:09.127 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
17.12.19 23:04:09.149 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
17.12.19 23:04:09.150 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
17.12.19 23:04:09.221
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
17.12.19 23:04:10.178 OpcServer
```

```
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
17.12.19 23:04:10.179 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
17.12.19 23:04:10.181 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
17.12.19 23:04:10.191 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
17.12.19 23:04:10.207 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Enter EhmiComponent: Start
17.12.19 23:04:10.217 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648   OpenListenSocket ListenSocket=0x2c,
BindPort=127.0.0.1:9999
17.12.19 23:04:10.223 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648    Cannot find authorizationTokenTimeout in project.json
17.12.19 23:04:10.225 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069251648   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
17.12.19 23:04:10.230 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069251648    Cannot read the type.dictionary.json file.
17.12.19 23:04:10.234 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069251648   Load Cannot read fileName=data.dictionary.json
17.12.19 23:04:10.235 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069251648 Exit  EhmiComponent: Start
17.12.19 23:04:10.239 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:04:10.240 CommonRemoting
  INFO  - Start listening on TCP port 41100
17.12.19 23:04:10.242 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
17.12.19 23:04:10.246 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
17.12.19 23:55:56.815 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
17.12.19 23:55:56.829 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
17.12.19 23:55:56.830 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:55:56.830 CommonRemoting
  INFO  - Start listening on TCP port 41120
17.12.19 23:55:56.831 CommonRemoting
  INFO  - Start listening on TCP port 41121
17.12.19 23:55:56.924 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
17.12.19 23:55:57.088 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
17.12.19 23:55:57.104 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:55:57.105 CommonRemoting
  INFO  - Start listening on TCP port 41123
17.12.19 23:55:57.107 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2602860, IPC
```

```
17.12.19 23:55:57.114 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
17.12.19 23:55:57.127 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:55:57.127 CommonRemoting
  INFO  - Start listening on TCP port 41124
17.12.19 23:55:57.130 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B26035F0, IPC
17.12.19 23:55:57.136 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B2603A60, IPC
17.12.19 23:55:57.146 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B2603ED0, IPC
17.12.19 23:55:57.164 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401598, IPC
17.12.19 23:55:57.172 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
17.12.19 23:55:57.175 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401598, IPC
17.12.19 23:55:57.185 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
17.12.19 23:55:57.227 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
17.12.19 23:55:57.231 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
17.12.19 23:55:57.343 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
17.12.19 23:55:57.370 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
17.12.19 23:55:57.377 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
17.12.19 23:55:57.450 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.247 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
17.12.19 23:55:58.250 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.254 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.259 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.264 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.269 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.306 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.310 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.347 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.386 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
```

```
17.12.19 23:55:58.504 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.569 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
17.12.19 23:55:58.591 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
17.12.19 23:55:58.655 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
17.12.19 23:55:59.555 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
17.12.19 23:55:59.646 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
17.12.19 23:55:59.670 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
17.12.19 23:56:00.011 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
17.12.19 23:56:00.015 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
17.12.19 23:56:00.046 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
17.12.19 23:56:00.076 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
17.12.19 23:56:00.080 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
17.12.19 23:56:00.084 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
17.12.19 23:56:00.533 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
17.12.19 23:56:00.536 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
17.12.19 23:56:00.540 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
17.12.19 23:56:00.542 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
17.12.19 23:56:00.543 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
17.12.19 23:56:00.545 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
17.12.19 23:56:00.546 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
17.12.19 23:56:00.548 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
17.12.19 23:56:00.549 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
```

```
17.12.19 23:56:00.550 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
17.12.19 23:56:00.550 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
17.12.19 23:56:00.552 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
17.12.19 23:56:00.554 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
17.12.19 23:56:00.555 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
17.12.19 23:56:00.556 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
17.12.19 23:56:00.562 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
17.12.19 23:56:00.564 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
17.12.19 23:56:00.565 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
17.12.19 23:56:00.634 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
17.12.19 23:56:00.636 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
17.12.19 23:56:00.638 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
17.12.19 23:56:00.640 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
17.12.19 23:56:00.643 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
17.12.19 23:56:00.645 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
17.12.19 23:56:00.647 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
17.12.19 23:56:00.649 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
17.12.19 23:56:00.650 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
17.12.19 23:56:00.651 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
17.12.19 23:56:00.653 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
17.12.19 23:56:00.654 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
17.12.19 23:56:00.657 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
17.12.19 23:56:00.660 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
17.12.19 23:56:00.662 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
17.12.19 23:56:00.666 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
17.12.19 23:56:00.667 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
17.12.19 23:56:00.668 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
17.12.19 23:56:00.669 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
17.12.19 23:56:00.671 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
17.12.19 23:56:00.672 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
17.12.19 23:56:00.673 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
17.12.19 23:56:00.674 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
17.12.19 23:56:00.675 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
17.12.19 23:56:00.698 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
17.12.19 23:56:00.710 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
17.12.19 23:56:00.713 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
17.12.19 23:56:00.715 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
17.12.19 23:56:00.839 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
17.12.19 23:56:00.865 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
17.12.19 23:56:00.869 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
17.12.19 23:56:01.943 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
17.12.19 23:56:02.759 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
17.12.19 23:56:02.793 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1247 for script '/etc/init.d/plcnext stop'
17.12.19 23:56:02.797 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
17.12.19 23:56:02.825 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
17.12.19 23:56:02.891 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
17.12.19 23:56:03.133 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
17.12.19 23:56:03.210 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
17.12.19 23:56:03.211 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
17.12.19 23:56:03.222 Arp.Io.Axioline.AxiolineComponent
```

```
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
17.12.19 23:56:03.305 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
17.12.19 23:56:03.307 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
17.12.19 23:56:03.308 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
17.12.19 23:56:04.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
17.12.19 23:56:06.800 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
17.12.19 23:56:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
17.12.19 23:56:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:56:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
17.12.19 23:56:07.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
17.12.19 23:56:07.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:56:07.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
17.12.19 23:56:07.684 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
17.12.19 23:56:08.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
17.12.19 23:56:08.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:56:08.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
17.12.19 23:56:08.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
17.12.19 23:56:08.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
17.12.19 23:56:08.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
17.12.19 23:56:08.476 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
17.12.19 23:56:08.546 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Enter EhmiComponent: Initialize
17.12.19 23:56:08.549 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Exit  EhmiComponent: Initialize
17.12.19 23:56:08.549 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 EhmiComponent: SubscribeServices
17.12.19 23:56:08.550 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
17.12.19 23:56:08.564 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Exit  EhmiComponent: LoadSettings
17.12.19 23:56:08.565 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Enter EhmiComponent: SetupSettings
17.12.19 23:56:08.567 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069726784 SetThreshold level=6.
17.12.19 23:56:08.570 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784    IndentSize=0
17.12.19 23:56:08.571 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784    IndentSize=0
17.12.19 23:56:08.573 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
17.12.19 23:56:08.575 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Exit  EhmiComponent: SetupSettings
17.12.19 23:56:08.576 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 EhmiComponent: PublishServices
17.12.19 23:56:09.227 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
17.12.19 23:56:09.231 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
17.12.19 23:56:09.236 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
17.12.19 23:56:09.250 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
17.12.19 23:56:09.252 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
17.12.19 23:56:09.253 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
17.12.19 23:56:09.286 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
17.12.19 23:56:09.309 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
17.12.19 23:56:09.363 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
17.12.19 23:56:09.378 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
17.12.19 23:56:09.460 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
17.12.19 23:56:09.487 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
17.12.19 23:56:09.510 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
```

```
17.12.19 23:56:09.523 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
17.12.19 23:56:09.537 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
17.12.19 23:56:09.539 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
17.12.19 23:56:09.540 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
17.12.19 23:56:09.542 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
17.12.19 23:56:09.544 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
17.12.19 23:56:09.545 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
17.12.19 23:56:09.545 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
17.12.19 23:56:09.547 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
17.12.19 23:56:09.548 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
17.12.19 23:56:09.568 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.
17.12.19 23:56:09.600 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
17.12.19 23:56:09.601 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
17.12.19 23:56:09.619 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
17.12.19 23:56:09.623 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
17.12.19 23:56:09.625 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
17.12.19 23:56:09.626 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 EhmiComponent: LoadConfig
17.12.19 23:56:09.626 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 EhmiComponent: SetupConfig
17.12.19 23:56:10.182 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
17.12.19 23:56:10.207 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
17.12.19 23:56:10.208 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
17.12.19 23:56:10.282
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
17.12.19 23:56:11.345 OpcServer
```

```
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
17.12.19 23:56:11.346 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
17.12.19 23:56:11.348 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
17.12.19 23:56:11.358 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
17.12.19 23:56:11.373 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Enter EhmiComponent: Start
17.12.19 23:56:11.382 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784   OpenListenSocket ListenSocket=0x2c,
BindPort=127.0.0.1:9999
17.12.19 23:56:11.388 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784    Cannot find authorizationTokenTimeout in project.json
17.12.19 23:56:11.390 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069726784   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
17.12.19 23:56:11.395 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069726784    Cannot read the type.dictionary.json file.
17.12.19 23:56:11.399 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069726784   Load Cannot read fileName=data.dictionary.json
17.12.19 23:56:11.401 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069726784 Exit  EhmiComponent: Start
17.12.19 23:56:11.404 CommonRemoting
  INFO  - Starting remoting server (version=4)
17.12.19 23:56:11.405 CommonRemoting
  INFO  - Start listening on TCP port 41100
17.12.19 23:56:11.407 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
17.12.19 23:56:11.411 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
18.12.19 00:00:07.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:00:07.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Stop Trans requested
18.12.19 00:00:07.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:00:07.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Stop Trans requested
18.12.19 00:00:07.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:00:07.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address  = 192.168.1.10
18.12.19 00:00:07.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask      = 255.255.255.0
18.12.19 00:00:07.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway         = 0.0.0.0
18.12.19 00:00:07.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP set IP address (non-volatile) requested
18.12.19 00:00:07.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 to IP: 192.168.1.10 SM: 255.255.255.0 Gateway:
```

```
0.0.0.0...
18.12.19 00:00:09.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 00:00:09.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
18.12.19 00:00:09.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 was successful.
18.12.19 00:00:09.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:00:09.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address = 192.168.1.10
18.12.19 00:00:09.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask     = 255.255.255.0
18.12.19 00:00:09.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway        = 0.0.0.0
18.12.19 00:00:09.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set IP address (non-volatile) requested
18.12.19 00:00:09.248 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 to IP: 192.168.1.10 SM: 255.255.255.0 Gateway:
0.0.0.0...
18.12.19 00:00:09.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 00:00:10.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
18.12.19 00:00:10.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 was successful.
18.12.19 00:00:12.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:00:12.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Stop Trans requested
18.12.19 00:00:12.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:00:12.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Stop Trans requested
18.12.19 00:00:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:00:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested (non-volatile)
18.12.19 00:00:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    byStationNameLength = 12
18.12.19 00:00:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    pcStationName = axc-f-2152-1
18.12.19 00:00:13.419 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    New station name successfully written to configuration
18.12.19 00:00:13.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:00:13.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested
18.12.19 00:00:13.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    byStationNameLength = 12
18.12.19 00:00:13.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    pcStationName = axc-f-2152-1
```

```
18.12.19 00:00:14.958 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    New station name successfully written to configuration


18.12.19 00:27:56.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 00:27:56.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 00:27:56.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 00:27:57.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 00:27:57.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 00:31:16.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 00:54:25.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:25.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 00:54:25.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:25.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 00:54:29.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:29.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 00:54:29.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:29.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 00:54:32.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:32.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 00:54:32.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:32.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 00:54:41.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:41.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 00:54:41.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:41.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
```

```
18.12.19 00:54:44.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:44.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 00:54:44.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:44.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 00:54:47.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:47.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 00:54:47.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:47.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 00:54:51.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 00:54:51.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Reset To Factory requested
18.12.19 00:54:54.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Hiding Interface 1...
18.12.19 00:54:57.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Hiding Interface 1 was successful.

18.12.19 00:54:59.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 00:54:59.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Reset To Factory requested
18.12.19 00:55:01.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Hiding Interface 1...
18.12.19 00:55:05.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 00:55:05.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Hiding Interface 1 was successful.

18.12.19 01:14:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:14:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Stop Trans requested
18.12.19 01:14:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:14:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Stop Trans requested
18.12.19 01:14:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:14:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address  = 192.168.1.10
18.12.19 01:14:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask      = 255.255.255.0
18.12.19 01:14:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway         = 0.0.0.0
18.12.19 01:14:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  -  DCP set IP address (non-volatile) requested
18.12.19 01:14:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 to IP: 192.168.1.10 SM: 255.255.255.0 Gateway:
0.0.0.0...
18.12.19 01:14:45.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 01:14:45.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
18.12.19 01:14:45.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 was successful.
18.12.19 01:14:45.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:14:45.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address = 192.168.1.10
18.12.19 01:14:45.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask     = 255.255.255.0
18.12.19 01:14:45.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway        = 0.0.0.0
18.12.19 01:14:45.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set IP address (non-volatile) requested
18.12.19 01:14:45.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 to IP: 192.168.1.10 SM: 255.255.255.0 Gateway:
0.0.0.0...
18.12.19 01:14:47.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 01:14:47.596 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
18.12.19 01:14:47.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 was successful.
18.12.19 01:14:50.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:14:50.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Stop Trans requested
18.12.19 01:14:50.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:14:50.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Stop Trans requested
18.12.19 01:14:50.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:14:50.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested (non-volatile)
18.12.19 01:14:50.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    byStationNameLength = 12
18.12.19 01:14:50.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    pcStationName = axc-f-2152-1
18.12.19 01:14:51.536 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    New station name successfully written to configuration
18.12.19 01:14:51.537 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:14:51.538 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested
18.12.19 01:14:51.538 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  -    byStationNameLength = 12
18.12.19 01:14:51.538 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    pcStationName = axc-f-2152-1
18.12.19 01:14:52.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    New station name successfully written to configuration


18.12.19 01:14:58.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:14:58.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:14:58.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:14:58.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:15:01.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:15:01.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:15:01.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:15:01.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:15:04.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:15:04.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:15:04.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:15:04.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:15:07.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:15:07.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:15:07.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:15:07.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:26:47.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 01:26:47.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 01:26:47.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 01:26:47.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 01:26:47.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
```

```
18.12.19 01:26:57.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:26:57.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:26:57.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:26:57.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:27:00.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:27:00.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:27:00.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:27:00.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:27:03.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:27:03.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:27:03.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:27:03.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:27:06.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:27:06.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:27:06.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:27:06.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:28:59.201 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
18.12.19 01:28:59.215 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
18.12.19 01:28:59.515 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
18.12.19 01:29:29.160 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2606778, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:29:30.004 CommonRemoting
  ERROR - BinaryReader2::ReadStreamData(): any stream error occurs
18.12.19 01:29:30.007 CommonRemoting
  ERROR - RemotingContext::AbortConnection(): connectionID=B2606778,
errorCode=40001002
18.12.19 01:29:30.008 CommonRemoting
  ERROR - Connection was closed remotely while writing data, connection
ID=B2606778, streamError=FFFFFFFF
18.12.19 01:29:30.010 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2606778
18.12.19 01:29:30.015 CommonRemoting
  INFO  - Closing connection: connectionId=B2606778
18.12.19 01:29:40.541 CommonRemoting
```

```
  INFO  - Accepted connection #0: connectionId=B2606778, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:29:40.703 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2606778
18.12.19 01:29:40.706 CommonRemoting
  INFO  - Closing connection: connectionId=B2606778
18.12.19 01:29:44.163 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2606778, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:29:44.355 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2606778
18.12.19 01:29:44.358 CommonRemoting
  INFO  - Closing connection: connectionId=B2606778
18.12.19 01:29:48.422 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2606778, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:29:48.590 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2606778
18.12.19 01:29:48.594 CommonRemoting
  INFO  - Closing connection: connectionId=B2606778
18.12.19 01:30:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:30:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:30:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:30:46.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:30:49.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:30:49.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:30:49.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:30:49.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:30:52.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:30:52.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:30:52.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:30:52.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:30:58.567 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2606778, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:30:58.772 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2606778
18.12.19 01:30:58.775 CommonRemoting
  INFO  - Closing connection: connectionId=B2606778
18.12.19 01:31:11.143 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2618DB8, 192.168.1.5 ->
0.0.0.0:41100
```

```
18.12.19 01:31:11.318 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2618DB8
18.12.19 01:31:11.321 CommonRemoting
  INFO  - Closing connection: connectionId=B2618DB8
```

```
                                    18.12.19 01:34:05.789
Arp.System.Acf.Internal.ApplicationBase                      INFO  - ArpVersion:
2019.0 LTS (19.0.0.17548  )
18.12.19 01:34:05.803 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
18.12.19 01:34:05.803 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:34:05.804 CommonRemoting
  INFO  - Start listening on TCP port 41120
18.12.19 01:34:05.804 CommonRemoting
  INFO  - Start listening on TCP port 41121
18.12.19 01:34:05.897 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
18.12.19 01:34:06.061 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:34:06.080 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:34:06.082 CommonRemoting
  INFO  - Start listening on TCP port 41123
18.12.19 01:34:06.085 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2602860, IPC
18.12.19 01:34:06.090 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:34:06.102 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:34:06.103 CommonRemoting
  INFO  - Start listening on TCP port 41124
18.12.19 01:34:06.106 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B26035F0, IPC
18.12.19 01:34:06.111 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B2603A60, IPC
18.12.19 01:34:06.123 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B2603ED0, IPC
18.12.19 01:34:06.141 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
18.12.19 01:34:06.149 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401628, IPC
18.12.19 01:34:06.153 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
18.12.19 01:34:06.158 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
18.12.19 01:34:06.201 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
18.12.19 01:34:06.203 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
```

```
18.12.19 01:34:06.315 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
18.12.19 01:34:06.343 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
18.12.19 01:34:06.349 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
18.12.19 01:34:06.423 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.160 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
18.12.19 01:34:07.164 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.170 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.175 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.179 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.183 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.206 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.211 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.231 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.257 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
18.12.19 01:34:07.369 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.432 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
18.12.19 01:34:07.454 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
18.12.19 01:34:07.514 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
18.12.19 01:34:08.426 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
18.12.19 01:34:08.519 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
18.12.19 01:34:08.547 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
18.12.19 01:34:08.898 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
18.12.19 01:34:08.901 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
```

```
18.12.19 01:34:08.935 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
18.12.19 01:34:08.987 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
18.12.19 01:34:08.990 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
18.12.19 01:34:08.994 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
18.12.19 01:34:09.455 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
18.12.19 01:34:09.460 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
18.12.19 01:34:09.464 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
18.12.19 01:34:09.466 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
18.12.19 01:34:09.467 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
18.12.19 01:34:09.468 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
18.12.19 01:34:09.470 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
18.12.19 01:34:09.472 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
18.12.19 01:34:09.473 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
18.12.19 01:34:09.474 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
18.12.19 01:34:09.475 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
18.12.19 01:34:09.476 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
18.12.19 01:34:09.480 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
18.12.19 01:34:09.481 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
18.12.19 01:34:09.482 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
18.12.19 01:34:09.489 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
18.12.19 01:34:09.490 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
18.12.19 01:34:09.492 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
18.12.19 01:34:09.597 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
18.12.19 01:34:09.599 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
18.12.19 01:34:09.601 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
```

```
18.12.19 01:34:09.603 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
18.12.19 01:34:09.606 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
18.12.19 01:34:09.609 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
18.12.19 01:34:09.610 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
18.12.19 01:34:09.614 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
18.12.19 01:34:09.614 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
18.12.19 01:34:09.616 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
18.12.19 01:34:09.617 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
18.12.19 01:34:09.619 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
18.12.19 01:34:09.622 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
18.12.19 01:34:09.627 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
18.12.19 01:34:09.629 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
18.12.19 01:34:09.632 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
18.12.19 01:34:09.634 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
18.12.19 01:34:09.635 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
18.12.19 01:34:09.636 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
18.12.19 01:34:09.638 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
18.12.19 01:34:09.639 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
18.12.19 01:34:09.640 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
18.12.19 01:34:09.641 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
18.12.19 01:34:09.642 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
18.12.19 01:34:09.664 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
18.12.19 01:34:09.676 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
```

```
18.12.19 01:34:09.680 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
18.12.19 01:34:09.682 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
18.12.19 01:34:09.839 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 01:34:09.865 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
18.12.19 01:34:09.869 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
18.12.19 01:34:10.568 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
18.12.19 01:34:11.285 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
18.12.19 01:34:11.328 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1246 for script '/etc/init.d/plcnext stop'
18.12.19 01:34:11.331 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
18.12.19 01:34:11.361 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 01:34:11.432 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
18.12.19 01:34:11.701 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
18.12.19 01:34:11.812 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
18.12.19 01:34:11.812 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
18.12.19 01:34:11.823 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
18.12.19 01:34:11.915 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
18.12.19 01:34:11.918 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
18.12.19 01:34:11.920 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
18.12.19 01:34:13.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
18.12.19 01:34:16.155 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
18.12.19 01:34:16.927 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 01:34:16.928 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:34:16.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 01:34:16.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 01:34:16.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:34:16.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
```

```
18.12.19 01:34:16.943 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
18.12.19 01:34:17.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 01:34:17.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:34:17.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 01:34:17.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 01:34:17.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:34:17.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 01:34:17.501 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
18.12.19 01:34:17.568 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Enter EhmiComponent: Initialize
18.12.19 01:34:17.570 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Exit  EhmiComponent: Initialize
18.12.19 01:34:17.570 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 EhmiComponent: SubscribeServices
18.12.19 01:34:17.570 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
18.12.19 01:34:17.582 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Exit  EhmiComponent: LoadSettings
18.12.19 01:34:17.583 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Enter EhmiComponent: SetupSettings
18.12.19 01:34:17.585 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 SetThreshold level=6.
18.12.19 01:34:17.586 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976    IndentSize=0
18.12.19 01:34:17.588 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976    IndentSize=0
18.12.19 01:34:17.590 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
18.12.19 01:34:17.592 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Exit  EhmiComponent: SetupSettings
18.12.19 01:34:17.592 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 EhmiComponent: PublishServices
18.12.19 01:34:18.231 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 01:34:18.234 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 01:34:18.240 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 01:34:18.251 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
```

```
18.12.19 01:34:18.253 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
18.12.19 01:34:18.253 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
18.12.19 01:34:18.278 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
18.12.19 01:34:18.298 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
18.12.19 01:34:18.343 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
18.12.19 01:34:18.360 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
18.12.19 01:34:18.441 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
18.12.19 01:34:18.471 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
18.12.19 01:34:18.495 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
18.12.19 01:34:18.511 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
18.12.19 01:34:18.524 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
18.12.19 01:34:18.525 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
18.12.19 01:34:18.526 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
18.12.19 01:34:18.527 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
18.12.19 01:34:18.529 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
18.12.19 01:34:18.529 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
18.12.19 01:34:18.530 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
18.12.19 01:34:18.531 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
18.12.19 01:34:18.532 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
```

```
18.12.19 01:34:18.552 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.
18.12.19 01:34:19.267 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
18.12.19 01:34:19.268 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
18.12.19 01:34:19.283 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
18.12.19 01:34:19.288 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
18.12.19 01:34:19.289 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
18.12.19 01:34:19.290 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 EhmiComponent: LoadConfig
18.12.19 01:34:19.291 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 EhmiComponent: SetupConfig
18.12.19 01:34:19.524 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 01:34:19.547 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
18.12.19 01:34:19.550 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
18.12.19 01:34:19.596
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
18.12.19 01:34:20.423 OpcServer
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
18.12.19 01:34:20.424 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
18.12.19 01:34:20.425 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
18.12.19 01:34:20.434 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
18.12.19 01:34:20.448 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Enter EhmiComponent: Start
18.12.19 01:34:20.459 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976   OpenListenSocket ListenSocket=0x2c,
BindPort=127.0.0.1:9999
18.12.19 01:34:20.465 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976    Cannot find authorizationTokenTimeout in project.json
18.12.19 01:34:20.467 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069734976   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 01:34:20.471 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069734976    Cannot read the type.dictionary.json file.
18.12.19 01:34:20.475 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069734976   Load Cannot read fileName=data.dictionary.json
18.12.19 01:34:20.477 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069734976 Exit  EhmiComponent: Start
18.12.19 01:34:20.479 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:34:20.480 CommonRemoting
  INFO  - Start listening on TCP port 41100
18.12.19 01:34:20.482 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
18.12.19 01:34:20.485 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
18.12.19 01:34:30.558 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:34:30.558 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:34:30.558 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:34:30.558 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:34:33.597 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:34:33.598 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:34:33.598 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:34:33.598 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:34:36.617 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 01:34:36.617 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 01:34:36.618 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 01:34:36.618 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 01:35:23.980 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2609C78, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:35:24.208 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2609C78
18.12.19 01:35:24.215 CommonRemoting
  INFO  - Closing connection: connectionId=B2609C78
18.12.19 01:37:01.158 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2609C78, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:37:01.359 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2609C78
18.12.19 01:37:01.363 CommonRemoting
  INFO  - Closing connection: connectionId=B2609C78
18.12.19 01:37:01.903 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2609C78, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:37:02.044 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2609C78
18.12.19 01:37:02.049 CommonRemoting
```

```
  INFO  - Closing connection: connectionId=B2609C78
18.12.19 01:39:46.958 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 01:39:46.958 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 01:39:46.959 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 01:40:02.443 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2609C78, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:40:02.621 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2609C78
18.12.19 01:40:02.624 CommonRemoting
  INFO  - Closing connection: connectionId=B2609C78
18.12.19 01:40:03.103 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2609C78, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:40:03.270 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2609C78
18.12.19 01:40:03.274 CommonRemoting
  INFO  - Closing connection: connectionId=B2609C78
18.12.19 01:41:08.031 Arp.Device.Interface.Internal.Target.HwFuncGpio
  INFO  - ReadResetButton: Ddetect Reset-Button for more than 2s
18.12.19 01:41:08.032 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask detect Reset-Button for more than 2s
18.12.19 01:41:08.034 Arp.Device.Interface.DeviceInterface
  INFO  - Stop PLC before start reboot
18.12.19 01:41:08.037 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
18.12.19 01:41:08.039 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
18.12.19 01:41:08.040 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2686042816 EhmiComponent: OnPlcStopping
18.12.19 01:41:08.042 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2686042816 EhmiComponent: StopPlc
18.12.19 01:41:08.055 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2686042816 Enter EhmiComponent: OnPlcStopped
18.12.19 01:41:08.059 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2686042816    Cannot find authorizationTokenTimeout in project.json
18.12.19 01:41:08.062 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2686042816   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 01:41:08.063 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2686042816 Exit  EhmiComponent: OnPlcStopped
18.12.19 01:41:09.020 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' terminates.
18.12.19 01:41:09.072 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
18.12.19 01:41:09.072 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
18.12.19 01:41:09.077 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069734976 Enter EhmiComponent: Stop
18.12.19 01:41:09.092 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Exit  EhmiComponent: Stop
18.12.19 01:41:09.099 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Stop.
18.12.19 01:41:10.093 Arp.Device.Interface.Internal.Target.HwFuncGpio
  INFO  - ReadResetButton: Ddetect Reset-Button for more than 2s
18.12.19 01:41:12.100 Arp.Device.Interface.Internal.Target.HwFuncGpio
  INFO  - ReadResetButton: Ddetect Reset-Button for more than 2s
18.12.19 01:41:14.106 Arp.Device.Interface.Internal.Target.HwFuncGpio
  INFO  - ReadResetButton: Ddetect Reset-Button for more than 2s
18.12.19 01:41:16.599 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Stopped OPC UA Server successfully.
18.12.19 01:41:16.714 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask stop
18.12.19 01:41:18.276 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Enter EhmiComponent: Dispose
18.12.19 01:41:18.277 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069734976 Exit  EhmiComponent: Dispose
18.12.19 01:41:18.285 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - PN_RemoveDevInst with Id = 1!
18.12.19 01:41:18.291 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance removed successfully
18.12.19 01:41:18.295 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Disable data output and deinitialize/close driver.
18.12.19 01:41:18.438 Arp.Device.Interface.DeviceInterface
  INFO  - System variable update thread terminated!
18.12.19 01:41:18.474 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: ~EhmiComponent
18.12.19 01:41:19.321 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' terminates.
18.12.19 01:41:19.326 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = B26035F0
18.12.19 01:41:19.327 CommonRemoting
  INFO  - Closing connection: connectionId=B26035F0
18.12.19 01:41:19.327 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = B2603ED0
18.12.19 01:41:19.339 CommonRemoting
  INFO  - Closing connection: connectionId=B2603ED0
18.12.19 01:41:20.317 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' stopped.
18.12.19 01:41:20.326 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' terminates.
18.12.19 01:41:20.331 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = B2602860
18.12.19 01:41:20.332 CommonRemoting
  INFO  - Closing connection: connectionId=B2602860
18.12.19 01:41:20.333 CommonRemoting
  INFO  - Remote client disconnects explicitly, connectionId = B2603A60
18.12.19 01:41:20.333 CommonRemoting
  INFO  - Closing connection: connectionId=B2603A60
18.12.19 01:41:21.819 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' stopped.
18.12.19 01:41:47.904 Arp.System.Acf.Internal.ApplicationBase
```

```
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:41:47.919 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
18.12.19 01:41:47.920 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:41:47.920 CommonRemoting
  INFO  - Start listening on TCP port 41120
18.12.19 01:41:47.920 CommonRemoting
  INFO  - Start listening on TCP port 41121
18.12.19 01:41:48.016 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
18.12.19 01:41:48.168 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:41:48.181 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:41:48.182 CommonRemoting
  INFO  - Start listening on TCP port 41123
18.12.19 01:41:48.185 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01660, IPC
18.12.19 01:41:48.204 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C023F0, IPC
18.12.19 01:41:48.226 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:41:48.230 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401B38, IPC
18.12.19 01:41:48.239 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
18.12.19 01:41:48.246 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:41:48.246 CommonRemoting
  INFO  - Start listening on TCP port 41124
18.12.19 01:41:48.249 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C02860, IPC
18.12.19 01:41:48.267 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C02CD0, IPC
18.12.19 01:41:48.293 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C02630, IPC
18.12.19 01:41:48.302 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
18.12.19 01:41:48.319 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
18.12.19 01:41:48.322 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
18.12.19 01:41:48.434 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
18.12.19 01:41:48.462 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
18.12.19 01:41:48.470 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
18.12.19 01:41:48.547 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.304 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
```

```
18.12.19 01:41:49.308 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.312 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.315 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.319 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.323 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.344 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.348 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.368 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.393 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
18.12.19 01:41:49.498 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.557 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
18.12.19 01:41:49.578 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
18.12.19 01:41:49.634 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
18.12.19 01:41:50.475 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
18.12.19 01:41:50.566 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
18.12.19 01:41:50.590 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
18.12.19 01:41:50.940 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
18.12.19 01:41:50.944 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
18.12.19 01:41:50.976 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
18.12.19 01:41:51.008 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
18.12.19 01:41:51.012 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
18.12.19 01:41:51.016 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
```

```
18.12.19 01:41:51.470 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
18.12.19 01:41:51.475 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
18.12.19 01:41:51.478 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
18.12.19 01:41:51.480 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
18.12.19 01:41:51.481 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
18.12.19 01:41:51.483 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
18.12.19 01:41:51.485 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
18.12.19 01:41:51.487 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
18.12.19 01:41:51.488 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
18.12.19 01:41:51.489 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
18.12.19 01:41:51.490 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
18.12.19 01:41:51.492 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
18.12.19 01:41:51.495 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
18.12.19 01:41:51.497 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
18.12.19 01:41:51.498 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
18.12.19 01:41:51.506 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
18.12.19 01:41:51.508 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
18.12.19 01:41:51.510 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
18.12.19 01:41:51.583 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
18.12.19 01:41:51.585 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
18.12.19 01:41:51.587 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
18.12.19 01:41:51.590 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
18.12.19 01:41:51.594 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
18.12.19 01:41:51.597 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
18.12.19 01:41:51.598 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
18.12.19 01:41:51.601 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
18.12.19 01:41:51.603 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
18.12.19 01:41:51.604 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
18.12.19 01:41:51.605 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
18.12.19 01:41:51.606 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
18.12.19 01:41:51.609 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
18.12.19 01:41:51.613 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
18.12.19 01:41:51.614 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
18.12.19 01:41:51.617 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
18.12.19 01:41:51.618 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
18.12.19 01:41:51.620 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
18.12.19 01:41:51.621 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
18.12.19 01:41:51.623 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
18.12.19 01:41:51.624 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
18.12.19 01:41:51.625 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
18.12.19 01:41:51.626 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
18.12.19 01:41:51.627 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
'MainProcess' created.
18.12.19 01:41:51.649 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
18.12.19 01:41:51.662 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
18.12.19 01:41:51.666 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
18.12.19 01:41:51.668 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
18.12.19 01:41:51.797 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 01:41:51.834 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
18.12.19 01:41:51.838 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
```

```
18.12.19 01:41:52.478 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
18.12.19 01:41:53.306 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
18.12.19 01:41:53.342 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1248 for script '/etc/init.d/plcnext stop'
18.12.19 01:41:53.345 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
18.12.19 01:41:53.372 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 01:41:53.438 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
18.12.19 01:41:53.684 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
18.12.19 01:41:53.783 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
18.12.19 01:41:53.783 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
18.12.19 01:41:53.794 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
18.12.19 01:41:53.872 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
18.12.19 01:41:53.875 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
18.12.19 01:41:53.876 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
18.12.19 01:41:55.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
18.12.19 01:41:57.178 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
18.12.19 01:41:57.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 01:41:57.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:41:57.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 01:41:57.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 01:41:57.607 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:41:57.607 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 01:41:57.618 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
18.12.19 01:41:58.249 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 01:41:58.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:41:58.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 01:41:58.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 01:41:58.252 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - wSlotNumber      = 0
18.12.19 01:41:58.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 01:41:58.257 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
18.12.19 01:41:58.324 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 Enter EhmiComponent: Initialize
18.12.19 01:41:58.326 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 Exit  EhmiComponent: Initialize
18.12.19 01:41:58.326 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 EhmiComponent: SubscribeServices
18.12.19 01:41:58.327 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
18.12.19 01:41:58.341 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 Exit  EhmiComponent: LoadSettings
18.12.19 01:41:58.341 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 Enter EhmiComponent: SetupSettings
18.12.19 01:41:58.344 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 SetThreshold level=6.
18.12.19 01:41:58.346 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016    IndentSize=0
18.12.19 01:41:58.346 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016    IndentSize=0
18.12.19 01:41:58.349 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
18.12.19 01:41:58.352 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 Exit  EhmiComponent: SetupSettings
18.12.19 01:41:58.352 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069694016 EhmiComponent: PublishServices
18.12.19 01:41:58.995 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 01:41:58.999 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 01:41:59.004 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 01:41:59.015 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
18.12.19 01:41:59.018 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
18.12.19 01:41:59.018 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
18.12.19 01:41:59.046 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
18.12.19 01:41:59.066 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
```

'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
18.12.19 01:41:59.114 root
  WARN - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
18.12.19 01:41:59.129 root
  WARN - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
18.12.19 01:41:59.216 root
  WARN - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
18.12.19 01:41:59.246 root
  WARN - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
18.12.19 01:41:59.269 root
  WARN - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
18.12.19 01:41:59.285 Arp.Io.Axioline.AxiolineComponent
  INFO - Axioline: Load configuration.
18.12.19 01:41:59.299 root
  WARN - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
18.12.19 01:41:59.300 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO - Axioline: Load tic configuration.
18.12.19 01:41:59.301 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN - Axioline: No links.xml file.
18.12.19 01:41:59.303 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO - Axioline: Start converting tic files.
18.12.19 01:41:59.304 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
18.12.19 01:41:59.304 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
18.12.19 01:41:59.304 Arp.Io.Axioline.Internal.System
  INFO - Axioline: Bus not initialized. Please check config files.
18.12.19 01:41:59.306 Arp.Io.Axioline.Internal.System
  INFO - Axioline: Connect to shared FbIo System.
18.12.19 01:41:59.307 Arp.Io.Axioline.Internal.System
  INFO - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
18.12.19 01:41:59.325 root
  WARN - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.

```
                                          18.12.19 01:42:27.825
Arp.System.Acf.Internal.ApplicationBase                      INFO  - ArpVersion:
2019.0 LTS (19.0.0.17548  )
18.12.19 01:42:27.840 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
18.12.19 01:42:27.840 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:42:27.841 CommonRemoting
  INFO  - Start listening on TCP port 41120
18.12.19 01:42:27.841 CommonRemoting
  INFO  - Start listening on TCP port 41121
18.12.19 01:42:27.936 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
18.12.19 01:42:28.107 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:42:28.124 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:42:28.125 CommonRemoting
  INFO  - Start listening on TCP port 41123
18.12.19 01:42:28.127 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2602860, IPC
18.12.19 01:42:28.135 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2019.0 LTS (19.0.0.17548  )
18.12.19 01:42:28.148 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:42:28.148 CommonRemoting
  INFO  - Start listening on TCP port 41124
18.12.19 01:42:28.150 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B26035F0, IPC
18.12.19 01:42:28.156 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B2603A60, IPC
18.12.19 01:42:28.167 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B2603ED0, IPC
18.12.19 01:42:28.184 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401B38, IPC
18.12.19 01:42:28.193 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1301598, IPC
18.12.19 01:42:28.195 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ProfinetProcess' was setup successfully.
18.12.19 01:42:28.202 Arp.System.Acf.Internal.ApplicationBase
```

```
  INFO  - Application 'LocalIoProcess' was setup successfully.
18.12.19 01:42:28.239 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
18.12.19 01:42:28.242 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ProfinetProcess' started successfully.
18.12.19 01:42:28.354 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'LocalIoProcess' loaded.
18.12.19 01:42:28.381 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
18.12.19 01:42:28.388 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
18.12.19 01:42:28.462 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.207 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:29.210 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.214 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.218 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.221 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.225 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.246 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.249 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.269 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.293 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:29.400 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.459 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
18.12.19 01:42:29.480 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:29.538 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
18.12.19 01:42:30.395 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:30.488 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:30.514 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
```

```
18.12.19 01:42:30.867 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
18.12.19 01:42:30.870 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:30.899 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
18.12.19 01:42:30.927 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
18.12.19 01:42:30.930 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
18.12.19 01:42:30.934 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
18.12.19 01:42:31.385 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ProfinetProcess' loaded.
18.12.19 01:42:31.389 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ProfinetProcess' loaded.
18.12.19 01:42:31.393 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'LocalIoProcess' created.
18.12.19 01:42:31.395 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
18.12.19 01:42:31.396 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
18.12.19 01:42:31.398 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
18.12.19 01:42:31.399 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
18.12.19 01:42:31.401 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
18.12.19 01:42:31.402 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
18.12.19 01:42:31.403 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
18.12.19 01:42:31.403 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
18.12.19 01:42:31.405 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
18.12.19 01:42:31.408 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
18.12.19 01:42:31.409 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
18.12.19 01:42:31.410 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
18.12.19 01:42:31.419 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
18.12.19 01:42:31.421 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
18.12.19 01:42:31.422 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
18.12.19 01:42:31.491 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
18.12.19 01:42:31.493 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
18.12.19 01:42:31.495 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
18.12.19 01:42:31.497 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
18.12.19 01:42:31.500 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
18.12.19 01:42:31.503 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
18.12.19 01:42:31.504 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
18.12.19 01:42:31.507 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
18.12.19 01:42:31.508 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
18.12.19 01:42:31.509 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
18.12.19 01:42:31.511 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
18.12.19 01:42:31.512 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
18.12.19 01:42:31.517 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
18.12.19 01:42:31.521 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
18.12.19 01:42:31.523 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
18.12.19 01:42:31.527 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
18.12.19 01:42:31.528 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
18.12.19 01:42:31.529 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
18.12.19 01:42:31.531 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
18.12.19 01:42:31.533 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
18.12.19 01:42:31.534 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
18.12.19 01:42:31.535 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
18.12.19 01:42:31.536 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
18.12.19 01:42:31.537 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ProfinetProcess' in process
```

```
'MainProcess' created.
18.12.19 01:42:31.559 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ProfinetProcess' created.
18.12.19 01:42:31.572 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ProfinetProcess' created.
18.12.19 01:42:31.575 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ProfinetProcess' created.
18.12.19 01:42:31.577 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ProfinetProcess' in process
'ProfinetProcess' created.
18.12.19 01:42:31.872 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 01:42:31.898 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
18.12.19 01:42:31.901 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
18.12.19 01:42:32.589 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
18.12.19 01:42:33.278 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
18.12.19 01:42:33.313 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1247 for script '/etc/init.d/plcnext stop'
18.12.19 01:42:33.316 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.71.
18.12.19 01:42:33.344 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 01:42:33.411 Arp.System.Lm.LmComponent
  INFO  - Current license storage path: '/etc/device_data/license_store'.
18.12.19 01:42:33.649 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.665.0
18.12.19 01:42:33.735 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
18.12.19 01:42:33.735 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
18.12.19 01:42:33.744 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
18.12.19 01:42:33.820 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
18.12.19 01:42:33.823 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
18.12.19 01:42:33.826 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.8745
18.12.19 01:42:35.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 0, Message: module 0x54 disabled
18.12.19 01:42:37.120 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
18.12.19 01:42:37.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 01:42:37.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:42:37.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 01:42:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - I&M0 request for the controller received
18.12.19 01:42:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:42:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 01:42:37.736 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
18.12.19 01:42:38.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 01:42:38.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:42:38.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 01:42:38.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 01:42:38.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 01:42:38.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 01:42:38.377 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 added successfully.
18.12.19 01:42:38.451 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Enter EhmiComponent: Initialize
18.12.19 01:42:38.454 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Exit  EhmiComponent: Initialize
18.12.19 01:42:38.455 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 EhmiComponent: SubscribeServices
18.12.19 01:42:38.455 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
18.12.19 01:42:38.470 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Exit  EhmiComponent: LoadSettings
18.12.19 01:42:38.471 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Enter EhmiComponent: SetupSettings
18.12.19 01:42:38.474 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 SetThreshold level=6.
18.12.19 01:42:38.477 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560    IndentSize=0
18.12.19 01:42:38.478 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560    IndentSize=0
18.12.19 01:42:38.480 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
18.12.19 01:42:38.484 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Exit  EhmiComponent: SetupSettings
18.12.19 01:42:38.484 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 EhmiComponent: PublishServices
18.12.19 01:42:39.134 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 01:42:39.138 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
```

```
18.12.19 01:42:39.144 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 01:42:39.156 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
18.12.19 01:42:39.159 Arp.Services.AppManager.AppManager
  INFO  -
================================================================================
18.12.19 01:42:39.159 Arp.Services.AppManager.AppManager
  INFO  - syncing product name to:
/etc/plcnext/device/Services/AppManager/apps_settings.json
18.12.19 01:42:39.188 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
18.12.19 01:42:39.209 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
18.12.19 01:42:39.262 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Plm/*.plm.config:
Directory does not exist.
18.12.19 01:42:39.278 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Esm/*.esm.config:
Directory does not exist.
18.12.19 01:42:39.368 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.fbio.config: Directory does not
exist.
18.12.19 01:42:39.399 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.IbM/*.fbio.config: Directory does not
exist.
18.12.19 01:42:39.424 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.fbio.config: Directory does not
exist.
18.12.19 01:42:39.439 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
18.12.19 01:42:39.454 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.AxlC/*.axlc.config: Directory does not
exist.
18.12.19 01:42:39.455 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
18.12.19 01:42:39.456 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
18.12.19 01:42:39.459 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
18.12.19 01:42:39.460 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
least one device tic file. Filecount=0
18.12.19 01:42:39.461 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
18.12.19 01:42:39.462 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
```

```
18.12.19 01:42:39.464 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
18.12.19 01:42:39.465 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
18.12.19 01:42:39.484 root
  WARN  - Cannot resolve
/opt/plcnext/projects/current/Io/Arp.Io.PnC/*.pnc.config: Directory does not
exist.
18.12.19 01:42:39.959 root
  WARN  - Cannot resolve /opt/plcnext/projects/current/Plc/Gds/*.gds.config:
Directory does not exist.
18.12.19 01:42:39.961 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
18.12.19 01:42:39.978 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
18.12.19 01:42:39.984 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
18.12.19 01:42:39.986 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please and some variables...
18.12.19 01:42:39.987 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 EhmiComponent: LoadConfig
18.12.19 01:42:39.989 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 EhmiComponent: SetupConfig
18.12.19 01:42:40.227 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 01:42:40.252 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
18.12.19 01:42:40.252 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
18.12.19 01:42:40.313
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
18.12.19 01:42:41.325 OpcServer
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
18.12.19 01:42:41.325 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
18.12.19 01:42:41.328 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
18.12.19 01:42:41.338 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Start.
18.12.19 01:42:41.351 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Enter EhmiComponent: Start
18.12.19 01:42:41.363 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560   OpenListenSocket ListenSocket=0x2c,
BindPort=127.0.0.1:9999
18.12.19 01:42:41.370 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560    Cannot find authorizationTokenTimeout in project.json
18.12.19 01:42:41.373 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069546560   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
```

```
18.12.19 01:42:41.379 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069546560    Cannot read the type.dictionary.json file.
18.12.19 01:42:41.384 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069546560   Load Cannot read fileName=data.dictionary.json
18.12.19 01:42:41.386 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Exit  EhmiComponent: Start
18.12.19 01:42:41.389 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 01:42:41.390 CommonRemoting
  INFO  - Start listening on TCP port 41100
18.12.19 01:42:41.393 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
18.12.19 01:42:41.400 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
18.12.19 01:43:31.659 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5003878, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:43:31.903 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B5003878
18.12.19 01:43:31.908 CommonRemoting
  INFO  - Closing connection: connectionId=B5003878
18.12.19 01:49:00.790 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5003878, 192.168.1.5 ->
0.0.0.0:41100
18.12.19 01:49:00.968 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B5003878
18.12.19 01:49:00.971 CommonRemoting
  INFO  - Closing connection: connectionId=B5003878
18.12.19 02:01:28.027 Arp.Device.Interface.DeviceInterface
  INFO  - Stop PLC before start update
18.12.19 02:01:28.028 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
18.12.19 02:01:28.029 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
18.12.19 02:01:28.029 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2511692480 EhmiComponent: OnPlcStopping
18.12.19 02:01:28.030 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2511692480 EhmiComponent: StopPlc
18.12.19 02:01:28.056 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2511692480 Enter EhmiComponent: OnPlcStopped
18.12.19 02:01:28.060 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2511692480    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:01:28.064 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2511692480   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:01:28.067 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2511692480 Exit  EhmiComponent: OnPlcStopped
18.12.19 02:01:28.074 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Found Update Container: '/opt/plcnext/update-container.raucb'
18.12.19 02:01:28.076 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Start FW Update
18.12.19 02:01:28.094 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - started update process with PID = 1440
```

```
18.12.19 02:01:28.719 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' terminates.
18.12.19 02:01:28.756 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
18.12.19 02:01:28.756 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
18.12.19 02:01:28.761 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Enter EhmiComponent: Stop
18.12.19 02:01:28.776 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Exit  EhmiComponent: Stop
18.12.19 02:01:28.783 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Stop.
18.12.19 02:01:35.018 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Stopped OPC UA Server successfully.
18.12.19 02:01:35.142 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask stop
18.12.19 02:01:35.692 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Enter EhmiComponent: Dispose
18.12.19 02:01:35.694 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069546560 Exit  EhmiComponent: Dispose
18.12.19 02:01:35.702 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - PN_RemoveDevInst with Id = 1!
18.12.19 02:01:35.707 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance removed successfully
18.12.19 02:01:35.710 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Disable data output and deinitialize/close driver.
18.12.19 02:01:35.880 Arp.Device.Interface.DeviceInterface
  INFO  - System variable update thread terminated!
18.12.19 02:01:35.942 Arp.System.Acf.Internal.ApplicationBase
  FATAL - Terminate application after unexpected exception:
AppDomain Singleton instance of type 'Arp::System::Um::UserManager' was not
created yet! (Arp::Exception)
18.12.19 02:02:31.100 update-plcnext
  INFO  - Updated from 19.0.0.17548 to 20.0.0.24752
18.12.19 02:03:10.414 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
18.12.19 02:03:10.438 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
18.12.19 02:03:10.438 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 02:03:10.438 CommonRemoting
  INFO  - Start listening on TCP port 41120
18.12.19 02:03:10.438 CommonRemoting
  INFO  - Start listening on TCP port 41121
18.12.19 02:03:10.575 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
18.12.19 02:03:10.824 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
18.12.19 02:03:10.837 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 02:03:10.837 CommonRemoting
  INFO  - Start listening on TCP port 41123
18.12.19 02:03:10.839 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1B02848, IPC
```

```
18.12.19 02:03:10.871 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1B035B0, IPC
18.12.19 02:03:10.891 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
18.12.19 02:03:10.902 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 02:03:10.902 CommonRemoting
  INFO  - Start listening on TCP port 41124
18.12.19 02:03:10.904 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1B03A20, IPC
18.12.19 02:03:10.941 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1B03E90, IPC
18.12.19 02:03:10.964 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2602848, IPC
18.12.19 02:03:10.992 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
18.12.19 02:03:11.036 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
18.12.19 02:03:11.061 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
18.12.19 02:03:11.086 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
18.12.19 02:03:11.096 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
18.12.19 02:03:12.307 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
18.12.19 02:03:12.450 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
18.12.19 02:03:12.455 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
18.12.19 02:03:12.498 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
18.12.19 02:03:12.505 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.546 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.882 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:12.914 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.917 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.919 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.922 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.925 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.928 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.949 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.951 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
18.12.19 02:03:12.971 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
18.12.19 02:03:13.049 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:13.105 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:13.322 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
18.12.19 02:03:13.385 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
18.12.19 02:03:13.406 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:13.472 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
18.12.19 02:03:14.746 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:14.879 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:14.904 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
18.12.19 02:03:15.178 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
18.12.19 02:03:15.180 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:15.183 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
18.12.19 02:03:15.212 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:15.216 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
18.12.19 02:03:15.244 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
18.12.19 02:03:15.249 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
18.12.19 02:03:15.253 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
18.12.19 02:03:15.256 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
18.12.19 02:03:15.261 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - EthernetIPComponent
18.12.19 02:03:15.262 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
18.12.19 02:03:15.340 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
18.12.19 02:03:15.378 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
18.12.19 02:03:15.385 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
18.12.19 02:03:15.390 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
18.12.19 02:03:15.392 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
18.12.19 02:03:15.393 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
18.12.19 02:03:15.394 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
18.12.19 02:03:15.395 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
18.12.19 02:03:15.400 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
18.12.19 02:03:15.402 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
18.12.19 02:03:15.402 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
18.12.19 02:03:15.403 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
18.12.19 02:03:15.404 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
18.12.19 02:03:15.405 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
18.12.19 02:03:15.405 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
18.12.19 02:03:15.411 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
18.12.19 02:03:15.412 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
18.12.19 02:03:15.413 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
18.12.19 02:03:15.418 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
18.12.19 02:03:15.420 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
18.12.19 02:03:15.420 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
18.12.19 02:03:15.485 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
18.12.19 02:03:15.485 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
18.12.19 02:03:15.486 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
18.12.19 02:03:15.488 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
18.12.19 02:03:15.490 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
18.12.19 02:03:15.491 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
18.12.19 02:03:15.491 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
18.12.19 02:03:15.493 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
18.12.19 02:03:15.494 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
18.12.19 02:03:15.495 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
18.12.19 02:03:15.495 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
18.12.19 02:03:15.496 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
18.12.19 02:03:15.498 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
18.12.19 02:03:15.500 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
18.12.19 02:03:15.502 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
18.12.19 02:03:15.503 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
18.12.19 02:03:15.516 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
18.12.19 02:03:15.517 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
18.12.19 02:03:15.518 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
18.12.19 02:03:15.518 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
18.12.19 02:03:15.519 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
18.12.19 02:03:15.520 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
18.12.19 02:03:15.521 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
18.12.19 02:03:15.526 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
18.12.19 02:03:15.527 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
18.12.19 02:03:15.527 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
18.12.19 02:03:15.528 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
```

```
'MainProcess' created.
18.12.19 02:03:15.530 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
18.12.19 02:03:15.632 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 02:03:15.656 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
18.12.19 02:03:15.658 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
18.12.19 02:03:16.092 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
18.12.19 02:03:16.093 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
18.12.19 02:03:16.871 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
18.12.19 02:03:16.875 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1279 for script '/etc/init.d/plcnext stop'
18.12.19 02:03:16.917 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
18.12.19 02:03:16.942 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 02:03:17.023 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
18.12.19 02:03:17.398 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
18.12.19 02:03:17.477 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
18.12.19 02:03:17.477 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
18.12.19 02:03:17.479 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
18.12.19 02:03:17.509 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
18.12.19 02:03:17.515 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
18.12.19 02:03:17.520 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
18.12.19 02:03:17.531 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupSettings. startEsdk=true
18.12.19 02:03:17.566 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
18.12.19 02:03:17.567 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
18.12.19 02:03:17.567 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
```

```
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
18.12.19 02:03:17.568 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 02:03:17.568 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 02:03:17.568 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
18.12.19 02:03:17.570 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, EtherNet/IP stack successfully initialized
18.12.19 02:03:17.570 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Exit  EtIPAdapterStart()
18.12.19 02:03:17.571 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
18.12.19 02:03:17.571 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
18.12.19 02:03:17.571 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 02:03:17.571 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 02:03:17.572 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
18.12.19 02:03:17.572 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, Reading in all host ip addresses
18.12.19 02:03:17.572 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 02:03:17.572 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 02:03:17.573 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 ESDK 0x0001, Enter EIPTask()
18.12.19 02:03:17.594 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Claimed IP address: 192.168.1.10,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
18.12.19 02:03:17.594 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
18.12.19 02:03:17.594 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
18.12.19 02:03:17.594 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, srcIp=192.168.1.10, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
18.12.19 02:03:17.594 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 1
18.12.19 02:03:17.595 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, installedIpAddressCount=1
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
18.12.19 02:03:17.595 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=true.
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
```

192.168.1.10
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x13
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0xffff, LoadNics, ip=192.168.1.10,
mac=a8:74:1d:02:99:4f, label=eth0
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0xffff, LoadNics, Releasing all host ip addresses
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x12
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 02:03:17.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0002, New Network LED value = 0
18.12.19 02:03:17.597 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 02:03:17.597 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 02:03:17.618 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, Claimed IP address: 192.168.1.10,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
18.12.19 02:03:17.619 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
18.12.19 02:03:17.619 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
18.12.19 02:03:17.619 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0002, srcIp=192.168.1.10, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
18.12.19 02:03:17.620 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 ESDK 0x0002, New Network LED value = 1
18.12.19 02:03:17.620 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 LogStatistics cycle=16/26, active=23/23, esdk=23/23,
gds=0/0
18.12.19 02:03:17.620 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2973758144 Exit   SetupSettings. Elapsed=89
18.12.19 02:03:17.620 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2892522176 OnNewNetworkLedChange ledState=false.
18.12.19 02:03:17.620 Arp.Io.EthernetIP.EthernetIPComponent
  INFO - 2892522176 OnNewNetworkLedChange ledState=true.
18.12.19 02:03:17.770 Arp.Device.HmiLed.Internal.LedManager
  INFO - LedManager: PN-Dev at 1
18.12.19 02:03:17.776 Arp.Device.HmiLed.Internal.LedManager
  INFO - LedManager: PN-Ctrl at 1
18.12.19 02:03:17.777 Arp.Io.ProfinetStack.System.Internal.System
  INFO - Initialize: PN Version Info: v6.3.9755
18.12.19 02:03:18.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
18.12.19 02:03:20.121 Arp.Io.ProfinetStack.System.Internal.System
  INFO - ProfinetStack is initialized
18.12.19 02:03:20.778 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO - I&M0 request for the device instance ID 1 received
18.12.19 02:03:20.778 Arp.Io.ProfinetStack.System.Internal.Adaption

```
  INFO  - wSlotNumber      = 0
18.12.19 02:03:20.778 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 02:03:20.778 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 02:03:20.778 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 02:03:20.778 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 02:03:20.790 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
18.12.19 02:03:21.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 02:03:21.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 02:03:21.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 02:03:21.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 02:03:21.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 02:03:21.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 02:03:21.404 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
18.12.19 02:03:22.067 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
18.12.19 02:03:22.069 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
18.12.19 02:03:22.070 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
18.12.19 02:03:22.071 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
18.12.19 02:03:22.071 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
18.12.19 02:03:22.071 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
18.12.19 02:03:22.072 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter EhmiComponent: Initialize
18.12.19 02:03:22.074 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  EhmiComponent: Initialize
18.12.19 02:03:22.075 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 EhmiComponent: SubscribeServices
18.12.19 02:03:22.075 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
18.12.19 02:03:22.090 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  EhmiComponent: LoadSettings
18.12.19 02:03:22.091 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter EhmiComponent: SetupSettings
18.12.19 02:03:22.102 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 SetupSettings Created directory '/var/tmp/ehmi'
18.12.19 02:03:22.109 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 SetThreshold level=6.
```

```
18.12.19 02:03:22.109 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880    IndentSize=0
18.12.19 02:03:22.116 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880    IndentSize=0
18.12.19 02:03:22.118 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
18.12.19 02:03:22.118 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
18.12.19 02:03:22.119 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  EhmiComponent: SetupSettings
18.12.19 02:03:22.120 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 EhmiComponent: PublishServices
18.12.19 02:03:22.605 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
18.12.19 02:03:23.240 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:03:23.244 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:03:23.247 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 02:03:23.288 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
18.12.19 02:03:23.319 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
18.12.19 02:03:23.402 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 02:03:23.402 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 EhmiComponent: OnPlcLoading
18.12.19 02:03:23.552 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
18.12.19 02:03:23.553 Arp.Io.Axioline.Internal.AxiolineDomain
  WARN  - Axioline: No links.xml file.
18.12.19 02:03:23.555 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
18.12.19 02:03:23.569 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=13
18.12.19 02:03:23.803 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
18.12.19 02:03:23.808 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 500us, an
watchdog interval of 500us and an axio interval of 500us
18.12.19 02:03:24.813 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
18.12.19 02:03:24.814 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  WARN  - Axioline: Invalid number of tic files. Need one controller and at
```

```
least one device tic file. Filecount=0
18.12.19 02:03:24.815 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  ERROR - Axioline: Tic file not valid.
18.12.19 02:03:24.816 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Bus not initialized. Please check config files.
18.12.19 02:03:24.816 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
18.12.19 02:03:24.843 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
18.12.19 02:03:24.844 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Can not initialize axioline data frames, because the bus is
not initialized or configured. Please check configuration and project files.
18.12.19 02:03:24.844 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
18.12.19 02:03:24.846 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
18.12.19 02:03:24.847 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
18.12.19 02:03:24.848 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
18.12.19 02:03:24.848 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/52, active=0/23, esdk=0/23, gds=0/0
18.12.19 02:03:24.849 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=3
18.12.19 02:03:24.880 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
18.12.19 02:03:24.883 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
18.12.19 02:03:25.213 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
18.12.19 02:03:25.213 Arp.Plc.Retain.Internal.RetainManager
  WARN  - RetainManager::RestoreRetainData CRC32 mismatch
18.12.19 02:03:25.213 Arp.Plc.Retain.RetainComponent
  ERROR - RetainComponent::RestoreRetainData failed
18.12.19 02:03:25.216 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter EhmiComponent: OnPlcLoaded
18.12.19 02:03:25.217 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   ReadChecksumFromFile Cannot ReadChecksumFromFile
18.12.19 02:03:25.218 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880    Cannot read the type.dictionary.json file.
18.12.19 02:03:25.219 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880    TypeDictionary->Load() failure!!!
18.12.19 02:03:25.220 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   ReadProjectChecksumFromFile Cannot GetFileChecksum
18.12.19 02:03:25.221 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   Load Cannot read fileName=data.dictionary.json
18.12.19 02:03:25.221 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880    DataDictionary->Load() failure!!!
18.12.19 02:03:25.226 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  EhmiComponent: OnPlcLoaded
18.12.19 02:03:27.537 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 EhmiComponent: LoadConfig
18.12.19 02:03:27.538 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069322880 EhmiComponent: SetupConfig
18.12.19 02:03:27.590 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
18.12.19 02:03:27.880 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 02:03:27.949 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
18.12.19 02:03:27.950 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
18.12.19 02:03:29.686
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
18.12.19 02:03:30.010 OpcServer
  INFO  - OPC UA server opened endpoint URI
opc.tcp://please.customize.example.com:4840 listening at opc.tcp://0.0.0.0:4840
18.12.19 02:03:30.010 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
18.12.19 02:03:30.012 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
18.12.19 02:03:30.039 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 EhmiComponent: OnPlcStarting, startKind=Warm
18.12.19 02:03:30.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
18.12.19 02:03:30.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
18.12.19 02:03:30.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
18.12.19 02:03:30.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
18.12.19 02:03:30.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=1
18.12.19 02:03:30.064 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter EhmiComponent: OnPlcStarted
18.12.19 02:03:30.065 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  EhmiComponent: OnPlcStarted
18.12.19 02:03:30.066 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter EhmiComponent: Start
18.12.19 02:03:30.095 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter Start.
18.12.19 02:03:30.097 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
18.12.19 02:03:30.098 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Enter OpenListenSocket.
18.12.19 02:03:30.100 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   OpenInetStreamSocket sock=0x2f
18.12.19 02:03:30.101 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   SetReuseAddr Sock=0x2f, reuseAddr=1, ok=1
18.12.19 02:03:30.103 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   SetLinger Sock=0x2f, linger=1, seconds=0, ok=1
18.12.19 02:03:30.105 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   Bind Sock=0x2f, to=127.0.0.1:9999, ok=1
```

```
18.12.19 02:03:30.106 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   Listen Sock=0x2f, backlog=10, ok=1
18.12.19 02:03:30.107 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   OpenListenSocket ListenSocket=0x2f,
BindPort=127.0.0.1:9999
18.12.19 02:03:30.108 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  OpenListenSocket. elapsed=9
18.12.19 02:03:30.108 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  Start. elapsed=12
18.12.19 02:03:30.109 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:03:30.110 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:03:30.112 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880   Clear
18.12.19 02:03:30.115 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:03:30.117 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:03:30.118 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   ReadChecksumFromFile Cannot ReadChecksumFromFile
18.12.19 02:03:30.122 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880    Cannot read the type.dictionary.json file.
18.12.19 02:03:30.124 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880    TypeDictionary->Load() failure!!!
18.12.19 02:03:30.126 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   ReadProjectChecksumFromFile Cannot GetFileChecksum
18.12.19 02:03:30.128 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   Load Cannot read fileName=data.dictionary.json
18.12.19 02:03:30.128 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880    DataDictionary->Load() failure!!!
18.12.19 02:03:30.130 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:03:30.130 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069322880   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:03:30.132 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069322880 Exit  EhmiComponent: Start
18.12.19 02:03:30.133 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
18.12.19 02:03:30.134 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 02:03:30.134 CommonRemoting
  INFO  - Start listening on TCP port 41100
18.12.19 02:03:30.139 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
18.12.19 02:03:45.800 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/34, active=0/1, esdk=0/1, gds=0/1
18.12.19 02:04:06.375 Arp.Services.Wbm.LocalBusDiagnostics
  ERROR - Failed to list Axioline modules table: read configuration error 2656
occured
```

```
18.12.19 02:04:18.981 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:18.986 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:18.992 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 02:04:19.588 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:19.593 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:19.599 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 02:04:20.282 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:20.288 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:20.293 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 02:04:20.892 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:20.897 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:20.904 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 02:04:21.504 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:21.509 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 02:04:21.515 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 02:05:00.645 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1D038A8, 192.168.1.25 ->
0.0.0.0:41100
18.12.19 02:05:16.343
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B1D038A8,
securityToken=BFDFB9AC
18.12.19 02:05:17.044 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
```

```
18.12.19 02:05:17.052 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 02:05:17.060 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 02:05:29.758 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
18.12.19 02:05:29.759 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
18.12.19 02:05:29.760 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 EhmiComponent: OnPlcStopping
18.12.19 02:05:29.781 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
18.12.19 02:05:29.781 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
18.12.19 02:05:29.781 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
18.12.19 02:05:29.781 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=1
18.12.19 02:05:29.783 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Enter EhmiComponent: OnPlcStopped
18.12.19 02:05:29.785 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:05:29.785 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:05:29.786 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Exit  EhmiComponent: OnPlcStopped
18.12.19 02:05:30.059 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Enter EhmiComponent: OnPlcUnloading, onError=false
18.12.19 02:05:30.884 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472   Clear
18.12.19 02:05:30.884 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Exit  EhmiComponent: OnPlcUnloading
18.12.19 02:05:30.924 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
18.12.19 02:05:30.924 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
18.12.19 02:05:30.924 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
18.12.19 02:05:30.924 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
18.12.19 02:05:30.925 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
18.12.19 02:05:30.931 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
18.12.19 02:05:30.931 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
18.12.19 02:05:30.931 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=1
18.12.19 02:05:31.136 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 EhmiComponent: OnPlcUnloaded, onError=false
18.12.19 02:05:35.079 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
```

```
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 02:05:35.079 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 EhmiComponent: OnPlcLoading
18.12.19 02:05:39.862 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Stopped OPC UA Server successfully.
18.12.19 02:05:39.863 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Configuration changed, Server will restart!
18.12.19 02:05:40.761 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
18.12.19 02:05:41.872 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
18.12.19 02:05:41.874 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
18.12.19 02:05:41.879 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
18.12.19 02:05:41.884 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
18.12.19 02:05:41.891 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
18.12.19 02:05:41.893 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
18.12.19 02:05:42.363 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
18.12.19 02:05:42.363 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
18.12.19 02:05:42.367 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
18.12.19 02:05:42.379 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=12
18.12.19 02:05:42.385 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
18.12.19 02:05:42.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
18.12.19 02:05:42.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
18.12.19 02:05:42.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/34, active=0/1, esdk=0/1, gds=0/1
18.12.19 02:05:42.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=2
18.12.19 02:05:42.395 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
18.12.19 02:05:42.486 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
18.12.19 02:05:42.576 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
18.12.19 02:05:42.579 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
18.12.19 02:05:42.746 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
18.12.19 02:05:42.750 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Enter EhmiComponent: OnPlcLoaded
18.12.19 02:05:42.751 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697249472    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:05:42.753 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:05:42.753 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472   ReadChecksumFromFile Cannot ReadChecksumFromFile
18.12.19 02:05:42.754 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472    Cannot read the type.dictionary.json file.
18.12.19 02:05:42.755 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472    TypeDictionary->Load() failure!!!
18.12.19 02:05:42.756 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472   ReadProjectChecksumFromFile Cannot GetFileChecksum
18.12.19 02:05:42.756 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472   Load Cannot read fileName=data.dictionary.json
18.12.19 02:05:42.758 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472    DataDictionary->Load() failure!!!
18.12.19 02:05:42.759 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Exit  EhmiComponent: OnPlcLoaded
18.12.19 02:05:45.712 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 EhmiComponent: OnPlcStarting, startKind=Warm
18.12.19 02:05:45.719 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
18.12.19 02:05:45.719 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
18.12.19 02:05:45.719 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
18.12.19 02:05:45.719 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
18.12.19 02:05:45.719 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=0
18.12.19 02:05:45.738 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Enter EhmiComponent: OnPlcStarted
18.12.19 02:05:45.739 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472    Cannot find authorizationTokenTimeout in project.json
18.12.19 02:05:45.739 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697249472   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 02:05:45.740 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697249472 Exit  EhmiComponent: OnPlcStarted
18.12.19 02:05:46.565
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  WARN  -
Configuration for subject alternative names is changed => replacing existing
self-signed certificate
18.12.19 02:05:46.996
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
18.12.19 02:05:47.218 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
18.12.19 02:05:47.219 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
18.12.19 02:05:47.220 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
```

```
18.12.19 02:06:01.848 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/2, esdk=0/2, gds=0/1
18.12.19 02:06:19.210 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1D068B8, 192.168.1.25 ->
0.0.0.0:41100
18.12.19 02:06:19.520
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B1D068B8,
securityToken=B3F7CBA8
18.12.19 02:06:20.059 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
18.12.19 02:06:20.073 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 02:06:20.085 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 02:09:17.571 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B1D068B8
18.12.19 02:09:17.573 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=B3F7CBA8
18.12.19 02:09:17.575 CommonRemoting
  INFO  - Closing connection: connectionId=B1D068B8
18.12.19 02:10:44.706 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B1D038A8
18.12.19 02:10:44.708 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=BFDFB9AC
18.12.19 02:10:44.713 CommonRemoting
  INFO  - Closing connection: connectionId=B1D038A8
18.12.19 02:16:54.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 02:16:54.868 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 02:16:54.868 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 02:17:10.127 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 02:17:10.128 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested (non-volatile)
18.12.19 02:17:10.128 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    StationName = master
18.12.19 02:17:10.132 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=26/29, active=1/2, esdk=1/2, gds=0/2
18.12.19 02:17:10.488 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 02:17:10.488 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested
18.12.19 02:17:10.489 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  new station name = master
18.12.19 02:17:11.678 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 02:17:11.679 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  -  DCP Control Start Trans requested
18.12.19 02:17:11.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 02:17:11.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
18.12.19 02:17:27.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 02:17:27.028 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 02:17:27.028 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 02:17:27.028 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 02:17:30.067 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 02:17:30.067 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 02:17:30.068 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 02:17:30.069 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 02:17:33.087 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 02:17:33.088 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 02:17:33.088 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 02:17:33.088 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 02:17:35.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 02:17:35.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Signal for PNDevice requested
18.12.19 02:17:35.328 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 02:17:35.328 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP Control Signal requested
18.12.19 02:17:52.180 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1D068B8, 192.168.1.25 ->
0.0.0.0:41100
18.12.19 02:17:57.183
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B1D068B8,
securityToken=6C9C65FA
18.12.19 02:17:57.884 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
18.12.19 02:17:57.908 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 02:17:57.915 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 02:18:03.206 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B1D068B8
18.12.19 02:18:03.209 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
```

```
  INFO  - Clearing authentication: securityToken=6C9C65FA
18.12.19 02:18:03.212 CommonRemoting
  INFO  - Closing connection: connectionId=B1D068B8
18.12.19 02:18:50.528 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1D04DE8, 192.168.1.25 ->
0.0.0.0:41100
18.12.19 02:18:50.823
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B1D04DE8,
securityToken=E3C4A7F9
18.12.19 02:18:51.201 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
18.12.19 02:18:51.214 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 02:18:51.227 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 02:19:02.203 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
18.12.19 02:19:02.215 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 02:19:02.233 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 02:19:02.234 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - Disable logging 'Status.Interfaces.Ethernet.2.1...' not found
18.12.19 02:19:05.553 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B1D04DE8
18.12.19 02:19:05.554 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=E3C4A7F9
18.12.19 02:19:05.561 CommonRemoting
  INFO  - Closing connection: connectionId=B1D04DE8


                                  18.12.19 11:02:23.301
Arp.System.Acf.Internal.ApplicationBase                     INFO  - ArpVersion:
2020.0 LTS (20.0.0.24752)
18.12.19 11:02:23.319 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
18.12.19 11:02:23.319 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 11:02:23.319 CommonRemoting
  INFO  - Start listening on TCP port 41120
18.12.19 11:02:23.319 CommonRemoting
  INFO  - Start listening on TCP port 41121
18.12.19 11:02:23.441 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
18.12.19 11:02:23.692 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
18.12.19 11:02:23.706 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 11:02:23.707 CommonRemoting
  INFO  - Start listening on TCP port 41123
18.12.19 11:02:23.710 CommonRemoting
```

```
  INFO  - Accepted connection #0: connectionId=B1B01660, IPC
18.12.19 11:02:23.748 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1B023F0, IPC
18.12.19 11:02:23.765 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
18.12.19 11:02:23.775 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 11:02:23.775 CommonRemoting
  INFO  - Start listening on TCP port 41124
18.12.19 11:02:23.780 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1B02860, IPC
18.12.19 11:02:23.812 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1B02CD0, IPC
18.12.19 11:02:23.841 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1302848, IPC
18.12.19 11:02:23.869 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
18.12.19 11:02:23.910 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
18.12.19 11:02:23.940 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
18.12.19 11:02:23.953 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
18.12.19 11:02:23.962 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
18.12.19 11:02:25.081 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
18.12.19 11:02:25.227 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
18.12.19 11:02:25.236 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
18.12.19 11:02:25.286 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
18.12.19 11:02:25.292 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.333 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.667 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:25.700 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.702 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.705 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.707 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.710 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.713 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
```

```
18.12.19 11:02:25.734 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.737 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.756 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
18.12.19 11:02:25.834 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:25.889 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:26.112 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
18.12.19 11:02:26.176 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
18.12.19 11:02:26.198 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:26.263 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
18.12.19 11:02:27.411 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:27.536 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:27.560 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
18.12.19 11:02:27.856 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
18.12.19 11:02:27.859 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:27.862 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
18.12.19 11:02:27.890 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:27.895 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
18.12.19 11:02:27.923 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
18.12.19 11:02:27.929 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
18.12.19 11:02:27.933 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
18.12.19 11:02:27.936 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
```

```
18.12.19 11:02:27.938 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
18.12.19 11:02:27.939 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
18.12.19 11:02:28.020 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
18.12.19 11:02:28.058 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
18.12.19 11:02:28.064 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
18.12.19 11:02:28.070 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
18.12.19 11:02:28.074 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
18.12.19 11:02:28.075 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
18.12.19 11:02:28.075 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
18.12.19 11:02:28.076 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
18.12.19 11:02:28.082 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
18.12.19 11:02:28.083 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
18.12.19 11:02:28.084 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
18.12.19 11:02:28.085 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
18.12.19 11:02:28.085 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
18.12.19 11:02:28.085 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
18.12.19 11:02:28.086 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
18.12.19 11:02:28.092 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
18.12.19 11:02:28.093 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
18.12.19 11:02:28.094 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
18.12.19 11:02:28.099 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
18.12.19 11:02:28.101 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
18.12.19 11:02:28.101 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
18.12.19 11:02:28.170 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
18.12.19 11:02:28.171 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
18.12.19 11:02:28.172 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
```

```
18.12.19 11:02:28.173 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
18.12.19 11:02:28.175 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
18.12.19 11:02:28.176 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
18.12.19 11:02:28.177 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
18.12.19 11:02:28.178 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
18.12.19 11:02:28.179 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
18.12.19 11:02:28.180 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
18.12.19 11:02:28.181 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
18.12.19 11:02:28.181 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
18.12.19 11:02:28.183 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
18.12.19 11:02:28.186 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
18.12.19 11:02:28.188 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
18.12.19 11:02:28.189 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
18.12.19 11:02:28.203 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
18.12.19 11:02:28.204 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
18.12.19 11:02:28.204 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
18.12.19 11:02:28.205 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
18.12.19 11:02:28.206 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
18.12.19 11:02:28.207 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
18.12.19 11:02:28.207 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
18.12.19 11:02:28.213 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
18.12.19 11:02:28.213 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
18.12.19 11:02:28.214 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
18.12.19 11:02:28.214 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
18.12.19 11:02:28.215 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
18.12.19 11:02:28.348 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 11:02:28.371 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
18.12.19 11:02:28.373 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
18.12.19 11:02:28.811 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
18.12.19 11:02:28.813 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
18.12.19 11:02:29.381 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
18.12.19 11:02:29.386 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1276 for script '/etc/init.d/plcnext stop'
18.12.19 11:02:29.421 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
18.12.19 11:02:29.446 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
18.12.19 11:02:29.544 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
18.12.19 11:02:29.993 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
18.12.19 11:02:30.090 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
18.12.19 11:02:30.090 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
18.12.19 11:02:30.092 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
18.12.19 11:02:30.129 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
18.12.19 11:02:30.135 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
18.12.19 11:02:30.140 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
18.12.19 11:02:30.160 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  SetupSettings. startEsdk=true
18.12.19 11:02:30.197 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
18.12.19 11:02:30.198 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
18.12.19 11:02:30.198 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
```

```
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
18.12.19 11:02:30.199 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 11:02:30.200 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 11:02:30.200 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
18.12.19 11:02:30.202 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, EtherNet/IP stack successfully initialized
18.12.19 11:02:30.203 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Exit  EtIPAdapterStart()
18.12.19 11:02:30.204 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
18.12.19 11:02:30.205 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
18.12.19 11:02:30.205 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 11:02:30.206 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 11:02:30.207 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
18.12.19 11:02:30.207 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, Reading in all host ip addresses
18.12.19 11:02:30.208 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 11:02:30.208 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 11:02:30.209 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 ESDK 0x0001, Enter EIPTask()
18.12.19 11:02:30.232 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Claimed IP address: 192.168.1.10,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
18.12.19 11:02:30.232 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
18.12.19 11:02:30.233 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
18.12.19 11:02:30.233 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, srcIp=192.168.1.10, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
18.12.19 11:02:30.233 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, New Network LED value = 1
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, installedIpAddressCount=1
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.1.10
```

```
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x13
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, ip=192.168.1.10,
mac=a8:74:1d:02:99:4f, label=eth0
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, Releasing all host ip addresses
18.12.19 11:02:30.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x12
18.12.19 11:02:30.235 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 11:02:30.235 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, New Network LED value = 0
18.12.19 11:02:30.235 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
18.12.19 11:02:30.235 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
18.12.19 11:02:30.256 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Claimed IP address: 192.168.1.10,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
18.12.19 11:02:30.257 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
18.12.19 11:02:30.258 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
18.12.19 11:02:30.258 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, srcIp=192.168.1.10, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
18.12.19 11:02:30.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, New Network LED value = 1
18.12.19 11:02:30.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 LogStatistics cycle=12/12, active=0/0, esdk=0/0, gds=0/0
18.12.19 11:02:30.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   SetupSettings. Elapsed=99
18.12.19 11:02:30.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 OnNewNetworkLedChange ledState=true.
18.12.19 11:02:30.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 OnNewNetworkLedChange ledState=false.
18.12.19 11:02:30.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 OnNewNetworkLedChange ledState=true.
18.12.19 11:02:30.260 Arp.Io.EthernetIP.EthernetIPComponent
  WARN  - 2891772608 OnEndOfEipCycle thisActiveTime=49 > TimerIntervalMax=25 !!!
18.12.19 11:02:30.260 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=12/12, active=49/49, esdk=49/49,
gds=0/0
18.12.19 11:02:30.421 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
18.12.19 11:02:30.426 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
18.12.19 11:02:30.427 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
18.12.19 11:02:30.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
```

```
18.12.19 11:02:32.804 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
18.12.19 11:02:34.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 11:02:34.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 11:02:34.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 11:02:34.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 11:02:34.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 11:02:34.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 11:02:34.847 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
18.12.19 11:02:36.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
18.12.19 11:02:36.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 11:02:36.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 11:02:36.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 11:02:36.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 11:02:36.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
18.12.19 11:02:36.778 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
18.12.19 11:02:36.942 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
18.12.19 11:02:36.943 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
18.12.19 11:02:36.943 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
18.12.19 11:02:36.943 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
18.12.19 11:02:36.944 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
18.12.19 11:02:36.944 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
18.12.19 11:02:36.945 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter EhmiComponent: Initialize
18.12.19 11:02:36.946 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  EhmiComponent: Initialize
18.12.19 11:02:36.947 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 EhmiComponent: SubscribeServices
18.12.19 11:02:36.948 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
18.12.19 11:02:36.962 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  EhmiComponent: LoadSettings
18.12.19 11:02:36.963 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069445760 Enter EhmiComponent: SetupSettings
18.12.19 11:02:37.122 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 SetupSettings Created directory '/var/tmp/ehmi'
18.12.19 11:02:37.129 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 SetThreshold level=6.
18.12.19 11:02:37.130 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760    IndentSize=0
18.12.19 11:02:37.137 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760    IndentSize=0
18.12.19 11:02:37.138 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
18.12.19 11:02:37.138 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
18.12.19 11:02:37.139 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  EhmiComponent: SetupSettings
18.12.19 11:02:37.140 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 EhmiComponent: PublishServices
18.12.19 11:02:37.629 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
18.12.19 11:02:38.273 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 11:02:38.276 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
18.12.19 11:02:38.279 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
18.12.19 11:02:38.332 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
18.12.19 11:02:38.365 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
18.12.19 11:02:38.453 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 11:02:38.454 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 EhmiComponent: OnPlcLoading
18.12.19 11:02:39.050 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
18.12.19 11:02:39.051 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
18.12.19 11:02:39.055 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
18.12.19 11:02:39.060 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
18.12.19 11:02:39.069 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  LoadPlc. isChanging=false
18.12.19 11:02:39.083 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   LoadPlc. Elapsed=14
```

```
18.12.19 11:02:39.726 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
18.12.19 11:02:39.743 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
18.12.19 11:02:40.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=25/75, active=0/49, esdk=0/49, gds=0/0
18.12.19 11:02:40.749 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
18.12.19 11:02:40.751 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
18.12.19 11:02:41.093 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
18.12.19 11:02:41.093 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
18.12.19 11:02:41.098 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  SetupPlc. isChanging=false, startKind=Warm
18.12.19 11:02:41.099 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 OnPlcLoaded PlcLoaded=false
18.12.19 11:02:41.099 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
18.12.19 11:02:41.099 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 LogStatistics cycle=25/75, active=0/49, esdk=0/49, gds=0/0
18.12.19 11:02:41.099 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   SetupPlc. Elapsed=1
18.12.19 11:02:41.243 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
18.12.19 11:02:41.248 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
18.12.19 11:02:41.273 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
18.12.19 11:02:41.275 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter EhmiComponent: OnPlcLoaded
18.12.19 11:02:41.276 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   ReadChecksumFromFile Cannot ReadChecksumFromFile
18.12.19 11:02:41.277 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760    Cannot read the type.dictionary.json file.
18.12.19 11:02:41.278 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760    TypeDictionary->Load() failure!!!
18.12.19 11:02:41.279 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   ReadProjectChecksumFromFile Cannot GetFileChecksum
18.12.19 11:02:41.280 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   Load Cannot read fileName=data.dictionary.json
18.12.19 11:02:41.280 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760    DataDictionary->Load() failure!!!
18.12.19 11:02:41.410 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  EhmiComponent: OnPlcLoaded
18.12.19 11:02:43.528 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 EhmiComponent: LoadConfig
18.12.19 11:02:43.528 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 EhmiComponent: SetupConfig
18.12.19 11:02:43.970 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
```

```
/opt/plcnext/projects/ProfiCloud/metrics.json.
18.12.19 11:02:44.132 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
18.12.19 11:02:44.135 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
18.12.19 11:02:45.247
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
18.12.19 11:02:45.564 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
18.12.19 11:02:45.564 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
18.12.19 11:02:45.565 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
18.12.19 11:02:45.590 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 EhmiComponent: OnPlcStarting, startKind=Warm
18.12.19 11:02:45.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  StartPlc. startKind=Warm
18.12.19 11:02:45.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 OnPlcStarted
18.12.19 11:02:45.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, SetRunMode, run=1
18.12.19 11:02:45.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 LogStatistics cycle=25/33, active=0/2, esdk=0/2, gds=0/1
18.12.19 11:02:45.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   StartPlc. Elapsed=1
18.12.19 11:02:45.616 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter EhmiComponent: OnPlcStarted
18.12.19 11:02:45.617 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  EhmiComponent: OnPlcStarted
18.12.19 11:02:45.618 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter EhmiComponent: Start
18.12.19 11:02:45.645 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter Start.
18.12.19 11:02:45.645 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
18.12.19 11:02:45.646 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Enter OpenListenSocket.
18.12.19 11:02:45.647 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   OpenInetStreamSocket sock=0x2f
18.12.19 11:02:45.647 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   SetReuseAddr Sock=0x2f, reuseAddr=1, ok=1
18.12.19 11:02:45.647 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   SetLinger Sock=0x2f, linger=1, seconds=0, ok=1
18.12.19 11:02:45.648 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   Bind Sock=0x2f, to=127.0.0.1:9999, ok=1
18.12.19 11:02:45.648 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   Listen Sock=0x2f, backlog=10, ok=1
18.12.19 11:02:45.648 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   OpenListenSocket ListenSocket=0x2f,
BindPort=127.0.0.1:9999
```

```
18.12.19 11:02:45.649 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  OpenListenSocket. elapsed=2
18.12.19 11:02:45.649 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  Start. elapsed=4
18.12.19 11:02:45.650 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760    Cannot find authorizationTokenTimeout in project.json
18.12.19 11:02:45.650 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 11:02:45.651 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760   Clear
18.12.19 11:02:45.652 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760    Cannot find authorizationTokenTimeout in project.json
18.12.19 11:02:45.653 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 11:02:45.653 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   ReadChecksumFromFile Cannot ReadChecksumFromFile
18.12.19 11:02:45.654 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760    Cannot read the type.dictionary.json file.
18.12.19 11:02:45.654 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760    TypeDictionary->Load() failure!!!
18.12.19 11:02:45.655 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   ReadProjectChecksumFromFile Cannot GetFileChecksum
18.12.19 11:02:45.656 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   Load Cannot read fileName=data.dictionary.json
18.12.19 11:02:45.656 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760    DataDictionary->Load() failure!!!
18.12.19 11:02:45.657 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760    Cannot find authorizationTokenTimeout in project.json
18.12.19 11:02:45.658 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069445760   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
18.12.19 11:02:45.658 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069445760 Exit  EhmiComponent: Start
18.12.19 11:02:45.659 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
18.12.19 11:02:45.659 CommonRemoting
  INFO  - Starting remoting server (version=4)
18.12.19 11:02:45.660 CommonRemoting
  INFO  - Start listening on TCP port 41100
18.12.19 11:02:45.663 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
18.12.19 11:02:50.223 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
18.12.19 11:04:18.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 11:04:18.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 11:04:18.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
```

```
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 11:04:45.488 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F0AD90, 192.168.1.25 ->
0.0.0.0:41100
18.12.19 11:04:50.125
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F0AD90,
securityToken=88545079
18.12.19 11:04:50.813 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
18.12.19 11:04:50.819 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 11:04:50.828 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 11:05:18.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
18.12.19 11:05:18.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
18.12.19 11:05:18.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
18.12.19 11:05:54.029 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
18.12.19 11:05:54.054 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
18.12.19 11:05:54.067 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
18.12.19 11:07:41.821 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F0AD90
18.12.19 11:07:41.824 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=88545079
18.12.19 11:07:41.827 CommonRemoting
  INFO  - Closing connection: connectionId=B4F0AD90
18.12.19 11:09:11.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 11:09:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address  = 192.168.0.2
18.12.19 11:09:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask      = 255.255.255.0
18.12.19 11:09:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway         = 0.0.0.0
18.12.19 11:09:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP set IP address (non-volatile) requested
18.12.19 11:09:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 to IP: 192.168.0.2 SM: 255.255.255.0 Gateway:
0.0.0.0...
18.12.19 11:09:12.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 11:09:12.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 11:09:12.472 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
18.12.19 11:09:12.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
18.12.19 11:09:13.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 was successful.
18.12.19 11:09:13.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 11:09:13.647 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address = 192.168.0.2
18.12.19 11:09:13.647 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask     = 255.255.255.0
18.12.19 11:09:13.647 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway        = 0.0.0.0
18.12.19 11:09:13.647 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set IP address (non-volatile) requested
18.12.19 11:09:13.647 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 to IP: 192.168.0.2 SM: 255.255.255.0 Gateway:
0.0.0.0...
18.12.19 11:09:15.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
18.12.19 11:09:15.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
18.12.19 11:09:16.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 was successful.
18.12.19 11:09:16.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
18.12.19 11:09:16.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Start Trans requested
18.12.19 11:09:16.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
18.12.19 11:09:16.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
18.12.19 11:13:20.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 11:13:20.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
18.12.19 11:13:20.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 11:19:55.388 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=26/28, active=0/2, esdk=0/2, gds=0/1
18.12.19 11:27:30.898 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "E6CE07B7" not exist
18.12.19 11:27:30.906 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "E6CE07B7" not exist
18.12.19 11:27:43.177 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
18.12.19 11:27:43.177 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
```

```
Codelab: 0xD600016F osl_time.c(367)
18.12.19 11:33:08.963 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "3BF84CB3" not exist
18.12.19 11:33:08.970 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "3BF84CB3" not exist
18.12.19 12:02:58.223 Arp.System.Watchdog.Internal.SystemWatchdogRebootCounter
  INFO  - WaitForResetRebootCounterThreadBody reboot counter resetted, more than
60 minutes in run mode
07.01.20 15:50:14.413 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
07.01.20 15:50:14.439 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
07.01.20 15:50:14.439 CommonRemoting
  INFO  - Starting remoting server (version=4)
07.01.20 15:50:14.439 CommonRemoting
  INFO  - Start listening on TCP port 41120
07.01.20 15:50:14.439 CommonRemoting
  INFO  - Start listening on TCP port 41121
07.01.20 15:50:14.564 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
07.01.20 15:50:14.844 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
07.01.20 15:50:14.856 CommonRemoting
  INFO  - Starting remoting server (version=4)
07.01.20 15:50:14.856 CommonRemoting
  INFO  - Start listening on TCP port 41123
07.01.20 15:50:14.860 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C02848, IPC
07.01.20 15:50:14.862 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
07.01.20 15:50:14.877 CommonRemoting
  INFO  - Starting remoting server (version=4)
07.01.20 15:50:14.877 CommonRemoting
  INFO  - Start listening on TCP port 41124
07.01.20 15:50:14.885 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C035B0, IPC
07.01.20 15:50:14.907 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C03A20, IPC
07.01.20 15:50:14.924 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C03E90, IPC
07.01.20 15:50:15.018 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01640, IPC
07.01.20 15:50:15.030 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401628, IPC
07.01.20 15:50:15.050 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
07.01.20 15:50:15.060 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
07.01.20 15:50:15.079 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
07.01.20 15:50:15.089 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
07.01.20 15:50:16.134 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
```

```
loaded.
07.01.20 15:50:16.278 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
07.01.20 15:50:16.283 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
07.01.20 15:50:16.327 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
07.01.20 15:50:16.334 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.376 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.725 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:16.759 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.764 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.766 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.769 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.772 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.775 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.796 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.798 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.817 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
07.01.20 15:50:16.894 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:16.950 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:17.167 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
07.01.20 15:50:17.232 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
07.01.20 15:50:17.254 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:17.317 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
07.01.20 15:50:18.641 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:18.768 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
```

```
loaded.
07.01.20 15:50:18.793 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
07.01.20 15:50:19.059 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
07.01.20 15:50:19.063 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:19.065 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
07.01.20 15:50:19.095 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:19.098 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
07.01.20 15:50:19.127 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
07.01.20 15:50:19.132 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
07.01.20 15:50:19.135 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
07.01.20 15:50:19.139 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
07.01.20 15:50:19.142 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
07.01.20 15:50:19.143 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
07.01.20 15:50:19.224 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
07.01.20 15:50:19.261 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
07.01.20 15:50:19.268 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
07.01.20 15:50:19.273 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
07.01.20 15:50:19.275 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
07.01.20 15:50:19.276 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
07.01.20 15:50:19.277 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
07.01.20 15:50:19.277 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
07.01.20 15:50:19.283 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
07.01.20 15:50:19.284 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
07.01.20 15:50:19.284 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
07.01.20 15:50:19.284 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
07.01.20 15:50:19.285 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
07.01.20 15:50:19.286 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
07.01.20 15:50:19.286 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
07.01.20 15:50:19.292 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
07.01.20 15:50:19.293 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
07.01.20 15:50:19.293 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
07.01.20 15:50:19.298 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
07.01.20 15:50:19.299 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
07.01.20 15:50:19.299 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
07.01.20 15:50:19.369 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
07.01.20 15:50:19.371 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
07.01.20 15:50:19.372 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
07.01.20 15:50:19.374 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
07.01.20 15:50:19.375 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
07.01.20 15:50:19.377 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
07.01.20 15:50:19.378 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
07.01.20 15:50:19.379 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
07.01.20 15:50:19.380 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
07.01.20 15:50:19.381 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
07.01.20 15:50:19.382 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
07.01.20 15:50:19.383 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
07.01.20 15:50:19.385 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
07.01.20 15:50:19.387 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
07.01.20 15:50:19.390 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
07.01.20 15:50:19.390 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
07.01.20 15:50:19.404 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
07.01.20 15:50:19.405 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
07.01.20 15:50:19.405 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
07.01.20 15:50:19.406 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
07.01.20 15:50:19.406 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
07.01.20 15:50:19.407 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
07.01.20 15:50:19.408 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
07.01.20 15:50:19.414 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
07.01.20 15:50:19.414 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
07.01.20 15:50:19.415 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
07.01.20 15:50:19.415 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
07.01.20 15:50:19.416 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
07.01.20 15:50:19.522 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
07.01.20 15:50:19.546 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
07.01.20 15:50:19.548 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
07.01.20 15:50:19.893 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
07.01.20 15:50:19.894 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
07.01.20 15:50:20.556 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
07.01.20 15:50:20.560 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1275 for script '/etc/init.d/plcnext stop'
07.01.20 15:50:20.601 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
07.01.20 15:50:20.626 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
07.01.20 15:50:20.709 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
07.01.20 15:50:21.071 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
```

```
07.01.20 15:50:21.148 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
07.01.20 15:50:21.148 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
07.01.20 15:50:21.150 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
07.01.20 15:50:21.176 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
07.01.20 15:50:21.181 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
07.01.20 15:50:21.187 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
07.01.20 15:50:21.198 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  SetupSettings. startEsdk=true
07.01.20 15:50:21.233 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
07.01.20 15:50:21.233 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
07.01.20 15:50:21.233 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
07.01.20 15:50:21.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
07.01.20 15:50:21.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
07.01.20 15:50:21.234 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
07.01.20 15:50:21.235 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, EtherNet/IP stack successfully initialized
07.01.20 15:50:21.236 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Exit  EtIPAdapterStart()
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
```

```
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, Reading in all host ip addresses
07.01.20 15:50:21.238 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
07.01.20 15:50:21.238 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
07.01.20 15:50:21.237 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 ESDK 0x0001, Enter EIPTask()
07.01.20 15:50:21.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
07.01.20 15:50:21.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
07.01.20 15:50:21.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
07.01.20 15:50:21.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
07.01.20 15:50:21.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, New Network LED value = 1
07.01.20 15:50:21.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, installedIpAddressCount=1
07.01.20 15:50:21.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
07.01.20 15:50:21.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
07.01.20 15:50:21.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x13
07.01.20 15:50:21.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
07.01.20 15:50:21.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, Releasing all host ip addresses
07.01.20 15:50:21.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x12
07.01.20 15:50:21.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
07.01.20 15:50:21.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, New Network LED value = 0
07.01.20 15:50:21.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 OnNewNetworkLedChange ledState=true.
07.01.20 15:50:21.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 OnNewNetworkLedChange ledState=false.
07.01.20 15:50:21.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
07.01.20 15:50:21.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
07.01.20 15:50:21.284 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
07.01.20 15:50:21.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
07.01.20 15:50:21.285 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
07.01.20 15:50:21.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
07.01.20 15:50:21.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, New Network LED value = 1
07.01.20 15:50:21.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=6/6, active=24/24, esdk=24/24, gds=0/0
07.01.20 15:50:21.286 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   SetupSettings. Elapsed=88
07.01.20 15:50:21.288 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 OnNewNetworkLedChange ledState=true.
07.01.20 15:50:21.426 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
07.01.20 15:50:21.432 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
07.01.20 15:50:21.433 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
07.01.20 15:50:21.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
07.01.20 15:50:23.796 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
07.01.20 15:50:24.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
07.01.20 15:50:24.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
07.01.20 15:50:24.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
07.01.20 15:50:24.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
07.01.20 15:50:24.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
07.01.20 15:50:24.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
07.01.20 15:50:24.672 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
07.01.20 15:50:25.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
07.01.20 15:50:25.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
07.01.20 15:50:25.287 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
07.01.20 15:50:25.287 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
07.01.20 15:50:25.287 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
07.01.20 15:50:25.287 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
07.01.20 15:50:25.292 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
07.01.20 15:50:25.579 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
```

```
07.01.20 15:50:25.580 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
07.01.20 15:50:25.581 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
07.01.20 15:50:25.581 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
07.01.20 15:50:25.582 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
07.01.20 15:50:25.583 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
07.01.20 15:50:25.583 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter EhmiComponent: Initialize
07.01.20 15:50:25.585 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  EhmiComponent: Initialize
07.01.20 15:50:25.585 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 EhmiComponent: SubscribeServices
07.01.20 15:50:25.586 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
07.01.20 15:50:25.603 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  EhmiComponent: LoadSettings
07.01.20 15:50:25.604 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter EhmiComponent: SetupSettings
07.01.20 15:50:25.630 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 SetupSettings Created directory '/var/tmp/ehmi'
07.01.20 15:50:25.637 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 SetThreshold level=6.
07.01.20 15:50:25.637 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136    IndentSize=0
07.01.20 15:50:25.644 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136    IndentSize=0
07.01.20 15:50:25.646 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
07.01.20 15:50:25.646 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
07.01.20 15:50:25.647 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  EhmiComponent: SetupSettings
07.01.20 15:50:25.648 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 EhmiComponent: PublishServices
07.01.20 15:50:26.264 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
07.01.20 15:50:26.904 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
07.01.20 15:50:26.907 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
07.01.20 15:50:26.912 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
```

```
07.01.20 15:50:26.955 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
07.01.20 15:50:26.983 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
07.01.20 15:50:27.062 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
07.01.20 15:50:27.063 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 EhmiComponent: OnPlcLoading
07.01.20 15:50:27.645 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
07.01.20 15:50:27.646 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
07.01.20 15:50:27.650 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
07.01.20 15:50:27.655 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
07.01.20 15:50:27.664 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  LoadPlc. isChanging=false
07.01.20 15:50:27.676 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   LoadPlc. Elapsed=13
07.01.20 15:50:27.786 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
07.01.20 15:50:27.804 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
07.01.20 15:50:28.810 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
07.01.20 15:50:28.812 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
07.01.20 15:50:29.156 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
07.01.20 15:50:29.156 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
07.01.20 15:50:29.160 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  SetupPlc. isChanging=false, startKind=Warm
07.01.20 15:50:29.161 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcLoaded PlcLoaded=false
07.01.20 15:50:29.161 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
07.01.20 15:50:29.162 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=25/56, active=0/24, esdk=0/24, gds=0/0
07.01.20 15:50:29.162 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   SetupPlc. Elapsed=1
07.01.20 15:50:29.286 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
07.01.20 15:50:29.291 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
07.01.20 15:50:30.105 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
07.01.20 15:50:30.106 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter EhmiComponent: OnPlcLoaded
```

```
07.01.20 15:50:30.107 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   ReadChecksumFromFile Cannot ReadChecksumFromFile
07.01.20 15:50:30.107 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136    Cannot read the type.dictionary.json file.
07.01.20 15:50:30.108 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136    TypeDictionary->Load() failure!!!
07.01.20 15:50:30.108 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   ReadProjectChecksumFromFile Cannot GetFileChecksum
07.01.20 15:50:30.110 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   Load Cannot read fileName=data.dictionary.json
07.01.20 15:50:30.110 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136    DataDictionary->Load() failure!!!
07.01.20 15:50:30.116 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  EhmiComponent: OnPlcLoaded
07.01.20 15:50:31.251 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
07.01.20 15:50:32.141 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 EhmiComponent: LoadConfig
07.01.20 15:50:32.141 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 EhmiComponent: SetupConfig
07.01.20 15:50:32.466 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
07.01.20 15:50:32.545 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
07.01.20 15:50:32.547 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
07.01.20 15:50:34.408
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
07.01.20 15:50:34.766 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
07.01.20 15:50:34.767 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
07.01.20 15:50:34.769 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
07.01.20 15:50:34.796 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 EhmiComponent: OnPlcStarting, startKind=Warm
07.01.20 15:50:34.801 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  StartPlc. startKind=Warm
07.01.20 15:50:34.801 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcStarted
07.01.20 15:50:34.801 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, SetRunMode, run=1
07.01.20 15:50:34.801 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
07.01.20 15:50:34.802 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   StartPlc. Elapsed=1
07.01.20 15:50:34.820 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter EhmiComponent: OnPlcStarted
07.01.20 15:50:34.821 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  EhmiComponent: OnPlcStarted
```

```
07.01.20 15:50:34.823 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter EhmiComponent: Start
07.01.20 15:50:34.847 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter Start.
07.01.20 15:50:34.848 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
07.01.20 15:50:34.849 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Enter OpenListenSocket.
07.01.20 15:50:34.850 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   OpenInetStreamSocket sock=0x2e
07.01.20 15:50:34.850 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   SetReuseAddr Sock=0x2e, reuseAddr=1, ok=1
07.01.20 15:50:34.851 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   SetLinger Sock=0x2e, linger=1, seconds=0, ok=1
07.01.20 15:50:34.851 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   Bind Sock=0x2e, to=127.0.0.1:9999, ok=1
07.01.20 15:50:34.852 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   Listen Sock=0x2e, backlog=10, ok=1
07.01.20 15:50:34.853 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   OpenListenSocket ListenSocket=0x2e,
BindPort=127.0.0.1:9999
07.01.20 15:50:34.853 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  OpenListenSocket. elapsed=4
07.01.20 15:50:34.858 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  Start. elapsed=11
07.01.20 15:50:34.859 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136    Cannot find authorizationTokenTimeout in project.json
07.01.20 15:50:34.861 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
07.01.20 15:50:34.863 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136   Clear
07.01.20 15:50:34.864 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136    Cannot find authorizationTokenTimeout in project.json
07.01.20 15:50:34.865 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
07.01.20 15:50:34.867 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   ReadChecksumFromFile Cannot ReadChecksumFromFile
07.01.20 15:50:34.869 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136    Cannot read the type.dictionary.json file.
07.01.20 15:50:34.870 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136    TypeDictionary->Load() failure!!!
07.01.20 15:50:34.871 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   ReadProjectChecksumFromFile Cannot GetFileChecksum
07.01.20 15:50:34.872 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   Load Cannot read fileName=data.dictionary.json
07.01.20 15:50:34.872 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136    DataDictionary->Load() failure!!!
07.01.20 15:50:34.874 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136    Cannot find authorizationTokenTimeout in project.json
07.01.20 15:50:34.877 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069675136   LoadDefaultTimeout Cannot get sessionTimeout from
```

```
project.json
07.01.20 15:50:34.879 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069675136 Exit  EhmiComponent: Start
07.01.20 15:50:34.880 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
07.01.20 15:50:34.881 CommonRemoting
  INFO  - Starting remoting server (version=4)
07.01.20 15:50:34.883 CommonRemoting
  INFO  - Start listening on TCP port 41100
07.01.20 15:50:34.888 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
07.01.20 15:56:05.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 15:56:05.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address  = 192.168.1.10
07.01.20 15:56:05.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask      = 255.255.255.0
07.01.20 15:56:05.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway         = 0.0.0.0
07.01.20 15:56:05.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP set IP address (non-volatile) requested
07.01.20 15:56:05.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 to IP: 192.168.1.10 SM: 255.255.255.0 Gateway:
0.0.0.0...
07.01.20 15:56:06.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
07.01.20 15:56:06.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
07.01.20 15:56:08.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 was successful.
07.01.20 15:56:08.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 15:56:08.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address = 192.168.1.10
07.01.20 15:56:08.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask     = 255.255.255.0
07.01.20 15:56:08.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway        = 0.0.0.0
07.01.20 15:56:08.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set IP address (non-volatile) requested
07.01.20 15:56:08.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 to IP: 192.168.1.10 SM: 255.255.255.0 Gateway:
0.0.0.0...
07.01.20 15:56:09.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
07.01.20 15:56:09.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
07.01.20 15:56:11.556 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 was successful.
07.01.20 15:56:11.558 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
```

```
07.01.20 15:56:11.559 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Start Trans requested
07.01.20 15:56:11.559 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 15:56:11.559 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
07.01.20 15:56:12.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 15:56:12.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested (non-volatile)
07.01.20 15:56:12.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    StationName = axc-f-2152-1
07.01.20 15:56:13.796 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 15:56:13.797 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested
07.01.20 15:56:13.797 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  new station name = axc-f-2152-1
07.01.20 15:56:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 15:56:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Start Trans requested
07.01.20 15:56:15.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 15:56:15.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
07.01.20 15:56:32.982 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B50035B8, 192.168.1.25 ->
0.0.0.0:41100
07.01.20 15:56:40.681
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B50035B8,
securityToken=D102611B
07.01.20 15:56:41.514 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
07.01.20 15:56:41.528 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
07.01.20 15:56:41.541 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
07.01.20 15:59:30.159 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
07.01.20 15:59:30.159 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
07.01.20 15:59:30.159 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 EhmiComponent: OnPlcStopping
07.01.20 15:59:30.239 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  StopPlc
07.01.20 15:59:30.241 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Enter EhmiComponent: OnPlcStopped
07.01.20 15:59:30.239 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcStopped
07.01.20 15:59:30.242 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920    Cannot find authorizationTokenTimeout in project.json
```

```
07.01.20 15:59:30.242 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
07.01.20 15:59:30.242 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Exit  EhmiComponent: OnPlcStopped
07.01.20 15:59:30.239 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, SetRunMode, run=0
07.01.20 15:59:30.239 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   StopPlc. Elapsed=1
07.01.20 15:59:30.648 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Enter EhmiComponent: OnPlcUnloading, onError=false
07.01.20 15:59:31.336 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920   Clear
07.01.20 15:59:31.336 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Exit  EhmiComponent: OnPlcUnloading
07.01.20 15:59:31.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  ResetPlc. isChanging=false
07.01.20 15:59:31.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcUnloaded PlcLoaded=true
07.01.20 15:59:31.378 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, Enter RemoveAllAssemblies
07.01.20 15:59:31.378 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, Exit  RemoveAllAssemblies
07.01.20 15:59:31.378 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   ResetPlc. Elapsed=1
07.01.20 15:59:31.384 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  UnloadPlc. isChanging=false
07.01.20 15:59:31.384 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcUnloaded PlcLoaded=false
07.01.20 15:59:31.384 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   UnloadPlc. Elapsed=1
07.01.20 15:59:31.814 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 EhmiComponent: OnPlcUnloaded, onError=false
07.01.20 15:59:36.941 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
07.01.20 15:59:36.941 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 EhmiComponent: OnPlcLoading
07.01.20 15:59:37.502 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
07.01.20 15:59:38.624 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
07.01.20 15:59:38.626 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
07.01.20 15:59:38.633 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
07.01.20 15:59:38.638 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
07.01.20 15:59:38.646 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
07.01.20 15:59:38.647 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
07.01.20 15:59:38.986 Arp.Io.Axioline.Internal.System
```

```
  INFO  - Axioline: Connect to shared FbIo System.
07.01.20 15:59:38.987 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
07.01.20 15:59:38.989 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  LoadPlc. isChanging=false
07.01.20 15:59:38.999 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   LoadPlc. Elapsed=10
07.01.20 15:59:39.005 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  SetupPlc. isChanging=false, startKind=Warm
07.01.20 15:59:39.007 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcLoaded PlcLoaded=false
07.01.20 15:59:39.008 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
07.01.20 15:59:39.008 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
07.01.20 15:59:39.009 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   SetupPlc. Elapsed=3
07.01.20 15:59:39.119 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
07.01.20 15:59:39.194 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
07.01.20 15:59:39.197 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
07.01.20 15:59:39.495 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
07.01.20 15:59:39.500 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Enter EhmiComponent: OnPlcLoaded
07.01.20 15:59:39.501 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920    Cannot find authorizationTokenTimeout in project.json
07.01.20 15:59:39.503 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
07.01.20 15:59:39.504 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920   ReadChecksumFromFile Cannot ReadChecksumFromFile
07.01.20 15:59:39.505 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920    Cannot read the type.dictionary.json file.
07.01.20 15:59:39.506 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920    TypeDictionary->Load() failure!!!
07.01.20 15:59:39.511 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920   ReadProjectChecksumFromFile Cannot GetFileChecksum
07.01.20 15:59:39.513 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920   Load Cannot read fileName=data.dictionary.json
07.01.20 15:59:39.513 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920    DataDictionary->Load() failure!!!
07.01.20 15:59:39.514 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Exit  EhmiComponent: OnPlcLoaded
07.01.20 15:59:42.256 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 EhmiComponent: OnPlcStarting, startKind=Warm
07.01.20 15:59:42.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  StartPlc. startKind=Warm
07.01.20 15:59:42.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcStarted
07.01.20 15:59:42.263 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973754048 ESDK 0xffff, SetRunMode, run=1
07.01.20 15:59:42.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
07.01.20 15:59:42.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   StartPlc. Elapsed=0
07.01.20 15:59:42.282 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Enter EhmiComponent: OnPlcStarted
07.01.20 15:59:42.284 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920    Cannot find authorizationTokenTimeout in project.json
07.01.20 15:59:42.286 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697609920   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
07.01.20 15:59:42.286 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697609920 Exit  EhmiComponent: OnPlcStarted
07.01.20 16:00:34.753 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B50035B8
07.01.20 16:00:34.755 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=D102611B
07.01.20 16:00:34.759 CommonRemoting
  INFO  - Closing connection: connectionId=B50035B8
07.01.20 16:50:46.650 Arp.System.Watchdog.Internal.SystemWatchdogRebootCounter
  INFO  - WaitForResetRebootCounterThreadBody reboot counter resetted, more than
60 minutes in run mode
07.01.20 17:02:50.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
07.01.20 17:02:50.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
07.01.20 17:02:50.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
07.01.20 17:03:03.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 17:03:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address  = 192.168.0.2
07.01.20 17:03:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask      = 255.255.255.0
07.01.20 17:03:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway         = 0.0.0.0
07.01.20 17:03:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP set IP address (non-volatile) requested
07.01.20 17:03:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Setting Interface 1 to IP: 192.168.0.2 SM: 255.255.255.0 Gateway:
0.0.0.0...
07.01.20 17:03:04.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
07.01.20 17:03:04.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
07.01.20 17:03:05.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
07.01.20 17:03:07.477 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - Setting Interface 1 was successful.
07.01.20 17:03:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 17:03:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    new IP address = 192.168.0.2
07.01.20 17:03:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Subnetmask     = 255.255.255.0
07.01.20 17:03:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Gateway        = 0.0.0.0
07.01.20 17:03:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set IP address (non-volatile) requested
07.01.20 17:03:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 to IP: 192.168.0.2 SM: 255.255.255.0 Gateway:
0.0.0.0...
07.01.20 17:03:08.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: 8b, Message: HW_ETH_SetAdapterInfo():
Could not change to the given gateway address!
07.01.20 17:03:09.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Make Ip-Adress change of Interface 1 remanent.
07.01.20 17:03:09.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    Setting Interface 1 was successful.
07.01.20 17:03:09.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 17:03:09.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Start Trans requested
07.01.20 17:03:09.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 17:03:09.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
07.01.20 17:03:10.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 17:03:10.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested (non-volatile)
07.01.20 17:03:10.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    StationName = master
07.01.20 17:03:12.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 17:03:12.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested
07.01.20 17:03:12.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  new station name = master
07.01.20 17:03:13.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
07.01.20 17:03:13.476 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Start Trans requested
07.01.20 17:03:13.476 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
07.01.20 17:03:13.476 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
07.01.20 17:11:24.182 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5017620, 192.168.0.25 ->
0.0.0.0:41100
07.01.20 17:11:28.501
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
```

```
Successful authentication for name="admin": connectionId=B5017620,
securityToken=D07F73E9
07.01.20 17:11:29.508 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
07.01.20 17:11:29.518 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
07.01.20 17:11:29.525 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
07.01.20 17:12:30.725 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B5017620
07.01.20 17:12:30.728 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=D07F73E9
07.01.20 17:12:30.732 CommonRemoting
  INFO  - Closing connection: connectionId=B5017620
08.01.20 10:25:09.325 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 10:25:09.346 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
08.01.20 10:25:09.346 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:25:09.347 CommonRemoting
  INFO  - Start listening on TCP port 41120
08.01.20 10:25:09.347 CommonRemoting
  INFO  - Start listening on TCP port 41121
08.01.20 10:25:09.476 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
08.01.20 10:25:09.739 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 10:25:09.753 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:25:09.753 CommonRemoting
  INFO  - Start listening on TCP port 41124
08.01.20 10:25:09.761 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C02848, IPC
08.01.20 10:25:09.765 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 10:25:09.779 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:25:09.780 CommonRemoting
  INFO  - Start listening on TCP port 41123
08.01.20 10:25:09.783 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C035B0, IPC
08.01.20 10:25:09.800 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C03A20, IPC
08.01.20 10:25:09.821 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C03E90, IPC
08.01.20 10:25:09.893 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B14015A8, IPC
08.01.20 10:25:09.912 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1301B50, IPC
08.01.20 10:25:09.919 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
08.01.20 10:25:09.940 Arp.System.Acf.Internal.ApplicationBase
```

```
  INFO  - Application 'ExternalIoProcess' was setup successfully.
08.01.20 10:25:09.987 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
08.01.20 10:25:09.994 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
08.01.20 10:25:11.138 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
08.01.20 10:25:11.362 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
08.01.20 10:25:11.371 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
08.01.20 10:25:11.408 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
08.01.20 10:25:11.415 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.457 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.804 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:11.836 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.839 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.841 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.844 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.846 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.849 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.869 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.872 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.892 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
08.01.20 10:25:11.969 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:12.025 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:12.233 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
08.01.20 10:25:12.296 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
08.01.20 10:25:12.317 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:12.383 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
08.01.20 10:25:13.579 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:13.703 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:13.728 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
08.01.20 10:25:13.993 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
08.01.20 10:25:13.996 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:13.999 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
08.01.20 10:25:14.027 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:14.031 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
08.01.20 10:25:14.060 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
08.01.20 10:25:14.065 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
08.01.20 10:25:14.069 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
08.01.20 10:25:14.073 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
08.01.20 10:25:14.077 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
08.01.20 10:25:14.078 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
08.01.20 10:25:14.160 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
08.01.20 10:25:14.199 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
08.01.20 10:25:14.205 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
08.01.20 10:25:14.211 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
08.01.20 10:25:14.216 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
08.01.20 10:25:14.217 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
08.01.20 10:25:14.218 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
```

```
08.01.20 10:25:14.219 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
08.01.20 10:25:14.225 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
08.01.20 10:25:14.226 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
08.01.20 10:25:14.227 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
08.01.20 10:25:14.228 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
08.01.20 10:25:14.229 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
08.01.20 10:25:14.230 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
08.01.20 10:25:14.230 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
08.01.20 10:25:14.237 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
08.01.20 10:25:14.238 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
08.01.20 10:25:14.239 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
08.01.20 10:25:14.244 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
08.01.20 10:25:14.245 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
08.01.20 10:25:14.246 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
08.01.20 10:25:14.314 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
08.01.20 10:25:14.315 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
08.01.20 10:25:14.316 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
08.01.20 10:25:14.317 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
08.01.20 10:25:14.319 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
08.01.20 10:25:14.320 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
08.01.20 10:25:14.321 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
08.01.20 10:25:14.322 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
08.01.20 10:25:14.323 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
08.01.20 10:25:14.324 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
08.01.20 10:25:14.325 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
08.01.20 10:25:14.325 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
08.01.20 10:25:14.327 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
08.01.20 10:25:14.329 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
08.01.20 10:25:14.331 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
08.01.20 10:25:14.332 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
08.01.20 10:25:14.346 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
08.01.20 10:25:14.346 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
08.01.20 10:25:14.347 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
08.01.20 10:25:14.347 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
08.01.20 10:25:14.348 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
08.01.20 10:25:14.349 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
08.01.20 10:25:14.349 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
08.01.20 10:25:14.355 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
08.01.20 10:25:14.355 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
08.01.20 10:25:14.356 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
08.01.20 10:25:14.357 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
08.01.20 10:25:14.357 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
08.01.20 10:25:14.465 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
08.01.20 10:25:14.490 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
08.01.20 10:25:14.492 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
08.01.20 10:25:14.917 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
08.01.20 10:25:14.918 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
08.01.20 10:25:15.482 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
08.01.20 10:25:15.485 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1276 for script '/etc/init.d/plcnext stop'
08.01.20 10:25:15.520 Arp.Device.Interface.Internal.Target.HwFuncFpga
```

```
  INFO  - Device Interface: FPGA version = 1.1.72.
08.01.20 10:25:15.545 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
08.01.20 10:25:15.626 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
08.01.20 10:25:15.977 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
08.01.20 10:25:16.049 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
08.01.20 10:25:16.050 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
08.01.20 10:25:16.052 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
08.01.20 10:25:16.075 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
08.01.20 10:25:16.080 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
08.01.20 10:25:16.086 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
08.01.20 10:25:16.103 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  SetupSettings. startEsdk=true
08.01.20 10:25:16.137 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
08.01.20 10:25:16.137 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
08.01.20 10:25:16.138 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
08.01.20 10:25:16.138 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:25:16.139 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:25:16.139 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
08.01.20 10:25:16.141 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, EtherNet/IP stack successfully initialized
08.01.20 10:25:16.142 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Exit  EtIPAdapterStart()
08.01.20 10:25:16.142 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
08.01.20 10:25:16.142 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
```

```
08.01.20 10:25:16.143 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:25:16.143 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:25:16.143 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
08.01.20 10:25:16.144 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, Reading in all host ip addresses
08.01.20 10:25:16.144 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:25:16.145 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:25:16.145 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 ESDK 0x0001, Enter EIPTask()
08.01.20 10:25:16.167 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
08.01.20 10:25:16.168 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
08.01.20 10:25:16.168 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
08.01.20 10:25:16.168 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
08.01.20 10:25:16.169 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, New Network LED value = 1
08.01.20 10:25:16.169 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, installedIpAddressCount=1
08.01.20 10:25:16.169 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
08.01.20 10:25:16.169 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x13
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, LoadNics, Releasing all host ip addresses
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x12
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, New Network LED value = 0
08.01.20 10:25:16.170 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:25:16.171 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:25:16.192 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
```

```
08.01.20 10:25:16.193 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
08.01.20 10:25:16.193 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
08.01.20 10:25:16.193 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
08.01.20 10:25:16.193 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0x0002, New Network LED value = 1
08.01.20 10:25:16.193 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 LogStatistics cycle=8/8, active=0/0, esdk=0/0, gds=0/0
08.01.20 10:25:16.193 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   SetupSettings. Elapsed=90
08.01.20 10:25:16.194 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 OnNewNetworkLedChange ledState=true.
08.01.20 10:25:16.194 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 OnNewNetworkLedChange ledState=false.
08.01.20 10:25:16.195 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 OnNewNetworkLedChange ledState=true.
08.01.20 10:25:16.195 Arp.Io.EthernetIP.EthernetIPComponent
  WARN  - 2891772608 OnEndOfEipCycle thisActiveTime=48 > TimerIntervalMax=25 !!!
08.01.20 10:25:16.195 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=8/8, active=48/48, esdk=48/48, gds=0/0
08.01.20 10:25:16.337 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
08.01.20 10:25:16.342 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
08.01.20 10:25:16.343 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
08.01.20 10:25:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
08.01.20 10:25:18.933 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
08.01.20 10:25:20.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:25:20.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:25:20.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:25:20.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:25:20.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:25:20.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
08.01.20 10:25:20.956 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
08.01.20 10:25:22.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
08.01.20 10:25:22.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:25:22.879 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - wSubslotNumber   = 1
08.01.20 10:25:22.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:25:22.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:25:22.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
08.01.20 10:25:22.885 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
08.01.20 10:25:23.049 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
08.01.20 10:25:23.051 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
08.01.20 10:25:23.051 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
08.01.20 10:25:23.052 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
08.01.20 10:25:23.052 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
08.01.20 10:25:23.053 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
08.01.20 10:25:23.053 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter EhmiComponent: Initialize
08.01.20 10:25:23.055 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  EhmiComponent: Initialize
08.01.20 10:25:23.055 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 EhmiComponent: SubscribeServices
08.01.20 10:25:23.056 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
08.01.20 10:25:23.072 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  EhmiComponent: LoadSettings
08.01.20 10:25:23.072 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter EhmiComponent: SetupSettings
08.01.20 10:25:23.230 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 SetupSettings Created directory '/var/tmp/ehmi'
08.01.20 10:25:23.237 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 SetThreshold level=6.
08.01.20 10:25:23.238 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144    IndentSize=0
08.01.20 10:25:23.245 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144    IndentSize=0
08.01.20 10:25:23.246 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
08.01.20 10:25:23.247 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
08.01.20 10:25:23.248 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  EhmiComponent: SetupSettings
08.01.20 10:25:23.248 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 EhmiComponent: PublishServices
08.01.20 10:25:23.734 Arp.Services.TraceController.TraceControllerComponent
```

```
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
08.01.20 10:25:24.376 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
08.01.20 10:25:24.379 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
08.01.20 10:25:24.383 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
08.01.20 10:25:24.423 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
08.01.20 10:25:24.449 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
08.01.20 10:25:24.535 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 10:25:24.536 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 EhmiComponent: OnPlcLoading
08.01.20 10:25:25.081 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 10:25:25.082 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 10:25:25.087 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 10:25:25.093 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 10:25:25.100 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  LoadPlc. isChanging=false
08.01.20 10:25:25.112 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   LoadPlc. Elapsed=12
08.01.20 10:25:25.223 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 10:25:25.241 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 10:25:26.155 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=25/74, active=0/48, esdk=0/48, gds=0/0
08.01.20 10:25:26.247 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 10:25:26.248 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 10:25:26.597 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 10:25:26.597 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 10:25:26.598 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 10:25:26.599 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 OnPlcLoaded PlcLoaded=false
08.01.20 10:25:26.599 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
```

```
otInstanceID=100, otSize=256
08.01.20 10:25:26.599 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 LogStatistics cycle=25/74, active=0/48, esdk=0/48, gds=0/0
08.01.20 10:25:26.599 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   SetupPlc. Elapsed=1
08.01.20 10:25:26.743 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 10:25:26.748 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
08.01.20 10:25:27.150 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
08.01.20 10:25:27.153 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter EhmiComponent: OnPlcLoaded
08.01.20 10:25:27.154 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 10:25:27.154 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144    Cannot read the type.dictionary.json file.
08.01.20 10:25:27.154 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144    TypeDictionary->Load() failure!!!
08.01.20 10:25:27.155 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 10:25:27.156 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   Load Cannot read fileName=data.dictionary.json
08.01.20 10:25:27.156 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144    DataDictionary->Load() failure!!!
08.01.20 10:25:27.164 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  EhmiComponent: OnPlcLoaded
08.01.20 10:25:28.430 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 EhmiComponent: LoadConfig
08.01.20 10:25:28.430 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 EhmiComponent: SetupConfig
08.01.20 10:25:29.273 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 10:25:29.353 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
08.01.20 10:25:29.354 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
08.01.20 10:25:30.858
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
08.01.20 10:25:31.185 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
08.01.20 10:25:31.186 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
08.01.20 10:25:31.188 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
08.01.20 10:25:31.214 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 10:25:31.219 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Enter  StartPlc. startKind=Warm
08.01.20 10:25:31.220 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972709568 OnPlcStarted
08.01.20 10:25:31.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 ESDK 0xffff, SetRunMode, run=1
08.01.20 10:25:31.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 10:25:31.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972709568 Exit   StartPlc. Elapsed=1
08.01.20 10:25:31.240 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter EhmiComponent: OnPlcStarted
08.01.20 10:25:31.240 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  EhmiComponent: OnPlcStarted
08.01.20 10:25:31.242 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter EhmiComponent: Start
08.01.20 10:25:31.265 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter Start.
08.01.20 10:25:31.266 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
08.01.20 10:25:31.266 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Enter OpenListenSocket.
08.01.20 10:25:31.267 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   OpenInetStreamSocket sock=0x2e
08.01.20 10:25:31.267 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   SetReuseAddr Sock=0x2e, reuseAddr=1, ok=1
08.01.20 10:25:31.268 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   SetLinger Sock=0x2e, linger=1, seconds=0, ok=1
08.01.20 10:25:31.268 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   Bind Sock=0x2e, to=127.0.0.1:9999, ok=1
08.01.20 10:25:31.269 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   Listen Sock=0x2e, backlog=10, ok=1
08.01.20 10:25:31.269 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   OpenListenSocket ListenSocket=0x2e,
BindPort=127.0.0.1:9999
08.01.20 10:25:31.271 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  OpenListenSocket. elapsed=4
08.01.20 10:25:31.271 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  Start. elapsed=5
08.01.20 10:25:31.272 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:25:31.273 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:25:31.273 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144   Clear
08.01.20 10:25:31.274 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:25:31.276 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:25:31.276 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 10:25:31.277 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144    Cannot read the type.dictionary.json file.
08.01.20 10:25:31.277 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 3054614144    TypeDictionary->Load() failure!!!
08.01.20 10:25:31.278 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 10:25:31.279 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   Load Cannot read fileName=data.dictionary.json
08.01.20 10:25:31.279 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144    DataDictionary->Load() failure!!!
08.01.20 10:25:31.281 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:25:31.282 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3054614144   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:25:31.283 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3054614144 Exit  EhmiComponent: Start
08.01.20 10:25:31.283 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
08.01.20 10:25:31.284 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:25:31.284 CommonRemoting
  INFO  - Start listening on TCP port 41100
08.01.20 10:25:31.288 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
08.01.20 10:25:36.157 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891772608 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
08.01.20 10:25:39.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
08.01.20 10:25:39.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
08.01.20 10:25:39.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
08.01.20 10:25:41.297 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:25:41.297 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:25:41.297 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:26:28.032 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5008758, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 10:26:35.691
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B5008758,
securityToken=C2207094
08.01.20 10:26:36.590 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
08.01.20 10:26:36.621 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
08.01.20 10:26:36.651 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
```

```
08.01.20 10:30:40.876 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
08.01.20 10:30:40.876 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 10:30:54.744 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B5008758
08.01.20 10:30:54.745 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=C2207094
08.01.20 10:30:54.746 CommonRemoting
  INFO  - Closing connection: connectionId=B5008758
08.01.20 10:31:09.717 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:31:09.717 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:31:09.717 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:32:01.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 10:32:05.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:32:05.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:32:05.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:32:27.188 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 10:32:34.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:32:34.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:32:34.896 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:33:09.649 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:33:09.649 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:33:09.649 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:33:49.196 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:33:49.196 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:33:49.196 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:34:34.436 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:34:34.436 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:34:34.436 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
```

```
08.01.20 10:36:03.217 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:36:03.217 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:36:03.217 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:37:28.138 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:37:28.138 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:37:28.138 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:39:53.368 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 10:39:53.388 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
08.01.20 10:39:53.388 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:39:53.388 CommonRemoting
  INFO  - Start listening on TCP port 41120
08.01.20 10:39:53.388 CommonRemoting
  INFO  - Start listening on TCP port 41121
08.01.20 10:39:53.517 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
08.01.20 10:39:53.760 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 10:39:53.772 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:39:53.772 CommonRemoting
  INFO  - Start listening on TCP port 41123
08.01.20 10:39:53.774 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01660, IPC
08.01.20 10:39:53.813 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C023F0, IPC
08.01.20 10:39:53.838 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 10:39:53.847 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:39:53.848 CommonRemoting
  INFO  - Start listening on TCP port 41124
08.01.20 10:39:53.851 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C02860, IPC
08.01.20 10:39:53.879 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C02CD0, IPC
08.01.20 10:39:53.906 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1602848, IPC
08.01.20 10:39:53.934 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
08.01.20 10:39:53.977 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01628, IPC
08.01.20 10:39:54.000 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
08.01.20 10:39:54.029 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
```

```
08.01.20 10:39:54.039 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
08.01.20 10:39:55.399 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
08.01.20 10:39:55.617 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
08.01.20 10:39:55.622 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
08.01.20 10:39:55.664 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
08.01.20 10:39:55.671 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
08.01.20 10:39:55.714 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.081 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:56.115 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.117 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.120 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.123 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.126 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.129 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.149 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.152 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.172 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.251 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:56.306 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:56.528 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.592 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
08.01.20 10:39:56.614 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:56.680 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
08.01.20 10:39:57.955 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:58.080 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:58.106 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
08.01.20 10:39:58.379 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
08.01.20 10:39:58.383 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:58.385 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
08.01.20 10:39:58.414 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:58.417 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
08.01.20 10:39:58.446 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
08.01.20 10:39:58.451 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
08.01.20 10:39:58.455 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
08.01.20 10:39:58.458 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
08.01.20 10:39:58.465 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
08.01.20 10:39:58.465 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
08.01.20 10:39:58.547 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
08.01.20 10:39:58.585 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
08.01.20 10:39:58.591 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
08.01.20 10:39:58.597 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
08.01.20 10:39:58.598 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
08.01.20 10:39:58.599 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
08.01.20 10:39:58.600 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
08.01.20 10:39:58.601 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
08.01.20 10:39:58.606 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
08.01.20 10:39:58.607 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
08.01.20 10:39:58.608 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
08.01.20 10:39:58.609 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
08.01.20 10:39:58.610 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
08.01.20 10:39:58.610 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
08.01.20 10:39:58.611 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
08.01.20 10:39:58.617 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
08.01.20 10:39:58.618 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
08.01.20 10:39:58.618 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
08.01.20 10:39:58.624 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
08.01.20 10:39:58.625 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
08.01.20 10:39:58.626 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
08.01.20 10:39:58.692 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
08.01.20 10:39:58.694 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
08.01.20 10:39:58.695 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
08.01.20 10:39:58.696 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
08.01.20 10:39:58.697 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
08.01.20 10:39:58.699 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
08.01.20 10:39:58.699 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
08.01.20 10:39:58.700 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
08.01.20 10:39:58.701 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
08.01.20 10:39:58.702 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
08.01.20 10:39:58.703 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
08.01.20 10:39:58.704 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
08.01.20 10:39:58.706 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
08.01.20 10:39:58.708 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
08.01.20 10:39:58.710 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
08.01.20 10:39:58.711 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
08.01.20 10:39:58.724 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
08.01.20 10:39:58.724 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
08.01.20 10:39:58.725 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
08.01.20 10:39:58.725 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
08.01.20 10:39:58.726 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
08.01.20 10:39:58.727 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
08.01.20 10:39:58.728 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
08.01.20 10:39:58.732 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
08.01.20 10:39:58.733 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
08.01.20 10:39:58.733 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
08.01.20 10:39:58.734 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
08.01.20 10:39:58.735 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
08.01.20 10:39:58.835 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
08.01.20 10:39:58.860 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
08.01.20 10:39:58.862 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
08.01.20 10:39:59.367 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
08.01.20 10:39:59.369 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
08.01.20 10:39:59.930 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
08.01.20 10:39:59.934 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1276 for script '/etc/init.d/plcnext stop'
08.01.20 10:39:59.973 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
08.01.20 10:39:59.998 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
```

```
08.01.20 10:40:00.084 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
08.01.20 10:40:00.480 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
08.01.20 10:40:00.557 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
08.01.20 10:40:00.558 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
08.01.20 10:40:00.559 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
08.01.20 10:40:00.590 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
08.01.20 10:40:00.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
08.01.20 10:40:00.601 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
08.01.20 10:40:00.617 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupSettings. startEsdk=true
08.01.20 10:40:00.653 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
08.01.20 10:40:00.653 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
08.01.20 10:40:00.654 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
08.01.20 10:40:00.654 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:40:00.655 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:40:00.655 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
08.01.20 10:40:00.657 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, EtherNet/IP stack successfully initialized
08.01.20 10:40:00.658 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Exit  EtIPAdapterStart()
08.01.20 10:40:00.659 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
08.01.20 10:40:00.659 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
08.01.20 10:40:00.659 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:40:00.660 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:40:00.660 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
08.01.20 10:40:00.661 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, Reading in all host ip addresses
08.01.20 10:40:00.661 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:40:00.661 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:40:00.663 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 ESDK 0x0001, Enter EIPTask()
08.01.20 10:40:00.684 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
08.01.20 10:40:00.684 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
08.01.20 10:40:00.685 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
08.01.20 10:40:00.685 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
08.01.20 10:40:00.685 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 1
08.01.20 10:40:00.685 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, installedIpAddressCount=1
08.01.20 10:40:00.685 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
08.01.20 10:40:00.685 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
08.01.20 10:40:00.686 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x13
08.01.20 10:40:00.686 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
08.01.20 10:40:00.687 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=true.
08.01.20 10:40:00.687 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, Releasing all host ip addresses
08.01.20 10:40:00.687 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x12
08.01.20 10:40:00.687 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:40:00.688 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 0
08.01.20 10:40:00.688 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 10:40:00.688 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 10:40:00.709 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
08.01.20 10:40:00.710 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
08.01.20 10:40:00.710 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
08.01.20 10:40:00.710 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
08.01.20 10:40:00.711 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 1
08.01.20 10:40:00.712 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=17/24, active=22/22, esdk=22/22,
gds=0/0
08.01.20 10:40:00.712 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupSettings. Elapsed=95
08.01.20 10:40:00.712 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=false.
08.01.20 10:40:00.712 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=true.
08.01.20 10:40:00.862 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
08.01.20 10:40:00.867 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
08.01.20 10:40:00.868 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
08.01.20 10:40:01.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
08.01.20 10:40:03.236 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
08.01.20 10:40:06.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:40:06.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:40:06.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:40:06.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:40:06.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:40:06.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
08.01.20 10:40:06.277 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
08.01.20 10:40:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
08.01.20 10:40:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:40:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:40:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:40:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:40:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - wSubslotNumber   = 0
08.01.20 10:40:08.840 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
08.01.20 10:40:09.003 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
08.01.20 10:40:09.005 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
08.01.20 10:40:09.006 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
08.01.20 10:40:09.006 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
08.01.20 10:40:09.007 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
08.01.20 10:40:09.007 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
08.01.20 10:40:09.008 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter EhmiComponent: Initialize
08.01.20 10:40:09.010 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  EhmiComponent: Initialize
08.01.20 10:40:09.010 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 EhmiComponent: SubscribeServices
08.01.20 10:40:09.011 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
08.01.20 10:40:09.026 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  EhmiComponent: LoadSettings
08.01.20 10:40:09.028 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter EhmiComponent: SetupSettings
08.01.20 10:40:09.199 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 SetupSettings Created directory '/var/tmp/ehmi'
08.01.20 10:40:09.206 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 SetThreshold level=6.
08.01.20 10:40:09.207 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432    IndentSize=0
08.01.20 10:40:09.213 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432    IndentSize=0
08.01.20 10:40:09.215 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
08.01.20 10:40:09.215 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
08.01.20 10:40:09.216 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  EhmiComponent: SetupSettings
08.01.20 10:40:09.217 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 EhmiComponent: PublishServices
08.01.20 10:40:10.208 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
08.01.20 10:40:10.661 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/47, active=0/23, esdk=0/23, gds=0/0
08.01.20 10:40:10.845 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
```

```
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
08.01.20 10:40:10.848 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
08.01.20 10:40:10.852 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
08.01.20 10:40:10.893 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
08.01.20 10:40:10.922 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
08.01.20 10:40:11.010 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 10:40:11.010 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 EhmiComponent: OnPlcLoading
08.01.20 10:40:11.576 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 10:40:11.577 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 10:40:11.581 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 10:40:11.586 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 10:40:11.594 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 10:40:11.606 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=12
08.01.20 10:40:11.842 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 10:40:11.860 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 10:40:12.866 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 10:40:12.868 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 10:40:13.208 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 10:40:13.208 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 10:40:13.209 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 10:40:13.210 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 10:40:13.210 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 10:40:13.210 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/47, active=0/23, esdk=0/23, gds=0/0
08.01.20 10:40:13.210 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=1
08.01.20 10:40:13.338 Arp.Plc.Gds.Internal.GdsDomain
```

```
  INFO  - GDS data connections successfully created.
08.01.20 10:40:13.343 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
08.01.20 10:40:13.378 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
08.01.20 10:40:13.379 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter EhmiComponent: OnPlcLoaded
08.01.20 10:40:13.381 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 10:40:13.382 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432    Cannot read the type.dictionary.json file.
08.01.20 10:40:13.383 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432    TypeDictionary->Load() failure!!!
08.01.20 10:40:13.384 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 10:40:13.385 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   Load Cannot read fileName=data.dictionary.json
08.01.20 10:40:13.386 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432    DataDictionary->Load() failure!!!
08.01.20 10:40:13.516 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  EhmiComponent: OnPlcLoaded
08.01.20 10:40:15.419 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 EhmiComponent: LoadConfig
08.01.20 10:40:15.419 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 EhmiComponent: SetupConfig
08.01.20 10:40:15.741 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 10:40:15.822 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
08.01.20 10:40:15.824 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
08.01.20 10:40:17.684
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
08.01.20 10:40:18.006 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
08.01.20 10:40:18.007 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
08.01.20 10:40:18.010 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
08.01.20 10:40:18.036 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 10:40:18.041 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
08.01.20 10:40:18.041 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 10:40:18.042 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 10:40:18.043 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
08.01.20 10:40:18.043 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 Exit   StartPlc. Elapsed=2
08.01.20 10:40:18.062 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter EhmiComponent: OnPlcStarted
08.01.20 10:40:18.063 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  EhmiComponent: OnPlcStarted
08.01.20 10:40:18.064 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter EhmiComponent: Start
08.01.20 10:40:18.091 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter Start.
08.01.20 10:40:18.092 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
08.01.20 10:40:18.092 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Enter OpenListenSocket.
08.01.20 10:40:18.093 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   OpenInetStreamSocket sock=0x2f
08.01.20 10:40:18.094 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   SetReuseAddr Sock=0x2f, reuseAddr=1, ok=1
08.01.20 10:40:18.094 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   SetLinger Sock=0x2f, linger=1, seconds=0, ok=1
08.01.20 10:40:18.094 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   Bind Sock=0x2f, to=127.0.0.1:9999, ok=1
08.01.20 10:40:18.095 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   Listen Sock=0x2f, backlog=10, ok=1
08.01.20 10:40:18.095 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   OpenListenSocket ListenSocket=0x2f,
BindPort=127.0.0.1:9999
08.01.20 10:40:18.095 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  OpenListenSocket. elapsed=2
08.01.20 10:40:18.096 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  Start. elapsed=4
08.01.20 10:40:18.097 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:40:18.097 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:40:18.098 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432   Clear
08.01.20 10:40:18.099 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:40:18.100 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:40:18.100 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 10:40:18.100 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432    Cannot read the type.dictionary.json file.
08.01.20 10:40:18.101 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432    TypeDictionary->Load() failure!!!
08.01.20 10:40:18.102 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 10:40:18.102 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   Load Cannot read fileName=data.dictionary.json
08.01.20 10:40:18.103 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 3069986432    DataDictionary->Load() failure!!!
08.01.20 10:40:18.104 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:40:18.105 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069986432   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:40:18.105 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069986432 Exit  EhmiComponent: Start
08.01.20 10:40:18.106 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
08.01.20 10:40:18.106 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 10:40:18.107 CommonRemoting
  INFO  - Start listening on TCP port 41100
08.01.20 10:40:18.110 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
08.01.20 10:40:20.673 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 10:47:08.085 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/27, active=1/3, esdk=1/3, gds=0/1
08.01.20 10:47:41.137 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:47:41.137 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:47:41.137 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:51:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 10:51:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 10:51:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 10:53:31.125 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B500A750, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 10:53:31.418
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B500A750,
securityToken=4AEF0FE3
08.01.20 10:53:31.847 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
08.01.20 10:53:31.860 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
08.01.20 10:53:31.874 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
08.01.20 10:53:34.559 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
08.01.20 10:53:34.560 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
08.01.20 10:53:34.560 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStopping
08.01.20 10:53:34.584 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 Enter  StopPlc
08.01.20 10:53:34.584 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
08.01.20 10:53:34.584 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
08.01.20 10:53:34.584 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=0
08.01.20 10:53:34.587 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStopped
08.01.20 10:53:34.587 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:53:34.589 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:53:34.590 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStopped
08.01.20 10:53:34.930 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcUnloading, onError=false
08.01.20 10:53:35.838 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968   Clear
08.01.20 10:53:35.838 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcUnloading
08.01.20 10:53:35.881 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
08.01.20 10:53:35.882 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
08.01.20 10:53:35.882 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
08.01.20 10:53:35.882 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
08.01.20 10:53:35.882 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
08.01.20 10:53:35.888 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
08.01.20 10:53:35.888 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
08.01.20 10:53:35.888 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=0
08.01.20 10:53:36.336 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcUnloaded, onError=false
08.01.20 10:53:42.778 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 10:53:42.778 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcLoading
08.01.20 10:53:47.850 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Stopped OPC UA Server successfully.
08.01.20 10:53:47.850 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Configuration changed, Server will restart!
08.01.20 10:53:48.859 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 10:53:49.985 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
```

```
08.01.20 10:53:49.987 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 10:53:49.992 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 10:53:49.999 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 10:53:50.010 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 10:53:50.011 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 10:53:50.346 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 10:53:50.347 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 10:53:50.348 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 10:53:50.359 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=11
08.01.20 10:53:50.364 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 10:53:50.365 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 10:53:50.365 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 10:53:50.365 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/3, esdk=0/3, gds=0/1
08.01.20 10:53:50.366 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=2
08.01.20 10:53:50.388 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/0, esdk=0/0, gds=0/0
08.01.20 10:53:50.758 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 10:53:50.857 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 10:53:50.860 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
08.01.20 10:53:51.445 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
08.01.20 10:53:51.448 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcLoaded
08.01.20 10:53:51.449 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:53:51.450 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:53:51.452 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 10:53:51.459 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    Cannot read the type.dictionary.json file.
08.01.20 10:53:51.459 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    TypeDictionary->Load() failure!!!
08.01.20 10:53:51.460 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadProjectChecksumFromFile Cannot GetFileChecksum
```

```
08.01.20 10:53:51.461 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   Load Cannot read fileName=data.dictionary.json
08.01.20 10:53:51.462 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    DataDictionary->Load() failure!!!
08.01.20 10:53:51.465 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcLoaded
08.01.20 10:53:51.709 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
08.01.20 10:53:51.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
08.01.20 10:53:51.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
08.01.20 10:53:51.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = plcxb1.cpxa343-1xaleanxb1ea58
08.01.20 10:53:55.027 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 10:53:55.030 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
08.01.20 10:53:55.030 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 10:53:55.030 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 10:53:55.030 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 10:53:55.030 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=0
08.01.20 10:53:55.048 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStarted
08.01.20 10:53:55.049 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 10:53:55.049 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 10:53:55.049 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStarted
08.01.20 10:53:55.562
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  WARN  -
Configuration for subject alternative names is changed => replacing existing
self-signed certificate
08.01.20 10:53:56.228
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
08.01.20 10:53:56.460 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://master:4840 listening at
opc.tcp://0.0.0.0:4840
08.01.20 10:53:56.460 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
08.01.20 10:53:56.464 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
08.01.20 10:55:14.284 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
08.01.20 10:55:32.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
```

```
Codelab: 0xD600016F osl_time.c(367)
08.01.20 10:55:32.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 10:55:45.948 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B500A750
08.01.20 10:55:45.950 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=4AEF0FE3
08.01.20 10:55:45.953 CommonRemoting
  INFO  - Closing connection: connectionId=B500A750
08.01.20 11:04:02.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
08.01.20 11:04:02.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
08.01.20 11:04:02.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
08.01.20 11:04:04.187 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 11:04:04.187 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 11:04:04.187 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 11:04:45.884 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B501DC68, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 11:04:50.948
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B501DC68,
securityToken=C61D8EE4
08.01.20 11:04:51.967 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
08.01.20 11:04:51.985 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
08.01.20 11:04:51.992 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
08.01.20 11:04:55.318 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
08.01.20 11:04:55.319 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
08.01.20 11:04:55.320 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStopping
08.01.20 11:04:55.367 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
08.01.20 11:04:55.368 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
08.01.20 11:04:55.368 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
08.01.20 11:04:55.368 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=1
08.01.20 11:04:55.370 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStopped
08.01.20 11:04:55.370 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:04:55.372 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:04:55.373 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStopped
08.01.20 11:04:55.755 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcUnloading, onError=false
08.01.20 11:04:56.411 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968   Clear
08.01.20 11:04:56.412 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcUnloading
08.01.20 11:04:56.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
08.01.20 11:04:56.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
08.01.20 11:04:56.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
08.01.20 11:04:56.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
08.01.20 11:04:56.438 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
08.01.20 11:04:56.438 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
08.01.20 11:04:56.438 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
08.01.20 11:04:56.438 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
08.01.20 11:04:56.438 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
08.01.20 11:04:56.462 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
08.01.20 11:04:56.463 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
08.01.20 11:04:56.463 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
08.01.20 11:04:56.463 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
08.01.20 11:04:56.464 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=2
08.01.20 11:04:56.470 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
08.01.20 11:04:56.470 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
08.01.20 11:04:56.471 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=1
08.01.20 11:04:56.885 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcUnloaded, onError=false
08.01.20 11:05:03.575 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 11:05:03.575 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697867968 EhmiComponent: OnPlcLoading
08.01.20 11:05:04.136 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 11:05:05.270 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 11:05:05.272 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 11:05:05.278 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 11:05:05.284 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 11:05:05.293 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 11:05:05.296 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 11:05:05.627 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 11:05:05.627 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 11:05:05.629 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 11:05:05.639 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=10
08.01.20 11:05:05.645 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 11:05:05.647 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 11:05:05.647 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 11:05:05.648 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
08.01.20 11:05:05.648 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=3
08.01.20 11:05:05.660 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
08.01.20 11:05:05.804 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 11:05:05.876 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 11:05:05.879 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 18! Please add some variables...
08.01.20 11:05:06.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
08.01.20 11:05:06.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
08.01.20 11:05:06.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
08.01.20 11:05:06.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = plcxb1.cpxa343-1xaleanxb1ea58
08.01.20 11:05:06.770 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 18! Please add some variables...
08.01.20 11:05:06.774 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697867968 Enter EhmiComponent: OnPlcLoaded
08.01.20 11:05:06.775 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:05:06.776 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:05:06.778 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 11:05:06.779 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    Cannot read the type.dictionary.json file.
08.01.20 11:05:06.779 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    TypeDictionary->Load() failure!!!
08.01.20 11:05:06.780 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 11:05:06.781 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   Load Cannot read fileName=data.dictionary.json
08.01.20 11:05:06.783 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    DataDictionary->Load() failure!!!
08.01.20 11:05:06.785 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcLoaded
08.01.20 11:05:08.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
08.01.20 11:05:08.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 11:05:10.635 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 11:05:10.640 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
08.01.20 11:05:10.640 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 11:05:10.641 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 11:05:10.641 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 11:05:10.641 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=1
08.01.20 11:05:10.655 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStarted
08.01.20 11:05:10.656 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:05:10.657 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:05:10.657 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStarted
08.01.20 11:05:22.312 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B501DC68
08.01.20 11:05:22.313 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=C61D8EE4
08.01.20 11:05:22.318 CommonRemoting
  INFO  - Closing connection: connectionId=B501DC68
08.01.20 11:05:27.160 CommonRemoting
```

```
  INFO  - Accepted connection #0: connectionId=B501BCC0, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 11:05:27.419
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B501BCC0,
securityToken=4424189E
08.01.20 11:05:27.951 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
08.01.20 11:05:27.964 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
08.01.20 11:05:27.977 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
08.01.20 11:06:08.356 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/27, active=0/1, esdk=0/1, gds=0/1
08.01.20 11:08:47.227 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
08.01.20 11:08:47.227 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
08.01.20 11:08:47.227 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStopping
08.01.20 11:08:47.273 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
08.01.20 11:08:47.273 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
08.01.20 11:08:47.275 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
08.01.20 11:08:47.275 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=2
08.01.20 11:08:47.276 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStopped
08.01.20 11:08:47.277 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:08:47.277 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:08:47.278 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStopped
08.01.20 11:08:47.573 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcUnloading, onError=false
08.01.20 11:08:48.030 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968   Clear
08.01.20 11:08:48.030 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcUnloading
08.01.20 11:08:48.047 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
08.01.20 11:08:48.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
08.01.20 11:08:48.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
08.01.20 11:08:48.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
08.01.20 11:08:48.056 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
```

```
08.01.20 11:08:48.056 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
08.01.20 11:08:48.057 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
08.01.20 11:08:48.057 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
08.01.20 11:08:48.057 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
08.01.20 11:08:48.081 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
08.01.20 11:08:48.082 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
08.01.20 11:08:48.082 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
08.01.20 11:08:48.082 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
08.01.20 11:08:48.083 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
08.01.20 11:08:48.089 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
08.01.20 11:08:48.089 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
08.01.20 11:08:48.089 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=0
08.01.20 11:08:48.558 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcUnloaded, onError=false
08.01.20 11:08:55.370 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 11:08:55.370 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcLoading
08.01.20 11:08:56.107 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 11:08:57.243 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 11:08:57.246 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 11:08:57.251 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 11:08:57.258 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 11:08:57.266 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 11:08:57.267 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 11:08:57.598 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 11:08:57.599 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 11:08:57.603 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 11:08:57.613 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=10
```

```
08.01.20 11:08:57.619 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 11:08:57.620 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 11:08:57.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 11:08:57.622 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/2
08.01.20 11:08:57.622 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=3
08.01.20 11:08:57.630 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
08.01.20 11:08:57.762 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 11:08:57.865 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 11:08:57.869 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 26! Please add some variables...
08.01.20 11:08:58.498 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 26! Please add some variables...
08.01.20 11:08:58.501 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcLoaded
08.01.20 11:08:58.503 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:08:58.504 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:08:58.505 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 11:08:58.506 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    Cannot read the type.dictionary.json file.
08.01.20 11:08:58.512 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    TypeDictionary->Load() failure!!!
08.01.20 11:08:58.514 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 11:08:58.515 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   Load Cannot read fileName=data.dictionary.json
08.01.20 11:08:58.517 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    DataDictionary->Load() failure!!!
08.01.20 11:08:58.517 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcLoaded
08.01.20 11:08:58.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
08.01.20 11:08:58.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
08.01.20 11:08:58.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
08.01.20 11:08:58.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = plcxb1.cpxa343-1xaleanxb1ea58
08.01.20 11:09:01.720 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 11:09:01.723 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
```

```
08.01.20 11:09:01.723 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 11:09:01.723 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 11:09:01.725 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 11:09:01.725 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=2
08.01.20 11:09:01.744 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStarted
08.01.20 11:09:01.744 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:09:01.744 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:09:01.744 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStarted
08.01.20 11:09:10.615 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/2, esdk=0/2, gds=0/1
08.01.20 11:09:24.116 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B501BCC0
08.01.20 11:09:24.117 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=4424189E
08.01.20 11:09:24.118 CommonRemoting
  INFO  - Closing connection: connectionId=B501BCC0
08.01.20 11:11:03.010 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B500AD90, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 11:11:03.334
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B500AD90,
securityToken=708443BA
08.01.20 11:11:03.802 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
08.01.20 11:11:03.833 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
08.01.20 11:11:03.852 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
08.01.20 11:13:01.059 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B500AD90
08.01.20 11:13:01.060 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=708443BA
08.01.20 11:13:01.063 CommonRemoting
  INFO  - Closing connection: connectionId=B500AD90
08.01.20 11:14:39.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
08.01.20 11:14:39.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
08.01.20 11:14:39.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
08.01.20 11:14:39.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
08.01.20 11:17:28.383 CommonRemoting
```

```
  INFO  - Accepted connection #0: connectionId=B501DC58, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 11:17:28.659
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B501DC58,
securityToken=AC7932F1
08.01.20 11:17:29.097 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
08.01.20 11:17:29.111 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
08.01.20 11:17:29.126 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
08.01.20 11:17:29.126 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - Disable logging 'Status.Interfaces.Ethernet.2.1...' not found
08.01.20 11:17:32.016 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
08.01.20 11:17:32.016 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
08.01.20 11:17:32.016 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStopping
08.01.20 11:17:32.061 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
08.01.20 11:17:32.061 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
08.01.20 11:17:32.061 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
08.01.20 11:17:32.061 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=1
08.01.20 11:17:32.064 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStopped
08.01.20 11:17:32.065 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:17:32.066 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:17:32.067 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStopped
08.01.20 11:17:32.350 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcUnloading, onError=false
08.01.20 11:17:32.970 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968   Clear
08.01.20 11:17:32.970 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcUnloading
08.01.20 11:17:32.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
08.01.20 11:17:32.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
08.01.20 11:17:33.015 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
08.01.20 11:17:33.015 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
08.01.20 11:17:33.016 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
```

```
08.01.20 11:17:33.016 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
08.01.20 11:17:33.017 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=2
08.01.20 11:17:33.023 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
08.01.20 11:17:33.024 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
08.01.20 11:17:33.025 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=2
08.01.20 11:17:33.491 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcUnloaded, onError=false
08.01.20 11:17:39.969 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 11:17:39.969 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcLoading
08.01.20 11:17:40.859 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 11:17:41.006 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 11:17:41.008 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 11:17:41.013 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 11:17:41.020 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 11:17:41.027 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 11:17:41.028 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 11:17:41.369 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 11:17:41.370 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 11:17:41.371 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 11:17:41.382 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=10
08.01.20 11:17:41.388 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 11:17:41.389 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 11:17:41.391 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 11:17:41.391 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/3, esdk=0/3, gds=0/1
08.01.20 11:17:41.392 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=4
08.01.20 11:17:41.410 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
08.01.20 11:17:41.578 Arp.Plc.Gds.Internal.GdsDomain
```

```
  INFO  - GDS configuration successfully loaded.
08.01.20 11:17:41.655 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 11:17:41.660 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 34! Please add some variables...
08.01.20 11:17:42.545 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 34! Please add some variables...
08.01.20 11:17:42.547 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcLoaded
08.01.20 11:17:42.547 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:17:42.548 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:17:42.548 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 11:17:42.550 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    Cannot read the type.dictionary.json file.
08.01.20 11:17:42.552 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    TypeDictionary->Load() failure!!!
08.01.20 11:17:42.553 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 11:17:42.554 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   Load Cannot read fileName=data.dictionary.json
08.01.20 11:17:42.554 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    DataDictionary->Load() failure!!!
08.01.20 11:17:42.555 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcLoaded
08.01.20 11:17:45.519 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 11:17:45.524 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
08.01.20 11:17:45.524 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 11:17:45.524 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 11:17:45.524 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
08.01.20 11:17:45.524 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=0
08.01.20 11:17:45.545 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStarted
08.01.20 11:17:45.547 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:17:45.548 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:17:45.549 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStarted
08.01.20 11:18:27.245 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/27, active=0/1, esdk=0/1, gds=0/1
08.01.20 11:18:53.571 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B501E8C8, 192.168.0.25 ->
0.0.0.0:41100
```

```
08.01.20 11:18:53.879
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B501E8C8,
securityToken=47898ADF
08.01.20 11:21:55.875 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
08.01.20 11:21:55.875 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
08.01.20 11:21:55.875 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStopping
08.01.20 11:21:55.965 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
08.01.20 11:21:55.965 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
08.01.20 11:21:55.965 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
08.01.20 11:21:55.965 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=0
08.01.20 11:21:55.967 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStopped
08.01.20 11:21:55.968 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:21:55.969 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:21:55.969 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStopped
08.01.20 11:21:56.147 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcUnloading, onError=false
08.01.20 11:21:56.817 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968   Clear
08.01.20 11:21:56.817 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcUnloading
08.01.20 11:21:56.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
08.01.20 11:21:56.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
08.01.20 11:21:56.865 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
08.01.20 11:21:56.865 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
08.01.20 11:21:56.866 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
08.01.20 11:21:56.866 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
08.01.20 11:21:56.866 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
08.01.20 11:21:56.874 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
08.01.20 11:21:56.875 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
08.01.20 11:21:56.875 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=1
08.01.20 11:21:57.291 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697867968 EhmiComponent: OnPlcUnloaded, onError=false
08.01.20 11:22:02.297 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 11:22:02.297 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcLoading
08.01.20 11:22:02.892 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 11:22:04.032 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 11:22:04.035 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 11:22:04.041 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 11:22:04.048 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 11:22:04.058 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 11:22:04.059 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 11:22:04.399 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 11:22:04.399 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 11:22:04.404 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 11:22:04.415 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=11
08.01.20 11:22:04.421 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 11:22:04.422 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 11:22:04.423 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 11:22:04.424 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
08.01.20 11:22:04.425 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=4
08.01.20 11:22:04.582 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 11:22:04.672 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 11:22:04.675 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 42! Please add some variables...
08.01.20 11:22:05.399 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 42! Please add some variables...
08.01.20 11:22:05.401 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcLoaded
08.01.20 11:22:05.401 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:22:05.401 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
```

```
project.json
08.01.20 11:22:05.402 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 11:22:05.406 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    Cannot read the type.dictionary.json file.
08.01.20 11:22:05.407 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    TypeDictionary->Load() failure!!!
08.01.20 11:22:05.408 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 11:22:05.410 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   Load Cannot read fileName=data.dictionary.json
08.01.20 11:22:05.411 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    DataDictionary->Load() failure!!!
08.01.20 11:22:05.411 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcLoaded
08.01.20 11:22:08.196 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 11:22:08.201 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
08.01.20 11:22:08.202 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 11:22:08.202 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 11:22:08.202 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
08.01.20 11:22:08.202 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=0
08.01.20 11:22:08.215 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStarted
08.01.20 11:22:08.216 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:22:08.217 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:22:08.218 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStarted
08.01.20 11:22:58.207 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B501DC58
08.01.20 11:22:58.208 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=AC7932F1
08.01.20 11:22:58.209 CommonRemoting
  INFO  - Closing connection: connectionId=B501DC58
08.01.20 11:26:53.726 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B501E8C8
08.01.20 11:26:53.728 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=47898ADF
08.01.20 11:26:53.732 CommonRemoting
  INFO  - Closing connection: connectionId=B501E8C8
08.01.20 11:27:48.510 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "EB5BA5E8" not exist
08.01.20 11:27:48.517 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "EB5BA5E8" not exist
08.01.20 11:28:47.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
```

```
08.01.20 11:28:47.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 11:28:47.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 11:40:30.051 Arp.System.Watchdog.Internal.SystemWatchdogRebootCounter
  INFO  - WaitForResetRebootCounterThreadBody reboot counter resetted, more than
60 minutes in run mode
08.01.20 11:48:26.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 11:49:17.067 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
08.01.20 11:49:17.067 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
08.01.20 11:49:17.067 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
08.01.20 11:49:17.067 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = plcxb1.cpxa343-1xaleanxb1ea58
08.01.20 11:49:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 11:49:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 11:49:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 11:50:07.386 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B501DC58, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 11:50:07.712
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B501DC58,
securityToken=DAC42DF2
08.01.20 11:50:10.079 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
08.01.20 11:50:10.079 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
08.01.20 11:50:10.079 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStopping
08.01.20 11:50:10.134 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
08.01.20 11:50:10.134 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
08.01.20 11:50:10.135 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
08.01.20 11:50:10.135 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=1
08.01.20 11:50:10.136 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStopped
08.01.20 11:50:10.137 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:50:10.138 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:50:10.139 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStopped
```

```
08.01.20 11:50:10.379 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcUnloading, onError=false
08.01.20 11:50:10.795 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968   Clear
08.01.20 11:50:10.795 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcUnloading
08.01.20 11:50:10.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
08.01.20 11:50:10.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
08.01.20 11:50:10.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
08.01.20 11:50:10.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
08.01.20 11:50:10.825 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
08.01.20 11:50:10.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
08.01.20 11:50:10.825 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
08.01.20 11:50:10.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
08.01.20 11:50:10.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
08.01.20 11:50:10.845 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
08.01.20 11:50:10.845 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
08.01.20 11:50:10.845 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
08.01.20 11:50:10.845 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
08.01.20 11:50:10.846 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
08.01.20 11:50:10.852 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
08.01.20 11:50:10.853 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
08.01.20 11:50:10.853 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=1
08.01.20 11:50:11.330 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcUnloaded, onError=false
08.01.20 11:50:16.680 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 11:50:16.682 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcLoading
08.01.20 11:50:17.404 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 11:50:17.545 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 11:50:17.547 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
```

```
08.01.20 11:50:17.551 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 11:50:17.557 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 11:50:17.565 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 11:50:17.567 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
08.01.20 11:50:17.911 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 11:50:17.912 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 11:50:17.917 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
08.01.20 11:50:17.927 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=10
08.01.20 11:50:17.933 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 11:50:17.935 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
08.01.20 11:50:17.935 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 11:50:17.936 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
08.01.20 11:50:17.936 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=3
08.01.20 11:50:17.958 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
08.01.20 11:50:18.205 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 11:50:18.302 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 11:50:18.308 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 50! Please add some variables...
08.01.20 11:50:19.029 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
08.01.20 11:50:19.029 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
08.01.20 11:50:19.029 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
08.01.20 11:50:19.029 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = plcxb1.cpxa343-1xaleanxb1ea58
08.01.20 11:50:19.324 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 50! Please add some variables...
08.01.20 11:50:19.327 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcLoaded
08.01.20 11:50:19.327 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:50:19.327 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:50:19.327 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadChecksumFromFile Cannot ReadChecksumFromFile
```

```
08.01.20 11:50:19.328 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    Cannot read the type.dictionary.json file.
08.01.20 11:50:19.328 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    TypeDictionary->Load() failure!!!
08.01.20 11:50:19.328 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 11:50:19.328 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   Load Cannot read fileName=data.dictionary.json
08.01.20 11:50:19.328 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968    DataDictionary->Load() failure!!!
08.01.20 11:50:19.331 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcLoaded
08.01.20 11:50:22.224 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 11:50:22.227 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
08.01.20 11:50:22.228 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
08.01.20 11:50:22.228 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
08.01.20 11:50:22.228 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 11:50:22.228 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=1
08.01.20 11:50:22.246 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Enter EhmiComponent: OnPlcStarted
08.01.20 11:50:22.247 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968    Cannot find authorizationTokenTimeout in project.json
08.01.20 11:50:22.248 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697867968   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 11:50:22.249 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697867968 Exit  EhmiComponent: OnPlcStarted
08.01.20 11:50:39.365 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/2, esdk=0/2, gds=0/1
08.01.20 11:52:29.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
08.01.20 11:52:43.202 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B501DC58
08.01.20 11:52:43.204 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=DAC42DF2
08.01.20 11:52:43.207 CommonRemoting
  INFO  - Closing connection: connectionId=B501DC58
08.01.20 11:53:02.557 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B501E118, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 11:53:02.808
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B501E118,
securityToken=E957E01A
08.01.20 11:54:44.210 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B501E118
08.01.20 11:54:44.212 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
```

```
  INFO  - Clearing authentication: securityToken=E957E01A
08.01.20 11:54:44.217 CommonRemoting
  INFO  - Closing connection: connectionId=B501E118
08.01.20 12:03:45.297 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B50199F8, 192.168.0.25 ->
0.0.0.0:41100
08.01.20 12:03:45.579
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B50199F8,
securityToken=29146767
08.01.20 12:11:06.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
08.01.20 12:11:06.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
08.01.20 12:11:06.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
08.01.20 12:11:06.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
08.01.20 12:14:27.910 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "4E753193" not exist
08.01.20 12:14:27.917 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "4E753193" not exist
08.01.20 12:14:59.322 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B50199F8
08.01.20 12:14:59.323 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=29146767
08.01.20 12:14:59.325 CommonRemoting
  INFO  - Closing connection: connectionId=B50199F8
08.01.20 16:29:47.286 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 16:29:47.305 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
08.01.20 16:29:47.305 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 16:29:47.305 CommonRemoting
  INFO  - Start listening on TCP port 41120
08.01.20 16:29:47.305 CommonRemoting
  INFO  - Start listening on TCP port 41121
08.01.20 16:29:47.440 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
08.01.20 16:29:47.708 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 16:29:47.721 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 16:29:47.721 CommonRemoting
  INFO  - Start listening on TCP port 41123
08.01.20 16:29:47.723 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1B01660, IPC
08.01.20 16:29:47.740 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
08.01.20 16:29:47.758 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 16:29:47.758 CommonRemoting
  INFO  - Start listening on TCP port 41124
```

```
08.01.20 16:29:47.761 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1B023F0, IPC
08.01.20 16:29:47.761 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1B02860, IPC
08.01.20 16:29:47.793 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1B02E88, IPC
08.01.20 16:29:47.857 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C02848, IPC
08.01.20 16:29:47.884 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
08.01.20 16:29:47.905 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1401628, IPC
08.01.20 16:29:47.932 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
08.01.20 16:29:47.953 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
08.01.20 16:29:47.966 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
08.01.20 16:29:49.048 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
08.01.20 16:29:49.215 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
08.01.20 16:29:49.222 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
08.01.20 16:29:49.263 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
08.01.20 16:29:49.270 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.309 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.639 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:49.696 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.699 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.701 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.704 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.707 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.709 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.745 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.748 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.781 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
08.01.20 16:29:49.912 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:49.969 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:50.177 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
08.01.20 16:29:50.237 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
08.01.20 16:29:50.258 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:50.321 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
08.01.20 16:29:51.689 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:51.812 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:51.835 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
08.01.20 16:29:52.108 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
08.01.20 16:29:52.111 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:52.114 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
08.01.20 16:29:52.142 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:52.146 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
08.01.20 16:29:52.172 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
08.01.20 16:29:52.177 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
08.01.20 16:29:52.181 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
08.01.20 16:29:52.185 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
08.01.20 16:29:52.187 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
08.01.20 16:29:52.188 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
08.01.20 16:29:52.269 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
08.01.20 16:29:52.307 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
08.01.20 16:29:52.313 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
08.01.20 16:29:52.318 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
08.01.20 16:29:52.321 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
08.01.20 16:29:52.322 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
08.01.20 16:29:52.322 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
08.01.20 16:29:52.323 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
08.01.20 16:29:52.330 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
08.01.20 16:29:52.332 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
08.01.20 16:29:52.332 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
08.01.20 16:29:52.333 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
08.01.20 16:29:52.333 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
08.01.20 16:29:52.334 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
08.01.20 16:29:52.334 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
08.01.20 16:29:52.340 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
08.01.20 16:29:52.341 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
08.01.20 16:29:52.342 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
08.01.20 16:29:52.347 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
08.01.20 16:29:52.348 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
08.01.20 16:29:52.349 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
08.01.20 16:29:52.417 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
08.01.20 16:29:52.418 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
08.01.20 16:29:52.419 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
08.01.20 16:29:52.420 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
08.01.20 16:29:52.422 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
08.01.20 16:29:52.423 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
08.01.20 16:29:52.424 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
08.01.20 16:29:52.425 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
08.01.20 16:29:52.427 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
08.01.20 16:29:52.428 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
08.01.20 16:29:52.428 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
08.01.20 16:29:52.429 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
08.01.20 16:29:52.431 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
08.01.20 16:29:52.433 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
08.01.20 16:29:52.437 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
08.01.20 16:29:52.438 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
08.01.20 16:29:52.451 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
08.01.20 16:29:52.452 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
08.01.20 16:29:52.453 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
08.01.20 16:29:52.454 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
08.01.20 16:29:52.455 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
08.01.20 16:29:52.456 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
08.01.20 16:29:52.457 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
08.01.20 16:29:52.462 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
08.01.20 16:29:52.463 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
08.01.20 16:29:52.463 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
08.01.20 16:29:52.464 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
08.01.20 16:29:52.465 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
08.01.20 16:29:52.572 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
```

```
08.01.20 16:29:52.596 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
08.01.20 16:29:52.598 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
08.01.20 16:29:53.090 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
08.01.20 16:29:53.092 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
08.01.20 16:29:53.600 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
08.01.20 16:29:53.605 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1275 for script '/etc/init.d/plcnext stop'
08.01.20 16:29:53.644 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
08.01.20 16:29:53.670 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
08.01.20 16:29:53.754 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
08.01.20 16:29:54.174 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
08.01.20 16:29:54.255 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
08.01.20 16:29:54.255 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
08.01.20 16:29:54.257 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
08.01.20 16:29:54.288 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
08.01.20 16:29:54.293 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
08.01.20 16:29:54.299 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
08.01.20 16:29:54.314 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  SetupSettings. startEsdk=true
08.01.20 16:29:54.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
08.01.20 16:29:54.352 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
08.01.20 16:29:54.353 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
08.01.20 16:29:54.353 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 16:29:54.354 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
```

```
08.01.20 16:29:54.354 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
08.01.20 16:29:54.355 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, EtherNet/IP stack successfully initialized
08.01.20 16:29:54.357 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Exit  EtIPAdapterStart()
08.01.20 16:29:54.357 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
08.01.20 16:29:54.358 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
08.01.20 16:29:54.358 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 16:29:54.359 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 16:29:54.359 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
08.01.20 16:29:54.359 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, Reading in all host ip addresses
08.01.20 16:29:54.360 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 16:29:54.360 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 16:29:54.361 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 ESDK 0x0001, Enter EIPTask()
08.01.20 16:29:54.382 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
08.01.20 16:29:54.382 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
08.01.20 16:29:54.383 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
08.01.20 16:29:54.383 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
08.01.20 16:29:54.383 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, New Network LED value = 1
08.01.20 16:29:54.384 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 OnNewNetworkLedChange ledState=true.
08.01.20 16:29:54.384 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, installedIpAddressCount=1
08.01.20 16:29:54.385 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
08.01.20 16:29:54.385 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
08.01.20 16:29:54.385 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x13
08.01.20 16:29:54.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
```

```
08.01.20 16:29:54.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, LoadNics, Releasing all host ip addresses
08.01.20 16:29:54.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x12
08.01.20 16:29:54.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 16:29:54.386 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, New Network LED value = 0
08.01.20 16:29:54.387 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
08.01.20 16:29:54.387 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformCloseSocket, sock=0x11
08.01.20 16:29:54.408 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
08.01.20 16:29:54.408 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0x0002, New Network LED value = 1
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=17/25, active=22/22, esdk=22/22,
gds=0/0
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   SetupSettings. Elapsed=95
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 OnNewNetworkLedChange ledState=false.
08.01.20 16:29:54.409 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 OnNewNetworkLedChange ledState=true.
08.01.20 16:29:54.565 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
08.01.20 16:29:54.570 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
08.01.20 16:29:54.571 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
08.01.20 16:29:54.977 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
08.01.20 16:29:56.937 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
08.01.20 16:29:59.788 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 16:29:59.788 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 16:29:59.788 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 16:29:59.788 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 16:29:59.788 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - wSlotNumber      = 0
08.01.20 16:29:59.788 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
08.01.20 16:29:59.799 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
08.01.20 16:30:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
08.01.20 16:30:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 16:30:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 16:30:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 16:30:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 16:30:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
08.01.20 16:30:02.316 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
08.01.20 16:30:02.474 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
08.01.20 16:30:02.475 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
08.01.20 16:30:02.476 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
08.01.20 16:30:02.476 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
08.01.20 16:30:02.476 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
08.01.20 16:30:02.477 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
08.01.20 16:30:02.477 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter EhmiComponent: Initialize
08.01.20 16:30:02.479 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  EhmiComponent: Initialize
08.01.20 16:30:02.480 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 EhmiComponent: SubscribeServices
08.01.20 16:30:02.481 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
08.01.20 16:30:02.496 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  EhmiComponent: LoadSettings
08.01.20 16:30:02.496 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter EhmiComponent: SetupSettings
08.01.20 16:30:02.522 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 SetupSettings Created directory '/var/tmp/ehmi'
08.01.20 16:30:02.529 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 SetThreshold level=6.
08.01.20 16:30:02.529 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616    IndentSize=0
08.01.20 16:30:02.536 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616    IndentSize=0
08.01.20 16:30:02.537 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   Initialize
```

```
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
08.01.20 16:30:02.538 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
08.01.20 16:30:02.539 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  EhmiComponent: SetupSettings
08.01.20 16:30:02.539 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 EhmiComponent: PublishServices
08.01.20 16:30:03.166 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
08.01.20 16:30:03.801 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
08.01.20 16:30:03.805 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
08.01.20 16:30:03.808 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
08.01.20 16:30:03.850 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
08.01.20 16:30:03.881 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
08.01.20 16:30:03.967 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 16:30:03.968 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 EhmiComponent: OnPlcLoading
08.01.20 16:30:04.372 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 LogStatistics cycle=25/48, active=0/22, esdk=0/22, gds=0/0
08.01.20 16:30:04.586 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
08.01.20 16:30:04.588 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
08.01.20 16:30:04.592 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
08.01.20 16:30:04.597 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
08.01.20 16:30:04.603 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  LoadPlc. isChanging=false
08.01.20 16:30:04.617 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   LoadPlc. Elapsed=14
08.01.20 16:30:04.943 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
08.01.20 16:30:04.961 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
08.01.20 16:30:05.968 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
08.01.20 16:30:05.970 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
```

```
08.01.20 16:30:06.314 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
08.01.20 16:30:06.314 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
08.01.20 16:30:06.318 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  SetupPlc. isChanging=false, startKind=Warm
08.01.20 16:30:06.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcLoaded PlcLoaded=false
08.01.20 16:30:06.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
08.01.20 16:30:06.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=25/48, active=0/22, esdk=0/22, gds=0/0
08.01.20 16:30:06.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   SetupPlc. Elapsed=1
08.01.20 16:30:06.458 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
08.01.20 16:30:06.463 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
08.01.20 16:30:06.496 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
08.01.20 16:30:06.498 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter EhmiComponent: OnPlcLoaded
08.01.20 16:30:06.499 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 16:30:06.500 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616    Cannot read the type.dictionary.json file.
08.01.20 16:30:06.500 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616    TypeDictionary->Load() failure!!!
08.01.20 16:30:06.500 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 16:30:06.501 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   Load Cannot read fileName=data.dictionary.json
08.01.20 16:30:06.502 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616    DataDictionary->Load() failure!!!
08.01.20 16:30:06.639 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  EhmiComponent: OnPlcLoaded
08.01.20 16:30:08.752 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 EhmiComponent: LoadConfig
08.01.20 16:30:08.752 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 EhmiComponent: SetupConfig
08.01.20 16:30:09.112 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
08.01.20 16:30:09.202 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
08.01.20 16:30:09.203 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
08.01.20 16:30:10.661
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
08.01.20 16:30:10.985 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://master:4840 listening at
opc.tcp://0.0.0.0:4840
```

```
08.01.20 16:30:10.986 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
08.01.20 16:30:10.987 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
08.01.20 16:30:11.013 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 EhmiComponent: OnPlcStarting, startKind=Warm
08.01.20 16:30:11.018 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Enter  StartPlc. startKind=Warm
08.01.20 16:30:11.018 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 OnPlcStarted
08.01.20 16:30:11.019 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 ESDK 0xffff, SetRunMode, run=1
08.01.20 16:30:11.019 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 16:30:11.019 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973754048 Exit   StartPlc. Elapsed=1
08.01.20 16:30:11.039 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter EhmiComponent: OnPlcStarted
08.01.20 16:30:11.039 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  EhmiComponent: OnPlcStarted
08.01.20 16:30:11.040 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter EhmiComponent: Start
08.01.20 16:30:11.060 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter Start.
08.01.20 16:30:11.061 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
08.01.20 16:30:11.061 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Enter OpenListenSocket.
08.01.20 16:30:11.063 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   OpenInetStreamSocket sock=0x2f
08.01.20 16:30:11.064 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   SetReuseAddr Sock=0x2f, reuseAddr=1, ok=1
08.01.20 16:30:11.065 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   SetLinger Sock=0x2f, linger=1, seconds=0, ok=1
08.01.20 16:30:11.066 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   Bind Sock=0x2f, to=127.0.0.1:9999, ok=1
08.01.20 16:30:11.066 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   Listen Sock=0x2f, backlog=10, ok=1
08.01.20 16:30:11.066 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   OpenListenSocket ListenSocket=0x2f,
BindPort=127.0.0.1:9999
08.01.20 16:30:11.067 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  OpenListenSocket. elapsed=4
08.01.20 16:30:11.068 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  Start. elapsed=7
08.01.20 16:30:11.069 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616    Cannot find authorizationTokenTimeout in project.json
08.01.20 16:30:11.070 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 16:30:11.071 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616   Clear
```

```
08.01.20 16:30:11.071 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616    Cannot find authorizationTokenTimeout in project.json
08.01.20 16:30:11.072 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 16:30:11.073 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   ReadChecksumFromFile Cannot ReadChecksumFromFile
08.01.20 16:30:11.075 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616    Cannot read the type.dictionary.json file.
08.01.20 16:30:11.075 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616    TypeDictionary->Load() failure!!!
08.01.20 16:30:11.076 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   ReadProjectChecksumFromFile Cannot GetFileChecksum
08.01.20 16:30:11.077 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   Load Cannot read fileName=data.dictionary.json
08.01.20 16:30:11.077 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616    DataDictionary->Load() failure!!!
08.01.20 16:30:11.078 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616    Cannot find authorizationTokenTimeout in project.json
08.01.20 16:30:11.079 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069183616   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
08.01.20 16:30:11.081 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069183616 Exit  EhmiComponent: Start
08.01.20 16:30:11.081 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
08.01.20 16:30:11.082 CommonRemoting
  INFO  - Starting remoting server (version=4)
08.01.20 16:30:11.082 CommonRemoting
  INFO  - Start listening on TCP port 41100
08.01.20 16:30:11.086 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
08.01.20 16:30:14.381 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892518080 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
08.01.20 16:39:09.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
08.01.20 16:39:09.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
08.01.20 16:39:09.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
08.01.20 16:39:10.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 16:39:10.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
08.01.20 16:39:10.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
08.01.20 16:41:09.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
08.01.20 16:41:09.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
```

```
08.01.20 16:41:09.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
```

```
                  13.01.20 11:58:09.299 Arp.System.Acf.Internal.ApplicationBase
                    INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
13.01.20 11:58:09.320 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
13.01.20 11:58:09.320 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.01.20 11:58:09.321 CommonRemoting
  INFO  - Start listening on TCP port 41120
13.01.20 11:58:09.321 CommonRemoting
  INFO  - Start listening on TCP port 41121
13.01.20 11:58:09.450 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
13.01.20 11:58:09.681 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
13.01.20 11:58:09.693 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.01.20 11:58:09.693 CommonRemoting
  INFO  - Start listening on TCP port 41124
13.01.20 11:58:09.696 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1B01660, IPC
13.01.20 11:58:09.728 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1B023F0, IPC
13.01.20 11:58:09.784 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
13.01.20 11:58:09.803 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.01.20 11:58:09.804 CommonRemoting
  INFO  - Start listening on TCP port 41123
13.01.20 11:58:09.811 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1B02860, IPC
13.01.20 11:58:09.834 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1301628, IPC
13.01.20 11:58:09.844 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1B02CD0, IPC
13.01.20 11:58:09.863 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
13.01.20 11:58:09.960 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2502848, IPC
13.01.20 11:58:09.962 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
13.01.20 11:58:09.988 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
13.01.20 11:58:10.072 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
13.01.20 11:58:11.063 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
13.01.20 11:58:11.211 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
13.01.20 11:58:11.216 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
13.01.20 11:58:11.257 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
13.01.20 11:58:11.264 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.309 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.671 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:11.704 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.707 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.709 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.713 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.715 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.718 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.739 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.742 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.762 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
13.01.20 11:58:11.843 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:11.898 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:12.123 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
13.01.20 11:58:12.185 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
13.01.20 11:58:12.206 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:12.269 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
13.01.20 11:58:13.452 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:13.577 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:13.601 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
13.01.20 11:58:13.886 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
13.01.20 11:58:13.890 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:13.892 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
13.01.20 11:58:13.921 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:13.925 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
13.01.20 11:58:13.953 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
13.01.20 11:58:13.958 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
13.01.20 11:58:13.962 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
13.01.20 11:58:13.966 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
13.01.20 11:58:13.971 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
13.01.20 11:58:13.971 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
13.01.20 11:58:14.052 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
13.01.20 11:58:14.090 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
13.01.20 11:58:14.097 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
13.01.20 11:58:14.102 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
13.01.20 11:58:14.104 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
13.01.20 11:58:14.105 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
13.01.20 11:58:14.105 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
13.01.20 11:58:14.106 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
13.01.20 11:58:14.112 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
13.01.20 11:58:14.113 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
```

```
13.01.20 11:58:14.113 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
13.01.20 11:58:14.115 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
13.01.20 11:58:14.115 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
13.01.20 11:58:14.116 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
13.01.20 11:58:14.116 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
13.01.20 11:58:14.123 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
13.01.20 11:58:14.124 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
13.01.20 11:58:14.124 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
13.01.20 11:58:14.129 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
13.01.20 11:58:14.131 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
13.01.20 11:58:14.132 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
13.01.20 11:58:14.200 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
13.01.20 11:58:14.201 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
13.01.20 11:58:14.202 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
13.01.20 11:58:14.204 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
13.01.20 11:58:14.205 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
13.01.20 11:58:14.207 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
13.01.20 11:58:14.207 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
13.01.20 11:58:14.208 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
13.01.20 11:58:14.210 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
13.01.20 11:58:14.211 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
13.01.20 11:58:14.211 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
13.01.20 11:58:14.211 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
13.01.20 11:58:14.213 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
13.01.20 11:58:14.216 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
13.01.20 11:58:14.218 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
```

```
13.01.20 11:58:14.219 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
13.01.20 11:58:14.234 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
13.01.20 11:58:14.234 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
13.01.20 11:58:14.235 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
13.01.20 11:58:14.236 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
13.01.20 11:58:14.237 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
13.01.20 11:58:14.238 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
13.01.20 11:58:14.238 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
13.01.20 11:58:14.244 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
13.01.20 11:58:14.244 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
13.01.20 11:58:14.244 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
13.01.20 11:58:14.245 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
13.01.20 11:58:14.246 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
13.01.20 11:58:14.355 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
13.01.20 11:58:14.380 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
13.01.20 11:58:14.383 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
13.01.20 11:58:15.035 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
13.01.20 11:58:15.036 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
13.01.20 11:58:15.626 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
13.01.20 11:58:15.629 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1276 for script '/etc/init.d/plcnext stop'
13.01.20 11:58:15.667 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
13.01.20 11:58:15.692 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
13.01.20 11:58:15.774 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
13.01.20 11:58:16.150 Arp.Plc.Eclr.Internal.EclrDomain
```

```
  INFO  - EclrComponent eclr version 3.2.893.0
13.01.20 11:58:16.223 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
13.01.20 11:58:16.223 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
13.01.20 11:58:16.225 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
13.01.20 11:58:16.256 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
13.01.20 11:58:16.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
13.01.20 11:58:16.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
13.01.20 11:58:16.284 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupSettings. startEsdk=true
13.01.20 11:58:16.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
13.01.20 11:58:16.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
13.01.20 11:58:16.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
13.01.20 11:58:16.320 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
13.01.20 11:58:16.321 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
13.01.20 11:58:16.321 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
13.01.20 11:58:16.322 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, EtherNet/IP stack successfully initialized
13.01.20 11:58:16.323 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Exit  EtIPAdapterStart()
13.01.20 11:58:16.324 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
13.01.20 11:58:16.324 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
13.01.20 11:58:16.324 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
13.01.20 11:58:16.325 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
13.01.20 11:58:16.325 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
```

```
1
13.01.20 11:58:16.325 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, Reading in all host ip addresses
13.01.20 11:58:16.325 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
13.01.20 11:58:16.325 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
13.01.20 11:58:16.327 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 ESDK 0x0001, Enter EIPTask()
13.01.20 11:58:16.349 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
13.01.20 11:58:16.350 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
13.01.20 11:58:16.350 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
13.01.20 11:58:16.350 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
13.01.20 11:58:16.350 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, New Network LED value = 1
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, installedIpAddressCount=1
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x13
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, Releasing all host ip addresses
13.01.20 11:58:16.351 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x12
13.01.20 11:58:16.352 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
13.01.20 11:58:16.352 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, New Network LED value = 0
13.01.20 11:58:16.352 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
13.01.20 11:58:16.352 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
13.01.20 11:58:16.374 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
13.01.20 11:58:16.376 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
13.01.20 11:58:16.376 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
13.01.20 11:58:16.376 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
```

```
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
13.01.20 11:58:16.376 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, New Network LED value = 1
13.01.20 11:58:16.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 OnNewNetworkLedChange ledState=true.
13.01.20 11:58:16.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 OnNewNetworkLedChange ledState=false.
13.01.20 11:58:16.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 OnNewNetworkLedChange ledState=true.
13.01.20 11:58:16.377 Arp.Io.EthernetIP.EthernetIPComponent
  WARN  - 2891768512 OnEndOfEipCycle thisActiveTime=50 > TimerIntervalMax=25 !!!
13.01.20 11:58:16.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=8/8, active=50/50, esdk=50/50, gds=0/0
13.01.20 11:58:16.377 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=8/8, active=0/0, esdk=0/0, gds=0/0
13.01.20 11:58:16.378 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupSettings. Elapsed=93
13.01.20 11:58:16.527 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
13.01.20 11:58:16.533 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
13.01.20 11:58:16.534 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
13.01.20 11:58:16.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
13.01.20 11:58:18.881 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
13.01.20 11:58:22.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
13.01.20 11:58:22.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.01.20 11:58:22.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
13.01.20 11:58:22.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
13.01.20 11:58:22.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.01.20 11:58:22.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
13.01.20 11:58:22.013 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
13.01.20 11:58:24.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
13.01.20 11:58:24.756 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.01.20 11:58:24.756 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
13.01.20 11:58:24.756 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
13.01.20 11:58:24.756 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.01.20 11:58:24.756 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - wSubslotNumber   = 0
13.01.20 11:58:24.761 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
13.01.20 11:58:25.294 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
13.01.20 11:58:25.295 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
13.01.20 11:58:25.295 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
13.01.20 11:58:25.296 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
13.01.20 11:58:25.296 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
13.01.20 11:58:25.296 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
13.01.20 11:58:25.298 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter EhmiComponent: Initialize
13.01.20 11:58:25.299 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  EhmiComponent: Initialize
13.01.20 11:58:25.300 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 EhmiComponent: SubscribeServices
13.01.20 11:58:25.300 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
13.01.20 11:58:25.316 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  EhmiComponent: LoadSettings
13.01.20 11:58:25.317 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter EhmiComponent: SetupSettings
13.01.20 11:58:25.330 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 SetupSettings Created directory '/var/tmp/ehmi'
13.01.20 11:58:25.336 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 SetThreshold level=6.
13.01.20 11:58:25.337 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464    IndentSize=0
13.01.20 11:58:25.344 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464    IndentSize=0
13.01.20 11:58:25.345 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
13.01.20 11:58:25.346 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
13.01.20 11:58:25.346 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  EhmiComponent: SetupSettings
13.01.20 11:58:25.347 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 EhmiComponent: PublishServices
13.01.20 11:58:26.206 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
13.01.20 11:58:26.329 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/75, active=0/50, esdk=0/50, gds=0/0
13.01.20 11:58:26.953 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
```

```
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
13.01.20 11:58:26.956 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
13.01.20 11:58:26.959 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
13.01.20 11:58:26.999 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
13.01.20 11:58:27.030 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
13.01.20 11:58:27.117 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 11:58:27.119 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 EhmiComponent: OnPlcLoading
13.01.20 11:58:27.845 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 11:58:27.846 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 11:58:27.851 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 11:58:27.855 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 11:58:27.863 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 11:58:27.875 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=12
13.01.20 11:58:28.474 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 11:58:28.492 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 11:58:29.499 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 11:58:29.501 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 11:58:29.847 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 11:58:29.847 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 11:58:29.851 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 11:58:29.852 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 11:58:29.852 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 11:58:29.853 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/75, active=0/50, esdk=0/50, gds=0/0
13.01.20 11:58:29.853 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=2
13.01.20 11:58:29.976 Arp.Plc.Gds.Internal.GdsDomain
```

```
  INFO  - GDS data connections successfully created.
13.01.20 11:58:29.981 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
13.01.20 11:58:30.154 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
13.01.20 11:58:30.156 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter EhmiComponent: OnPlcLoaded
13.01.20 11:58:30.158 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 11:58:30.159 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464    Cannot read the type.dictionary.json file.
13.01.20 11:58:30.160 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464    TypeDictionary->Load() failure!!!
13.01.20 11:58:30.161 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 11:58:30.162 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   Load Cannot read fileName=data.dictionary.json
13.01.20 11:58:30.163 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464    DataDictionary->Load() failure!!!
13.01.20 11:58:30.167 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  EhmiComponent: OnPlcLoaded
13.01.20 11:58:32.614 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 EhmiComponent: LoadConfig
13.01.20 11:58:32.614 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 EhmiComponent: SetupConfig
13.01.20 11:58:32.956 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 11:58:33.046 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
13.01.20 11:58:33.050 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
13.01.20 11:58:34.793
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
13.01.20 11:58:35.110 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://master:4840 listening at
opc.tcp://0.0.0.0:4840
13.01.20 11:58:35.111 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
13.01.20 11:58:35.113 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
13.01.20 11:58:35.140 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 11:58:35.145 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 11:58:35.146 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 11:58:35.146 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 11:58:35.146 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 11:58:35.146 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 Exit   StartPlc. Elapsed=1
13.01.20 11:58:35.165 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter EhmiComponent: OnPlcStarted
13.01.20 11:58:35.166 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  EhmiComponent: OnPlcStarted
13.01.20 11:58:35.168 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter EhmiComponent: Start
13.01.20 11:58:35.191 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter Start.
13.01.20 11:58:35.192 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
13.01.20 11:58:35.193 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Enter OpenListenSocket.
13.01.20 11:58:35.193 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   OpenInetStreamSocket sock=0x2e
13.01.20 11:58:35.194 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   SetReuseAddr Sock=0x2e, reuseAddr=1, ok=1
13.01.20 11:58:35.194 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   SetLinger Sock=0x2e, linger=1, seconds=0, ok=1
13.01.20 11:58:35.196 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   Bind Sock=0x2e, to=127.0.0.1:9999, ok=1
13.01.20 11:58:35.196 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   Listen Sock=0x2e, backlog=10, ok=1
13.01.20 11:58:35.197 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   OpenListenSocket ListenSocket=0x2e,
BindPort=127.0.0.1:9999
13.01.20 11:58:35.197 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  OpenListenSocket. elapsed=4
13.01.20 11:58:35.198 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  Start. elapsed=6
13.01.20 11:58:35.199 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464    Cannot find authorizationTokenTimeout in project.json
13.01.20 11:58:35.199 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 11:58:35.200 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464   Clear
13.01.20 11:58:35.201 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464    Cannot find authorizationTokenTimeout in project.json
13.01.20 11:58:35.202 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 11:58:35.203 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 11:58:35.204 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464    Cannot read the type.dictionary.json file.
13.01.20 11:58:35.204 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464    TypeDictionary->Load() failure!!!
13.01.20 11:58:35.204 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 11:58:35.205 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   Load Cannot read fileName=data.dictionary.json
13.01.20 11:58:35.206 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 3069134464    DataDictionary->Load() failure!!!
13.01.20 11:58:35.207 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464    Cannot find authorizationTokenTimeout in project.json
13.01.20 11:58:35.208 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069134464   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 11:58:35.209 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069134464 Exit  EhmiComponent: Start
13.01.20 11:58:35.209 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
13.01.20 11:58:35.210 CommonRemoting
  INFO  - Starting remoting server (version=4)
13.01.20 11:58:35.211 CommonRemoting
  INFO  - Start listening on TCP port 41100
13.01.20 11:58:35.213 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
13.01.20 11:58:36.335 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 12:40:42.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
13.01.20 12:40:42.628 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
13.01.20 12:40:42.628 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
13.01.20 12:40:45.097 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
13.01.20 12:40:45.097 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.01.20 12:40:45.097 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
13.01.20 12:41:58.807 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
13.01.20 12:41:58.807 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested (non-volatile)
13.01.20 12:41:58.808 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    StationName = axc-f-2152-1
13.01.20 12:41:59.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
13.01.20 12:41:59.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -    DCP set station name requested
13.01.20 12:41:59.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  new station name = axc-f-2152-1
13.01.20 12:42:01.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the device instance ID 1 received
13.01.20 12:42:01.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  -  DCP Control Start Trans requested
13.01.20 12:42:01.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP request for the controller received
13.01.20 12:42:01.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP Control Start Trans requested
```

```
13.01.20 12:42:35.589 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F07050, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 12:42:40.405
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F07050,
securityToken=8375327F
13.01.20 12:42:41.333 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
13.01.20 12:42:41.346 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
13.01.20 12:42:41.365 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
13.01.20 12:42:52.325 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 12:42:52.326 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 12:42:52.326 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 12:42:52.380 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 12:42:52.380 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 12:42:52.380 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 12:42:52.380 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=0
13.01.20 12:42:52.382 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 12:42:52.384 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 12:42:52.384 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 12:42:52.385 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 12:42:52.700 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 12:42:53.404 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 12:42:53.404 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 12:42:53.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 12:42:53.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 12:42:53.451 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 12:42:53.451 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 12:42:53.451 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 12:42:53.452 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 12:42:53.452 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=1
13.01.20 12:42:53.457 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 12:42:53.458 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 12:42:53.458 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
13.01.20 12:42:53.916 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 12:43:04.335 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 12:43:04.336 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 12:43:09.942 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Stopped OPC UA Server successfully.
13.01.20 12:43:09.944 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Configuration changed, Server will restart!
13.01.20 12:43:10.708 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 12:43:10.836 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 12:43:10.838 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 12:43:10.843 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 12:43:10.850 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 12:43:10.860 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 12:43:10.861 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 12:43:11.198 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 12:43:11.199 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 12:43:11.201 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 12:43:11.211 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=10
13.01.20 12:43:11.217 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 12:43:11.218 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 12:43:11.218 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 12:43:11.218 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
13.01.20 12:43:11.218 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=1
```

```
13.01.20 12:43:11.360 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 12:43:11.440 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 12:43:11.445 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
13.01.20 12:43:12.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 12:43:12.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 12:43:12.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 12:43:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 12:43:12.337 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
13.01.20 12:43:12.342 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 12:43:12.344 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 12:43:12.345 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 12:43:12.348 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 12:43:12.349 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 12:43:12.352 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 12:43:12.352 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 12:43:12.354 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 12:43:12.354 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 12:43:12.355 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 12:43:15.418 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 12:43:15.424 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 12:43:15.424 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 12:43:15.425 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 12:43:15.425 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
13.01.20 12:43:15.425 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=1
13.01.20 12:43:15.443 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 12:43:15.445 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 12:43:15.445 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 12:43:15.446 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 12:43:16.312
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  WARN  -
Configuration for subject alternative names is changed => replacing existing
self-signed certificate
13.01.20 12:43:16.595
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
13.01.20 12:43:16.855 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
13.01.20 12:43:16.857 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
13.01.20 12:43:16.858 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
13.01.20 12:44:32.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
13.01.20 12:44:32.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
13.01.20 12:44:45.575 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F07050
13.01.20 12:44:45.577 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=8375327F
13.01.20 12:44:45.581 CommonRemoting
  INFO  - Closing connection: connectionId=B4F07050
13.01.20 12:49:25.593 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F18C18, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 12:49:25.920
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F18C18,
securityToken=A4D87B9F
13.01.20 12:49:26.502 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
13.01.20 12:49:26.515 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
13.01.20 12:49:26.530 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
13.01.20 12:49:28.114 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 12:49:28.114 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 12:49:28.114 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 12:49:28.159 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 12:49:28.159 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 OnPlcStopped
13.01.20 12:49:28.161 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 12:49:28.159 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 12:49:28.159 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=0
13.01.20 12:49:28.162 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 12:49:28.163 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 12:49:28.163 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 12:49:28.461 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 12:49:29.263 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 12:49:29.263 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 12:49:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 12:49:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 12:49:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
13.01.20 12:49:29.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
13.01.20 12:49:29.292 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 12:49:29.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
13.01.20 12:49:29.292 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 12:49:29.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 12:49:29.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 12:49:29.314 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 12:49:29.315 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 12:49:29.315 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 12:49:29.315 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 12:49:29.315 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=1
13.01.20 12:49:29.321 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 12:49:29.321 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 12:49:29.322 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
```

```
13.01.20 12:49:29.753 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 12:49:34.825 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 12:49:34.827 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 12:49:35.412 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 12:49:36.563 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 12:49:36.565 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 12:49:36.570 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 12:49:36.575 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 12:49:36.582 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 12:49:36.584 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 12:49:36.915 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 12:49:36.915 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 12:49:36.917 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 12:49:36.927 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=10
13.01.20 12:49:36.933 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 12:49:36.934 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 12:49:36.934 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 12:49:36.934 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
13.01.20 12:49:36.934 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=1
13.01.20 12:49:37.274 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 12:49:37.419 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 12:49:37.425 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 18! Please add some variables...
13.01.20 12:49:38.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 12:49:38.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 12:49:38.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 12:49:38.033 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 12:49:38.135 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 18! Please add some variables...
13.01.20 12:49:38.139 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 12:49:38.140 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 12:49:38.141 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 12:49:38.142 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 12:49:38.144 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 12:49:38.144 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 12:49:38.145 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 12:49:38.146 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 12:49:38.147 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 12:49:38.147 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 12:49:40.829 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 12:49:40.835 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 12:49:40.836 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 12:49:40.837 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 12:49:40.837 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
13.01.20 12:49:40.837 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=2
13.01.20 12:49:40.855 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 12:49:40.856 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 12:49:40.856 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 12:49:40.856 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 12:58:47.326 Arp.System.Watchdog.Internal.SystemWatchdogRebootCounter
  INFO  - WaitForResetRebootCounterThreadBody reboot counter resetted, more than
60 minutes in run mode
13.01.20 12:58:57.471 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F18C18
13.01.20 12:58:57.472 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=A4D87B9F
13.01.20 12:58:57.474 CommonRemoting
  INFO  - Closing connection: connectionId=B4F18C18
```

```
13.01.20 13:06:44.621 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F15C48, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 13:06:44.942
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F15C48,
securityToken=72C6F492
13.01.20 13:06:45.447 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
13.01.20 13:06:45.472 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
13.01.20 13:06:45.491 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
13.01.20 13:06:47.203 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 13:06:47.204 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 13:06:47.204 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 13:06:47.275 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 13:06:47.275 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 13:06:47.275 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 13:06:47.275 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=1
13.01.20 13:06:47.277 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 13:06:47.278 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:06:47.279 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:06:47.279 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 13:06:47.555 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 13:06:48.256 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 13:06:48.257 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 13:06:48.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:06:48.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:06:48.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
13.01.20 13:06:48.277 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
13.01.20 13:06:48.285 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 13:06:48.285 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - AR is disabled
13.01.20 13:06:48.285 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 13:06:48.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 13:06:48.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 13:06:48.309 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 13:06:48.310 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 13:06:48.310 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 13:06:48.311 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 13:06:48.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=3
13.01.20 13:06:48.318 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 13:06:48.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 13:06:48.319 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
13.01.20 13:06:48.794 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 13:06:54.895 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 13:06:54.895 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 13:06:55.795 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 13:06:55.929 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 13:06:55.930 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 13:06:55.935 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 13:06:55.941 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 13:06:55.949 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 13:06:55.951 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 13:06:56.279 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 13:06:56.279 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 13:06:56.283 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 13:06:56.294 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=10
13.01.20 13:06:56.300 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 13:06:56.301 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 13:06:56.302 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 13:06:56.302 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
13.01.20 13:06:56.303 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=3
13.01.20 13:06:56.796 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 13:06:56.907 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 13:06:56.910 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 26! Please add some variables...
13.01.20 13:06:57.672 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 26! Please add some variables...
13.01.20 13:06:57.675 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 13:06:57.676 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:06:57.677 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:06:57.678 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 13:06:57.678 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 13:06:57.679 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 13:06:57.680 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 13:06:57.681 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 13:06:57.681 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 13:06:57.682 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 13:06:57.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:06:57.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:06:57.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:06:57.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:07:00.691 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 13:07:00.694 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 13:07:00.694 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 13:07:00.695 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 13:07:00.696 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 13:07:00.697 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=2
13.01.20 13:07:00.715 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 13:07:00.716 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:07:00.717 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:07:00.722 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 13:07:39.534 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 13:07:39.814 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 13:07:39.931 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 13:07:40.181 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 33 subscribed.
13.01.20 13:07:41.277 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 33 unsubscribed
13.01.20 13:07:41.493 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 34 subscribed.
13.01.20 13:08:16.993 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 34 unsubscribed
13.01.20 13:12:33.313 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 13:12:33.313 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 13:12:33.313 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 13:12:33.334 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 13:12:33.334 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 13:12:33.335 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 13:12:33.335 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=1
13.01.20 13:12:33.337 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 13:12:33.339 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:12:33.340 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:12:33.341 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 13:12:34.123 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 13:12:34.597 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697089728   Clear
13.01.20 13:12:34.597 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 13:12:34.619 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:12:34.619 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:12:34.619 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
13.01.20 13:12:34.619 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
13.01.20 13:12:34.628 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 13:12:34.628 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
13.01.20 13:12:34.628 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 13:12:34.628 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 13:12:34.628 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 13:12:34.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 13:12:34.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 13:12:34.652 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 13:12:34.652 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 13:12:34.652 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=1
13.01.20 13:12:34.659 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 13:12:34.659 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 13:12:34.660 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
13.01.20 13:12:35.094 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 13:12:40.412 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 13:12:40.412 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 13:12:41.006 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 13:12:42.156 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 13:12:42.159 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 13:12:42.163 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 13:12:42.170 Arp.Io.Axioline.Internal.AxiolineDomain
```

```
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 13:12:42.177 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 13:12:42.179 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 13:12:42.512 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 13:12:42.512 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 13:12:42.514 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 13:12:42.524 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=10
13.01.20 13:12:42.531 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 13:12:42.532 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 13:12:42.533 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 13:12:42.533 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
13.01.20 13:12:42.534 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=3
13.01.20 13:12:42.671 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 13:12:42.805 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 13:12:42.810 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 36! Please add some variables...
13.01.20 13:12:43.424 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 36! Please add some variables...
13.01.20 13:12:43.427 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 13:12:43.427 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:12:43.427 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:12:43.428 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 13:12:43.428 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 13:12:43.429 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 13:12:43.429 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 13:12:43.430 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 13:12:43.430 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 13:12:43.431 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 13:12:43.631 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:12:43.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:12:43.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:12:43.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:12:46.487 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 13:12:46.491 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 13:12:46.491 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 13:12:46.491 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 13:12:46.491 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 13:12:46.491 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=0
13.01.20 13:12:46.510 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 13:12:46.512 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:12:46.512 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:12:46.513 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 13:16:15.009 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F15C48
13.01.20 13:16:15.011 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=72C6F492
13.01.20 13:16:15.014 CommonRemoting
  INFO  - Closing connection: connectionId=B4F15C48
13.01.20 13:18:03.255 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F18B40, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 13:18:03.570
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F18B40,
securityToken=C288A073
13.01.20 13:18:04.113 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
13.01.20 13:18:04.127 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
13.01.20 13:18:04.152 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
13.01.20 13:20:30.520 CommonRemoting
  ERROR - BinaryReader2::ReadStreamData(): any stream error occurs
13.01.20 13:20:30.520 CommonRemoting
  ERROR - RemotingContext::AbortConnection(): connectionID=B4F18B40,
errorCode=40001002
13.01.20 13:20:30.520 CommonRemoting
```

```
  ERROR - Connection was closed remotely while writing data, connection
ID=B4F18B40, streamError=FFFFFFFF
13.01.20 13:20:30.520 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F18B40
13.01.20 13:20:30.522 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=C288A073
13.01.20 13:20:30.523 CommonRemoting
  INFO  - Closing connection: connectionId=B4F18B40
13.01.20 13:24:51.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:24:51.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:24:51.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 0
13.01.20 13:24:51.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = unknown x - PNIO - RTA_ERR_CLS_PROTOCOL -  ERROR_CODE2
error
13.01.20 13:24:52.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:24:52.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:24:52.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:24:52.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:24:52.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0x81 ErrorCode1: 0x45 ErrorCode2:
0x1, Message: CLRPC_ERR_REJECTED
13.01.20 13:24:52.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:24:52.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:24:52.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0x45 0x 1
13.01.20 13:24:52.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = CLRPC_ERR_REJECTED
13.01.20 13:24:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:24:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:24:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:24:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:24:56.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 13:24:56.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:24:56.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:24:56.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 13:24:56.002 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg =
13.01.20 13:24:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:24:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:24:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:24:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:24:59.047 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:24:59.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:24:59.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:24:59.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:24:59.048 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:24:59.050 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=26/30, active=0/2, esdk=0/2, gds=0/1
13.01.20 13:25:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:00.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:00.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:00.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:00.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:00.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:01.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:01.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:01.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:01.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:01.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:01.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:25:01.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:01.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:01.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:02.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:04.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:04.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:04.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:04.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:04.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:04.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:04.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:04.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:04.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:05.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:05.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:05.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:05.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:05.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:06.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:06.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:06.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:06.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:06.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:06.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:06.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:06.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:06.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:07.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:07.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:07.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:07.352 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:07.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:07.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:07.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:07.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:07.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:08.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:08.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:08.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:08.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:08.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:08.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:08.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:08.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:08.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:09.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:10.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:10.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:25:10.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:10.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:10.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:10.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:10.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:10.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:10.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:11.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:11.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:11.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:11.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:11.499 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:11.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:11.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:11.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:11.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:12.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:12.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:12.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:12.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:12.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:12.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:12.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:12.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:12.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:13.552 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:25:13.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:13.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:13.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:13.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:13.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:13.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:13.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:13.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:14.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:14.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:14.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:14.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:14.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:14.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:14.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:14.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:14.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:15.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:15.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:15.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:15.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:15.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:15.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:15.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:15.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:25:15.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:16.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:16.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:16.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:16.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:16.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:17.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:17.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:17.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:17.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:17.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:17.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:17.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:17.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:17.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:18.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:18.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:18.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:18.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:18.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:18.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:18.702 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:25:18.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:18.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:19.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:19.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:19.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:19.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:19.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:19.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:19.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:19.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:19.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:20.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:20.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:20.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:20.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:21.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:21.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:21.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:21.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:21.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:25:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:22.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:22.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:23.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:23.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:23.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:23.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:23.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:23.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:23.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:23.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:23.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:24.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:24.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:24.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:24.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:25:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:25.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:25.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:25.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:25.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:25.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:25.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:27.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:27.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:27.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:27.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:27.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:28.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:28.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:28.054 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:28.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:28.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:28.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:28.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:28.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:28.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:29.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:29.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:29.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:29.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:29.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:29.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:29.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:29.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:29.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:30.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:30.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:30.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:30.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:30.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:30.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:30.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:30.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:30.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:31.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:25:31.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:31.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:31.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:31.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:31.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:31.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:31.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:31.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:32.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:32.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:32.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:33.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:33.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:33.282 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:34.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:34.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:34.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:34.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:34.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:34.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:34.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:34.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:34.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:35.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:35.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:35.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:35.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:35.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:35.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:35.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:35.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:35.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:36.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:36.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:36.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:25:36.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:36.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:37.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:37.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:37.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:37.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:37.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:37.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:37.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:37.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:37.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:38.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:38.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:38.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:38.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:38.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:39.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:39.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:39.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:39.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:39.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:39.503 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:25:39.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:39.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:39.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:40.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:40.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:40.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:40.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:40.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:40.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:40.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:40.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:40.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:41.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:41.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:41.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:41.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:41.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:41.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:41.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:41.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:41.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:42.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:42.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:42.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:42.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:42.621 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:42.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:42.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:42.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:42.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:43.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:43.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:43.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:43.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:43.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:43.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:43.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:43.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:43.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:44.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:44.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:44.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:44.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:44.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:44.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:44.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:44.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:44.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:44.701 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=26/30, active=1/4, esdk=1/4, gds=0/1
13.01.20 13:25:45.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:45.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:25:45.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:45.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:45.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:45.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:45.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:45.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:45.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:46.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:46.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:46.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:46.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:46.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:46.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:46.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:46.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:46.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:47.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:47.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:47.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:47.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:47.799 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:47.799 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:47.799 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:47.799 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:47.799 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:48.812 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:25:48.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:48.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:48.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:48.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:48.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:48.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:48.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:48.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:49.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:49.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:49.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:49.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:49.859 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:49.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:49.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:49.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:49.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:50.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:50.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:50.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:50.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:50.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:50.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:50.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:50.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:25:50.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:51.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:51.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:51.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:51.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:51.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:51.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:51.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:51.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:51.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:52.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:52.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:52.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:52.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:52.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:25:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:54.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:54.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:54.004 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:25:54.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:54.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:55.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:55.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:55.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:55.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:55.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:55.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:55.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:55.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:55.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:56.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:56.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:56.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:56.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:56.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:56.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:56.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:56.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:56.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:57.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:25:57.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:57.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:57.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:57.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:58.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:58.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:58.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:58.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:58.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:58.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:58.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:58.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:58.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:59.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:25:59.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:25:59.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:25:59.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:25:59.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:25:59.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:25:59.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:25:59.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:25:59.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:00.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:00.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:00.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:00.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:26:00.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:00.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:00.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:00.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:00.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:01.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:01.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:01.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:01.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:01.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:01.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:01.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:01.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:01.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:02.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:02.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:02.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:02.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:02.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:02.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:03.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:03.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:04.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:04.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:04.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:04.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:04.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:04.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:04.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:04.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:05.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:05.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:05.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:05.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:05.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:05.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:05.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:05.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:05.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:06.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:26:06.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:06.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:06.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:06.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:06.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:06.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:06.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:06.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:07.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:07.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:07.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:07.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:07.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:07.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:07.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:07.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:07.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:08.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:08.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:08.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:08.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:08.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:08.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:08.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:08.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:08.566 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:09.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:09.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:09.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:09.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:09.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:09.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:09.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:09.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:09.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:10.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:10.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:10.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:10.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:10.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:10.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:10.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:10.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:10.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:11.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:11.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:11.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:11.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:11.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:11.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:11.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:26:11.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:11.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:12.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:12.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:12.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:12.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:12.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:12.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:12.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:12.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:12.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:13.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:13.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:13.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:13.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:13.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:13.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:13.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:13.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:13.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:14.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:14.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:14.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:14.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:14.763 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:26:14.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:14.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:14.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:15.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:16.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:16.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:16.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:16.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:16.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:16.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:16.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:16.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:16.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:17.882 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:17.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:17.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:17.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:17.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:18.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:18.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:18.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:18.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:18.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:18.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:18.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:18.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:18.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:19.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:19.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:19.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:19.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:19.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:19.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:19.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:19.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:19.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:20.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:20.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:20.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:26:20.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:20.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:20.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:20.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:20.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:20.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:21.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:21.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:21.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:21.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:22.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:22.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:22.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:22.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:22.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:23.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:23.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:23.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:23.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:23.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:23.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:23.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:23.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:23.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:24.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:24.051 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:24.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:24.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:24.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:24.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:24.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:24.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:24.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:25.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:25.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:25.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:25.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:26.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:26.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:26.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:26.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:26:27.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:27.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:27.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:27.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:27.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:27.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:27.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:27.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:27.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:28.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:28.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:28.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:28.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:28.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:28.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:28.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:28.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:28.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:29.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:29.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:29.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:29.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:29.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:29.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:29.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:29.244 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:29.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:30.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:30.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:30.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:30.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:30.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:30.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:30.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:30.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:30.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:31.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:31.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:31.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:31.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:31.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:31.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:31.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:31.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:31.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:32.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:32.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:32.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:32.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:32.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:32.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:26:32.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:32.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:32.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:33.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:33.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:33.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:33.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:33.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:33.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:33.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:33.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:33.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:34.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:34.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:34.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:34.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:34.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:34.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:34.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:34.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:34.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:35.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:35.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:35.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:35.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:35.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:35.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:35.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:35.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:35.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:36.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:36.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:36.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:36.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:36.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:36.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:36.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:36.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:36.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:37.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:37.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:37.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:37.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:37.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:37.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:37.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:37.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:37.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:38.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:38.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:38.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:38.594 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:38.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:38.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:38.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:38.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:38.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:39.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:39.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:39.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:39.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:39.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:39.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:39.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:39.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:39.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:40.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:40.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:40.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:40.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:40.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:40.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:40.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:40.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:40.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:41.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:41.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:26:41.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:41.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:41.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:41.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:41.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:41.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:41.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:42.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:42.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:42.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:42.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:42.759 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:42.759 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:42.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:42.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:42.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:43.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:43.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:43.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:43.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:43.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:43.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:43.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:43.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:43.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:44.830 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:26:44.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:44.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:44.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:44.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:44.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:44.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:44.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:44.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:45.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:45.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:45.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:45.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:45.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:45.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:45.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:45.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:45.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:46.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:46.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:46.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:46.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:26:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:47.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:47.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:47.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:47.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:47.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:48.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:48.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:48.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:48.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:49.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:49.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:49.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:49.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:49.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:50.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:50.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:50.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:50.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:50.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:50.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:50.041 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:26:50.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:50.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:51.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:51.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:51.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:51.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:51.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:51.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:51.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:51.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:51.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:52.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:52.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:52.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:52.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:52.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:52.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:52.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:52.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:52.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:53.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:53.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:53.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:53.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:53.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:26:53.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:53.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:53.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:53.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:54.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:54.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:54.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:54.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:54.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:54.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:54.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:54.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:54.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:55.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:55.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:55.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:55.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:55.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:55.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:55.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:55.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:55.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:26:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:26:56.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:56.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:56.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:56.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:56.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:57.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:57.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:57.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:57.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:57.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:57.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:57.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:57.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:57.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:58.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:58.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:58.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:58.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:58.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:58.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:58.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:58.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:58.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:59.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:26:59.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:26:59.311 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:26:59.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:26:59.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:26:59.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:26:59.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:26:59.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:26:59.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:00.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:00.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:00.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:00.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:00.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:00.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:00.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:00.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:00.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:01.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:01.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:01.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:01.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:01.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:01.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:01.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:01.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:01.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:02.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:27:02.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:02.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:02.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:03.479 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:03.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:03.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:03.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:03.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:04.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:04.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:04.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:04.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:04.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:04.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:04.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:04.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:04.522 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:05.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:05.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:05.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:05.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:05.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:05.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:05.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:05.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:05.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:06.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:06.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:06.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:06.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:06.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:06.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:06.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:06.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:06.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:07.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:07.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:07.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:07.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:07.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:07.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:07.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:27:07.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:07.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:08.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:08.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:08.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:08.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:08.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:08.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:08.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:08.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:08.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:09.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:09.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:09.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:09.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:09.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:09.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:09.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:09.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:09.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:10.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:10.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:10.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:10.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:10.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:10.764 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:27:10.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:10.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:10.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:11.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:11.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:11.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:11.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:11.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:11.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:11.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:11.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:11.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:12.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:12.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:12.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:12.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:12.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:12.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:12.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:12.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:12.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:13.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:13.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:13.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:13.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:13.884 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:13.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:13.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:13.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:13.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:14.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:14.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:14.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:14.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:14.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:14.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:14.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:14.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:14.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:15.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:15.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:15.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:15.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:15.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:15.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:15.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:15.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:15.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:16.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:27:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:16.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:18.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:18.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:18.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:18.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:18.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:18.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:18.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:18.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:18.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:19.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:19.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:19.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:19.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:19.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:19.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:19.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:19.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:19.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:20.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:20.091 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:20.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:20.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:20.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:20.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:20.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:20.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:20.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:21.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:22.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:22.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:22.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:22.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:22.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:27:23.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:23.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:23.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:23.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:23.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:23.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:23.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:23.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:23.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:24.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:24.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:24.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:24.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:24.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:24.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:24.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:24.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:24.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:25.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:25.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:25.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:25.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:25.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:25.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:25.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:25.265 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:25.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:26.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:26.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:26.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:26.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:26.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:26.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:26.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:26.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:26.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:27.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:27.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:27.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:27.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:27.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:28.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:28.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:28.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:28.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:28.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:27:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:29.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:29.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:29.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:29.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:29.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:30.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:30.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:30.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:30.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:30.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:30.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:31.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:31.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:31.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:31.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:31.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:31.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:32.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:32.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:32.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:32.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:32.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:32.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:32.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:32.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:32.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:33.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:33.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:33.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:33.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:33.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:33.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:33.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:33.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:33.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:34.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:34.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:34.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:34.594 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:34.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:34.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:35.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:35.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:35.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:35.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:35.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:36.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:36.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:36.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:36.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:36.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:27:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:37.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:37.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:37.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:38.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:38.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:38.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:38.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:38.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:38.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:38.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:38.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:38.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:39.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:39.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:39.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:39.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:39.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:39.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:39.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:39.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:39.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:40.833 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:27:40.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:40.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:40.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:40.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:40.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:40.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:40.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:40.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:41.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:41.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:41.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:41.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:41.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:41.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:41.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:41.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:41.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:42.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:42.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:42.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:42.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:42.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:42.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:42.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:42.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:27:42.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:43.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:43.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:43.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:43.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:43.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:43.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:43.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:43.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:43.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:45.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:45.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:45.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:45.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:45.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:46.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:46.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:46.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:46.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:46.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:46.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:46.040 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:27:46.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:46.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:47.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:47.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:47.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:47.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:47.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:47.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:47.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:47.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:47.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:48.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:48.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:48.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:48.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:48.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:48.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:48.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:48.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:48.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:49.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:49.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:49.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:49.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:49.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:27:49.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:49.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:49.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:49.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:50.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:50.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:50.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:50.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:50.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:50.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:50.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:50.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:50.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:51.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:51.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:51.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:51.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:51.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:51.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:51.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:51.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:51.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:52.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:52.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:52.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:27:52.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:27:52.239 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:52.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:52.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:52.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:52.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:53.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:53.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:53.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:53.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:53.268 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:53.269 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:53.269 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:53.269 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:53.269 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:54.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:54.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:54.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:54.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:54.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:54.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:55.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:55.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:55.312 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:55.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:55.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:55.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:55.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:55.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:55.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:56.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:56.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:56.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:56.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:56.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:56.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:56.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:56.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:56.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:57.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:57.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:57.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:57.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:57.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:57.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:57.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:57.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:57.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:58.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:27:58.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:58.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:58.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:58.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:58.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:58.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:58.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:58.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:59.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:27:59.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:27:59.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:27:59.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:27:59.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:27:59.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:27:59.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:27:59.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:27:59.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:00.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:00.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:00.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:00.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:00.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:00.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:00.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:00.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:00.483 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:01.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:01.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:01.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:01.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:01.519 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:01.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:01.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:01.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:01.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:02.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:02.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:02.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:02.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:02.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:02.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:02.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:02.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:02.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:03.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:03.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:03.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:03.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:03.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:03.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:03.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:28:03.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:03.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:04.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:04.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:04.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:04.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:04.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:04.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:04.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:04.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:04.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:05.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:05.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:05.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:05.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:05.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:05.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:05.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:05.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:05.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:06.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:06.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:06.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:06.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:06.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:06.722 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:28:06.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:06.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:06.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:07.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:07.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:07.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:07.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:07.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:07.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:07.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:07.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:07.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:08.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:08.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:08.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:08.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:08.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:08.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:08.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:08.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:08.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:09.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:09.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:09.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:09.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:09.860 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:09.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:09.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:09.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:09.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:10.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:10.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:10.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:10.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:10.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:10.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:10.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:10.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:10.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:11.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:11.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:11.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:11.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:11.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:11.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:11.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:12.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:12.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:12.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:28:12.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:12.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:12.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:12.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:12.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:12.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:13.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:13.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:13.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:13.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:14.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:14.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:14.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:14.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:14.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:15.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:15.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:15.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:15.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:15.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:15.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:15.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:15.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:15.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:16.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:16.051 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:16.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:16.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:16.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:16.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:16.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:16.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:16.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:17.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:17.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:17.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:17.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:17.079 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:17.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:17.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:17.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:17.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:18.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:18.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:18.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:18.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:18.120 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:18.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:18.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:18.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:18.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:28:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:19.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:19.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:19.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:19.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:19.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:20.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:20.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:20.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:20.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:20.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:20.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:20.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:20.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:20.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:21.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:21.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:21.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:21.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:21.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:21.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:21.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:21.200 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:21.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:22.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:22.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:22.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:22.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:22.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:22.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:22.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:22.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:22.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:23.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:23.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:23.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:23.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:23.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:24.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:24.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:28:24.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:24.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:24.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:25.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:25.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:25.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:25.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:25.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:26.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:26.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:26.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:26.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:26.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:27.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:27.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:27.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:27.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:27.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:27.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:27.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:27.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:27.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:28.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:28.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:28.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:28.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:29.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:29.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:29.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:29.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:29.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:30.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:30.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:30.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:30.530 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:30.539 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:30.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:30.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:30.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:30.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:31.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:31.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:31.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:31.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:31.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:31.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:32.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:32.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:32.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:32.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:33.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:33.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:28:33.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:33.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:33.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:33.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:33.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:33.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:33.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:34.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:34.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:34.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:34.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:34.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:35.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:35.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:35.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:35.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:35.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:35.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:35.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:35.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:35.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:36.774 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:28:36.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:36.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:36.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:36.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:36.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:36.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:36.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:36.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:37.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:37.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:37.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:37.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:37.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:37.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:37.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:37.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:37.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:38.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:38.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:38.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:38.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:38.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:38.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:38.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:38.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:28:38.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:39.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:39.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:39.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:39.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:39.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:39.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:39.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:39.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:39.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:40.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:40.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:40.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:40.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:40.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:40.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:40.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:40.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:40.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:41.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:41.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:41.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:41.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:41.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:41.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:41.962 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:28:41.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:41.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:42.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:42.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:42.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:42.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:43.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:43.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:43.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:43.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:43.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:44.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:44.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:44.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:44.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:44.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:44.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:44.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:44.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:44.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:45.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:28:45.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:45.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:45.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:45.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:46.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:46.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:46.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:46.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:46.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:46.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:46.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:46.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:46.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:47.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:47.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:47.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:48.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:48.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:48.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:28:48.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:28:48.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:48.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:48.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:48.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:48.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:49.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:49.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:49.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:49.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:49.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:49.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:49.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:49.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:49.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:50.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:50.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:50.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:50.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:50.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:50.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:50.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:50.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:50.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:51.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:51.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:51.291 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:51.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:52.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:52.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:52.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:52.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:52.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:52.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:52.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:52.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:52.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:53.359 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:53.359 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:53.359 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:53.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:53.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:54.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:28:54.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:54.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:54.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:54.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:54.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:54.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:54.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:54.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:55.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:55.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:55.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:55.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:55.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:58.539 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:58.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:58.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:28:58.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:58.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:59.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:28:59.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:28:59.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:28:59.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:28:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:28:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:28:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:28:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:28:59.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:00.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:00.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:00.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:00.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:00.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:00.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:00.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:00.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:00.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:01.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:01.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:02.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:02.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:02.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:02.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:02.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:02.703 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:29:02.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:02.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:02.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:03.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:03.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:03.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:03.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:03.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:03.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:03.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:04.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:04.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:04.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:04.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:04.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:04.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:04.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:04.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:04.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:05.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:05.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:05.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:05.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:05.824 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:05.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:05.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:05.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:05.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:06.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:06.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:06.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:06.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:06.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:06.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:07.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:07.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:07.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:07.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:07.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:07.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:07.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:07.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:07.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:29:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:08.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:08.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:08.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:08.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:08.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:09.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:09.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:09.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:09.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:09.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:09.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:09.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:09.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:09.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:11.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:11.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:11.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:11.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:11.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:12.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:12.032 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:12.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:12.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:12.049 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:12.049 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:12.049 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:12.049 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:12.049 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:13.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:13.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:13.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:13.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:13.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:13.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:13.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:13.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:13.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:14.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:14.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:14.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:14.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:14.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:14.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:14.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:14.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:14.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:29:15.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:15.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:15.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:15.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:15.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:16.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:16.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:16.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:16.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:16.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:16.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:16.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:16.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:16.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:17.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:17.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:17.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:17.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:17.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:17.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:17.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:17.223 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:17.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:18.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:18.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:18.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:18.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:18.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:19.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:19.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:19.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:19.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:19.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:19.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:19.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:19.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:19.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:20.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:20.348 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:20.348 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:29:20.348 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:20.349 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:20.349 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:21.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:21.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:22.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:22.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:22.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:22.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:22.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:22.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:22.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:22.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:22.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:23.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:23.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:23.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:23.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:23.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:23.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:23.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:23.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:23.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:24.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:24.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:24.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:24.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:24.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:24.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:25.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:25.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:25.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:25.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:25.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:25.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:25.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:25.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:25.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:26.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:26.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:26.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:26.552 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:26.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:26.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:26.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:26.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:26.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:27.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:27.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:27.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:27.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:27.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:27.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:27.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:27.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:27.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:28.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:28.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:28.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:28.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:28.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:28.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:28.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:28.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:28.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:29.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:29.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:29:29.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:29.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:29.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:29.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:29.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:29.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:29.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:30.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:30.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:30.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:30.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:30.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:30.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:30.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:30.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:30.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:31.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:31.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:31.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:31.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:31.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:31.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:31.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:31.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:31.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:29:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:32.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:32.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:32.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:32.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:32.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:33.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:33.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:33.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:33.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:33.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:33.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:33.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:33.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:33.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:34.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:34.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:34.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:34.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:34.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:34.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:34.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:34.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:29:34.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:35.919 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:35.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:35.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:35.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:35.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:36.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:36.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:36.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:36.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:36.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:37.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:37.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:37.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:37.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:38.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:29:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:39.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:39.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:39.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:39.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:39.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:39.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:39.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:40.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:40.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:40.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:40.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:40.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:41.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:41.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:41.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:41.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:41.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:29:41.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:41.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:41.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:41.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:42.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:42.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:43.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:43.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:43.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:43.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:43.199 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:43.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:43.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:43.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:43.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:44.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:44.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:44.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:44.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:29:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:45.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:45.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:45.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:45.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:45.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:45.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:45.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:45.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:45.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:46.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:46.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:46.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:46.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:46.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:46.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:46.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:46.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:46.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:47.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:47.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:47.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:47.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:47.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:48.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:48.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:48.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:48.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:48.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:48.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:49.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:49.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:49.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:49.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:49.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:49.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:49.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:49.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:49.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:50.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:29:50.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:50.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:50.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:50.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:50.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:50.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:50.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:50.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:51.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:51.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:51.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:51.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:51.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:51.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:51.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:51.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:51.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:52.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:52.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:52.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:52.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:52.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:52.501 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:53.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:53.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:53.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:53.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:53.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:53.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:53.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:53.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:53.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:54.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:54.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:54.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:54.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:54.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:55.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:55.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:55.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:55.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:55.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:55.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:55.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:29:55.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:55.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:56.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:56.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:56.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:56.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:56.620 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:56.620 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:56.620 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:56.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:56.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:57.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:57.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:57.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:57.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:57.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:57.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:57.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:57.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:57.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:29:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:58.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:58.680 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:29:58.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:58.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:58.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:59.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:29:59.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:29:59.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:29:59.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:29:59.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:29:59.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:29:59.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:29:59.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:29:59.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:00.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:00.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:00.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:00.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:00.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:00.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:00.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:00.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:00.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:01.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:01.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:01.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:01.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:01.760 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:01.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:01.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:01.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:01.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:02.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:02.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:02.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:02.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:02.799 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:02.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:02.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:02.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:02.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:03.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:03.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:03.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:03.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:03.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:03.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:03.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:03.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:03.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:04.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:04.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:04.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:30:04.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:04.859 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:04.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:04.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:04.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:04.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:05.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:05.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:05.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:05.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:05.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:05.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:05.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:05.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:05.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:06.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:06.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:06.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:06.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:06.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:06.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:06.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:06.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:06.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:07.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:07.975 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:07.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:07.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:07.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:07.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:07.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:07.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:07.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:09.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:09.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:09.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:09.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:09.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:09.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:09.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:09.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:09.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:10.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:10.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:10.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:10.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:10.059 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:10.059 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:10.059 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:10.059 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:10.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:30:11.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:11.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:11.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:11.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:11.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:11.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:11.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:11.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:11.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:12.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:12.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:12.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:12.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:12.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:12.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:12.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:12.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:12.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:13.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:13.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:13.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:13.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:13.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:13.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:13.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:13.181 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:13.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:14.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:14.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:14.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:14.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:14.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:14.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:14.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:14.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:14.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:15.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:15.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:15.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:15.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:15.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:15.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:15.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:15.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:15.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:16.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:16.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:16.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:16.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:16.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:16.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:30:16.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:16.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:16.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:17.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:17.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:17.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:17.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:17.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:17.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:17.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:17.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:17.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:18.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:18.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:18.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:18.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:18.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:18.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:18.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:18.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:18.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:19.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:19.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:19.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:19.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:19.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:19.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:19.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:19.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:19.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:20.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:20.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:20.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:20.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:20.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:20.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:20.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:20.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:20.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:21.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:21.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:21.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:21.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:21.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:21.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:21.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:21.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:21.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:22.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:22.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:22.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:22.534 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:22.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:22.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:22.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:22.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:22.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:23.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:23.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:23.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:23.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:23.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:23.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:23.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:23.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:23.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:24.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:24.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:24.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:24.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:24.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:24.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:24.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:24.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:24.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:25.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:25.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:30:25.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:25.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:25.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:25.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:25.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:25.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:25.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:26.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:26.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:26.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:26.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:26.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:26.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:26.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:26.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:26.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:27.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:27.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:27.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:27.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:27.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:27.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:27.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:27.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:27.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:28.754 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:30:28.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:28.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:28.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:28.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:28.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:28.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:28.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:28.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:29.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:29.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:29.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:29.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:29.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:29.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:29.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:29.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:29.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:30.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:30.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:30.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:30.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:30.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:30.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:30.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:30.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:30:30.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:31.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:31.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:31.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:31.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:31.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:31.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:31.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:31.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:31.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:32.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:32.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:32.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:32.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:32.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:32.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:32.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:32.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:32.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:33.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:33.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:33.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:33.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:33.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:33.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:33.921 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:30:33.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:33.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:34.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:34.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:34.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:34.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:34.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:34.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:34.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:34.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:34.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:35.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:35.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:35.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:35.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:36.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:36.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:36.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:36.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:36.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:37.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:37.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:37.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:37.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:37.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:30:37.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:37.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:37.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:37.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:38.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:38.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:38.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:38.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:39.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:39.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:39.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:39.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:39.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:39.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:39.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:39.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:39.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:40.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:40.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:40.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:40.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:30:40.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:40.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:40.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:40.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:40.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:41.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:41.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:41.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:41.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:41.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:41.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:41.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:42.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:42.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:42.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:42.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:42.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:43.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:43.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:43.215 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:43.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:43.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:43.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:43.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:43.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:43.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:44.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:44.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:44.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:44.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:44.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:44.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:44.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:44.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:44.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:45.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:45.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:45.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:45.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:45.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:45.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:45.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:45.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:45.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:46.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:30:46.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:46.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:46.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:46.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:47.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:47.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:47.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:47.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:47.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:48.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:48.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:48.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:48.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:48.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:48.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:48.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:48.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:48.422 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:49.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:49.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:49.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:49.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:49.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:49.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:49.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:49.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:49.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:50.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:50.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:50.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:50.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:50.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:50.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:50.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:50.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:50.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:51.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:51.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:51.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:51.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:51.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:51.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:51.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:30:51.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:51.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:52.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:52.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:52.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:52.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:52.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:52.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:52.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:52.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:52.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:53.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:53.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:53.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:53.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:53.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:53.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:53.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:53.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:53.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:54.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:54.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:54.656 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:54.656 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:54.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:54.665 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:30:54.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:54.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:54.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:55.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:55.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:55.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:55.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:55.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:55.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:55.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:55.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:55.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:56.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:56.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:56.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:56.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:56.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:56.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:56.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:56.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:56.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:57.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:57.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:57.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:30:57.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:57.760 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:57.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:57.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:57.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:57.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:58.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:58.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:58.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:58.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:58.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:58.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:58.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:58.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:58.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:59.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:30:59.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:30:59.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:30:59.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:30:59.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:30:59.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:30:59.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:30:59.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:30:59.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:00.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:31:00.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:01.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:01.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:01.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:01.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:01.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:01.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:01.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:01.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:01.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:02.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:02.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:02.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:02.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:02.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:02.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:02.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:02.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:02.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:03.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:03.973 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:03.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:03.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:03.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:03.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:03.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:03.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:03.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:05.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:05.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:05.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:05.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:05.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:05.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:05.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:05.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:05.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:06.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:06.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:06.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:06.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:06.059 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:06.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:06.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:06.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:06.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:31:07.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:07.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:07.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:07.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:07.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:07.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:07.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:07.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:07.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:08.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:08.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:08.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:08.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:08.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:09.159 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:10.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:10.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:10.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:10.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:10.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:10.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:11.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:11.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:11.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:11.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:12.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:12.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:12.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:12.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:12.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:12.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:31:12.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:12.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:12.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:13.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:13.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:13.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:13.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:13.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:14.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:14.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:14.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:14.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:14.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:14.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:14.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:14.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:14.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:15.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:15.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:15.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:15.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:15.339 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:15.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:15.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:15.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:15.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:16.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:16.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:16.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:16.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:16.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:16.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:16.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:16.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:16.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:17.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:17.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:17.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:17.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:17.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:17.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:17.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:17.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:17.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:18.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:18.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:18.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:18.414 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:18.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:18.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:18.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:18.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:18.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:19.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:19.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:19.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:19.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:19.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:19.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:19.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:19.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:19.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:20.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:20.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:20.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:20.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:21.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:21.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:31:21.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:21.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:21.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:21.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:21.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:21.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:21.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:22.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:22.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:22.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:22.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:22.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:22.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:22.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:22.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:22.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:23.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:23.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:23.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:23.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:23.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:23.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:23.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:23.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:23.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:24.655 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:31:24.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:24.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:24.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:24.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:24.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:24.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:24.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:24.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:25.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:25.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:25.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:25.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:25.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:25.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:25.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:25.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:25.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:26.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:26.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:26.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:26.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:31:26.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:27.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:27.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:27.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:27.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:27.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:28.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:28.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:28.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:28.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:28.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:28.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:28.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:28.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:28.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:29.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:31:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:30.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:30.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:30.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:30.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:30.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:30.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:30.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:30.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:30.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:31.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:31.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:31.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:31.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:31.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:31.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:31.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:31.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:31.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:32.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:32.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:32.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:32.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:33.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:31:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:34.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:34.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:34.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:34.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:34.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:34.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:34.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:34.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:34.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:35.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:35.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:35.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:35.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:35.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:35.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:35.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:35.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:35.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:36.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:36.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:36.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:36.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:31:36.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:36.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:36.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:36.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:36.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:37.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:37.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:37.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:37.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:37.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:37.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:37.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:37.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:37.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:38.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:38.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:38.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:38.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:38.159 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:38.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:38.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:38.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:38.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:39.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:39.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:39.193 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:39.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:39.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:39.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:39.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:39.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:39.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:40.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:40.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:40.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:40.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:40.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:40.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:40.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:40.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:40.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:41.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:41.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:41.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:41.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:41.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:41.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:41.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:41.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:41.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:42.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:31:42.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:42.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:42.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:42.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:42.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:42.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:42.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:42.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:43.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:43.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:43.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:43.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:43.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:43.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:43.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:43.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:43.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:44.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:44.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:44.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:44.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:44.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:44.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:44.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:44.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:44.365 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:45.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:45.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:45.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:45.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:45.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:45.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:45.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:45.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:45.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:46.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:46.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:46.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:46.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:46.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:46.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:46.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:46.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:46.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:47.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:47.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:47.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:47.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:31:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:48.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:48.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:48.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:48.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:48.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:48.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:48.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:48.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:48.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:49.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:49.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:49.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:49.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:49.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:49.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:49.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:49.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:49.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:50.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:50.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:50.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:50.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:50.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:50.585 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:31:50.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:50.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:50.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:51.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:51.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:51.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:51.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:51.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:51.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:51.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:51.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:51.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:52.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:52.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:52.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:52.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:52.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:52.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:52.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:52.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:52.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:53.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:53.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:53.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:31:53.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:53.703 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:53.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:53.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:53.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:53.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:54.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:54.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:54.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:54.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:54.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:54.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:54.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:54.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:54.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:55.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:55.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:55.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:55.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:55.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:55.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:55.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:55.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:55.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:56.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:56.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:56.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:31:56.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:56.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:56.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:56.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:56.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:56.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:57.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:57.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:57.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:57.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:57.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:57.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:57.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:57.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:57.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:58.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:58.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:58.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:58.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:58.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:58.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:58.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:58.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:58.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:59.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:31:59.931 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:31:59.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:31:59.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:31:59.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:31:59.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:31:59.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:31:59.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:31:59.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:00.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:00.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:00.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:00.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:00.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:00.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:00.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:00.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:00.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:02.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:02.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:02.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:02.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:02.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:02.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:02.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:02.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:02.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:32:03.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:03.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:03.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:03.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:03.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:03.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:03.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:03.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:03.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:04.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:04.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:04.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:04.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:04.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:04.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:04.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:04.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:04.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:05.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:05.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:05.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:05.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:05.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:05.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:05.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:05.141 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:05.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:06.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:06.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:06.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:06.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:06.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:06.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:06.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:06.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:06.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:07.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:07.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:07.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:07.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:07.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:07.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:07.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:07.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:07.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:08.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:08.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:08.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:08.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:08.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:08.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:32:08.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:08.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:08.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:09.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:09.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:09.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:09.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:09.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:09.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:09.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:09.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:09.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:10.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:10.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:10.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:10.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:10.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:10.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:10.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:10.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:10.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:11.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:11.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:11.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:11.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:11.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:11.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:11.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:11.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:11.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:12.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:12.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:12.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:12.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:12.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:12.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:12.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:12.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:12.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:13.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:13.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:13.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:13.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:13.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:13.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:13.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:13.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:13.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:14.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:14.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:15.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:15.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:15.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:15.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:16.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:16.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:16.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:16.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:16.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:16.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:16.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:16.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:16.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:17.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:17.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:32:17.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:17.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:17.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:17.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:17.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:17.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:17.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:18.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:18.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:19.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:19.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:20.670 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:32:20.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:20.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:20.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:20.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:20.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:20.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:20.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:20.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:22.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:22.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:22.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:22.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:22.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:22.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:22.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:22.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:32:22.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:23.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:23.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:23.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:23.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:23.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:23.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:23.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:23.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:23.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:24.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:24.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:24.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:24.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:24.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:24.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:24.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:24.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:24.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:25.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:25.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:25.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:25.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:25.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:25.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:32:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:26.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:26.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:26.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:26.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:26.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:26.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:26.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:26.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:26.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:27.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:28.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:28.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:28.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:28.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:29.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:32:29.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:30.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:30.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:30.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:30.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:30.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:30.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:30.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:30.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:30.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:31.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:31.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:31.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:31.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:31.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:31.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:31.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:31.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:31.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:32.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:32.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:32.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:32.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:32:32.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:32.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:32.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:32.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:32.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:33.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:33.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:33.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:33.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:33.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:33.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:33.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:33.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:33.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:34.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:34.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:34.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:34.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:34.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:34.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:34.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:34.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:34.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:35.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:35.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:35.210 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:35.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:35.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:35.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:35.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:35.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:35.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:36.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:36.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:36.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:36.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:36.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:36.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:36.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:36.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:36.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:37.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:37.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:37.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:37.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:37.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:37.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:37.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:37.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:37.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:38.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:32:38.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:38.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:38.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:38.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:38.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:38.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:38.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:38.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:39.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:39.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:39.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:39.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:39.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:39.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:39.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:39.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:39.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:40.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:40.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:40.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:40.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:40.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:40.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:40.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:40.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:40.365 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:41.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:41.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:41.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:41.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:41.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:41.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:41.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:41.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:41.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:42.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:42.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:43.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:43.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:43.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:43.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:43.529 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:43.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:43.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:32:43.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:43.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:44.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:44.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:44.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:44.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:44.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:44.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:44.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:44.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:44.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:45.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:45.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:45.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:45.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:45.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:45.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:45.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:45.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:45.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:46.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:46.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:46.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:46.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:46.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:46.663 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:32:46.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:46.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:46.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:47.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:47.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:47.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:47.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:47.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:47.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:47.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:47.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:47.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:48.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:48.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:48.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:48.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:48.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:48.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:48.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:48.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:48.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:49.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:49.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:49.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:32:49.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:49.784 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:49.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:49.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:49.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:49.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:50.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:50.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:50.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:50.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:50.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:50.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:50.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:50.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:50.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:51.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:51.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:51.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:51.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:51.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:51.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:51.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:51.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:51.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:32:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:52.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:52.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:52.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:52.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:52.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:53.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:53.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:53.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:53.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:53.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:53.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:53.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:53.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:53.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:54.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:54.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:54.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:54.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:54.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:56.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:56.014 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:56.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:56.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:56.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:56.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:56.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:56.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:56.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:57.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:57.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:57.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:57.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:57.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:57.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:57.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:57.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:57.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:58.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:58.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:58.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:58.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:58.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:58.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:58.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:58.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:58.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:32:59.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:32:59.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:32:59.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:32:59.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:32:59.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:32:59.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:32:59.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:32:59.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:32:59.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:00.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:00.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:00.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:00.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:00.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:00.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:00.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:00.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:00.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:01.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:01.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:01.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:01.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:01.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:01.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:01.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:01.201 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:01.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:02.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:02.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:02.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:02.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:02.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:02.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:02.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:02.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:02.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:03.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:03.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:03.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:03.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:03.259 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:03.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:03.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:03.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:03.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:04.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:04.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:04.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:04.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:04.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:04.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:33:04.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:04.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:04.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:05.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:05.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:05.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:05.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:05.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:05.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:05.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:05.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:05.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:06.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:06.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:06.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:06.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:06.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:06.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:06.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:06.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:06.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:07.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:07.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:07.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:07.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:07.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x40 ErrorCode2:
```

```
0x4, Message: PNIO_CMRPC_OUT_OF_AR_RESOURCES
13.01.20 13:33:07.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:07.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:07.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x40 0x 4
13.01.20 13:33:07.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_CMRPC_OUT_OF_AR_RESOURCES
13.01.20 13:33:08.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:08.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:08.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:08.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:08.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:08.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:08.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:08.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:08.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:09.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:09.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:09.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:09.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:09.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:09.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:09.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:09.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:09.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:10.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:10.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:10.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:10.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:10.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:10.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:10.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:10.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:10.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:11.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:11.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:11.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:11.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:11.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:11.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:11.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:11.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:11.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:12.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:12.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:12.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:12.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:12.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:13.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:13.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:33:13.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:13.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:13.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:13.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:13.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:13.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:13.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:14.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:14.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:14.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:14.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:15.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:15.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:15.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:15.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:15.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:15.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:15.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:15.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:15.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:16.690 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:33:16.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:16.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:16.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:16.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:16.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:16.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:16.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:16.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:17.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:17.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:17.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:17.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:17.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:17.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:17.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:17.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:17.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:18.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:18.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:18.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:18.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:18.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:18.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:18.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:18.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:33:18.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:19.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:19.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:19.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:19.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:19.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:19.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:19.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:19.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:19.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:20.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:20.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:20.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:20.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:20.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:20.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:20.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:20.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:20.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:21.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:21.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:21.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:21.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:21.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:21.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:21.901 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:33:21.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:21.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:22.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:22.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:22.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:22.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:22.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:23.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:23.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:23.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:23.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:23.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:23.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:23.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:23.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:23.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:25.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:25.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:25.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:25.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:25.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:33:25.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:25.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:25.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:25.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:26.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:26.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:26.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:26.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:27.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:27.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:27.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:27.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:27.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:27.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:27.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:27.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:27.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:28.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:28.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:28.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:28.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:33:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:29.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:29.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:29.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:29.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:29.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:29.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:29.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:29.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:29.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:30.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:30.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:30.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:30.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:30.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:31.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:31.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:31.273 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:31.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:31.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:32.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:32.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:32.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:32.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:32.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:32.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:32.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:32.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:32.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:33.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:33.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:33.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:33.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:33.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:33.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:33.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:33.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:33.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:34.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:33:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:34.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:35.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:35.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:35.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:35.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:35.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:35.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:35.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:35.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:35.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:36.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:36.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:36.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:36.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:36.459 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:36.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:36.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:36.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:36.460 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:37.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:37.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:37.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:37.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:37.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:37.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:37.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:37.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:37.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:38.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:38.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:38.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:38.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:38.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:39.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:39.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:39.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:39.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:33:39.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:39.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:40.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:40.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:40.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:40.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:40.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:40.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:40.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:40.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:40.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:41.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:41.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:41.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:41.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:41.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:41.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:41.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:41.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:41.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:42.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:42.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:33:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:47.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:47.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:47.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:47.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:47.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:47.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:47.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:47.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:33:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:48.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:48.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:48.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:48.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:48.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:49.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:50.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:50.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:50.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:50.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:50.979 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:50.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:50.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:50.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:50.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:52.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:52.013 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:52.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:52.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:52.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:52.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:52.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:52.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:53.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:53.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:53.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:53.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:53.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:33:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:55.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:55.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:55.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:55.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:55.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:56.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:56.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:56.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:56.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:56.179 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:56.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:56.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:56.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:56.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:57.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:57.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:57.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:33:57.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:57.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:57.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:57.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:57.220 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:57.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:58.239 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:58.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:58.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:58.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:58.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:59.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:33:59.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:33:59.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:33:59.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:33:59.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:33:59.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:33:59.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:33:59.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:33:59.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:00.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:00.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:00.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:00.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:00.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:00.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:34:00.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:00.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:00.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:01.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:01.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:01.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:01.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:01.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:01.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:01.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:01.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:01.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:02.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:02.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:02.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:02.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:02.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:02.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:02.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:02.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:02.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:03.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:03.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:03.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:03.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:03.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:03.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:03.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:03.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:03.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:04.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:04.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:04.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:04.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:04.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:04.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:04.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:04.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:04.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:05.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:05.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:05.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:05.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:05.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:05.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:05.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:05.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:05.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:06.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:06.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:06.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:06.510 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:06.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:06.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:06.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:06.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:06.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:07.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:07.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:07.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:07.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:07.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:07.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:07.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:07.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:07.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:08.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:08.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:08.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:08.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:08.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:08.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:08.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:08.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:08.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:09.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:09.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:34:09.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:09.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:09.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:09.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:09.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:09.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:09.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:10.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:10.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:10.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:10.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:10.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:10.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:10.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:10.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:10.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:11.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:11.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:11.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:11.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:11.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:11.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:11.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:11.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:11.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:12.752 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:34:12.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:12.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:12.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:12.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:12.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:12.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:12.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:12.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:13.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:13.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:13.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:13.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:13.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:13.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:13.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:13.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:13.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:14.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:14.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:14.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:14.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:14.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:14.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:14.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:14.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:34:14.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:15.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:15.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:15.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:15.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:15.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:15.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:15.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:15.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:15.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:16.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:16.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:16.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:16.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:16.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:17.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:17.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:17.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:17.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:17.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:17.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:17.962 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:34:17.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:17.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:18.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:19.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:19.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:19.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:19.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:19.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:20.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:20.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:20.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:20.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:20.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:21.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:34:21.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:21.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:21.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:21.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:22.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:22.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:22.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:22.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:22.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:22.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:22.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:22.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:22.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:23.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:23.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:23.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:23.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:23.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:23.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:23.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:23.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:23.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:24.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:24.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:24.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:24.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:34:24.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:24.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:24.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:24.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:24.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:25.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:25.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:25.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:25.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:25.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:25.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:25.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:25.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:25.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:26.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:26.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:26.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:26.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:26.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:26.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:26.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:26.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:26.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:27.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:27.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:27.273 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:27.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:27.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:27.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:27.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:27.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:27.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:28.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:28.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:28.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:28.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:28.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:28.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:29.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:29.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:29.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:29.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:29.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:29.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:29.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:29.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:29.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:30.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:34:30.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:30.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:30.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:30.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:30.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:30.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:30.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:30.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:31.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:31.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:31.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:31.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:31.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:31.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:31.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:31.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:31.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:32.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:32.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:32.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:32.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:32.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:32.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:32.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:32.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:32.423 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:33.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:33.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:33.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:33.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:33.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:33.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:33.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:33.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:33.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:34.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:34.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:34.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:34.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:34.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:34.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:34.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:34.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:34.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:35.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:35.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:35.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:35.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:35.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:35.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:35.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:34:35.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:35.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:36.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:36.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:36.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:36.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:36.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:36.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:36.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:36.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:36.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:37.569 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:37.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:37.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:37.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:37.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:37.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:37.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:37.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:37.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:38.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:38.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:38.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:38.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:38.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:38.622 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:34:38.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:38.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:38.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:39.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:39.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:39.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:39.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:39.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:39.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:39.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:39.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:39.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:40.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:40.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:40.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:40.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:40.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:40.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:40.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:40.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:40.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:41.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:41.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:41.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:41.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:41.742 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:41.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:41.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:41.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:41.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:42.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:42.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:42.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:42.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:42.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:42.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:43.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:43.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:43.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:43.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:43.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:44.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:44.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:44.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:34:44.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:44.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:44.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:44.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:44.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:44.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:45.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:45.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:45.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:45.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:45.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:45.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:45.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:45.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:45.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:46.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:46.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:46.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:46.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:46.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:47.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:47.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:47.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:47.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:47.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:49.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:49.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:49.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:49.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:49.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:49.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:49.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:49.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:49.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:50.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:50.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:50.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:50.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:50.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:50.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:50.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:50.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:50.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:34:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:51.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:51.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:51.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:51.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:51.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:52.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:52.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:52.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:52.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:52.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:52.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:52.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:52.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:52.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:53.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:53.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:53.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:34:53.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:53.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:53.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:53.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:53.184 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:53.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:54.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:54.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:54.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:54.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:54.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:54.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:54.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:54.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:54.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:55.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:55.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:55.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:55.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:55.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:55.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:55.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:55.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:55.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:56.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:56.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:56.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:56.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:56.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:56.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:34:56.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:56.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:56.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:57.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:57.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:57.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:57.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:57.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:57.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:57.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:57.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:57.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:58.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:58.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:58.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:58.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:58.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:58.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:58.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:58.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:58.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:59.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:34:59.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:34:59.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:34:59.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:34:59.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:34:59.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:34:59.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:34:59.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:34:59.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:00.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:00.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:00.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:00.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:00.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:00.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:00.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:00.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:00.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:01.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:01.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:01.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:01.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:01.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:01.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:01.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:01.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:01.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:02.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:02.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:02.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:02.472 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:02.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:02.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:02.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:02.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:02.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:03.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:03.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:03.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:03.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:03.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:03.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:03.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:03.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:03.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:04.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:04.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:04.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:04.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:04.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:04.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:04.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:04.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:04.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:05.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:05.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:35:05.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:05.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:05.599 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:05.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:05.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:05.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:05.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:06.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:06.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:06.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:06.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:06.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:06.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:06.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:06.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:06.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:07.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:07.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:07.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:07.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:07.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:07.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:08.713 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:35:08.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:08.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:08.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:08.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:08.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:08.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:08.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:08.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:09.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:09.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:09.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:09.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:09.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:09.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:09.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:09.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:09.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:10.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:10.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:10.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:10.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:10.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:10.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:10.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:10.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:35:10.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:11.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:11.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:11.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:11.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:11.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:11.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:11.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:11.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:11.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:12.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:12.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:12.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:12.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:12.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:13.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:13.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:13.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:13.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:13.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:13.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:13.924 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:35:13.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:13.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:14.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:14.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:14.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:14.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:14.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:14.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:14.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:14.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:14.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:15.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:15.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:15.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:15.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:15.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:15.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:15.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:15.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:15.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:17.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:17.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:17.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:17.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:17.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:35:17.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:17.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:17.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:17.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:18.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:18.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:18.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:18.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:18.059 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:18.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:18.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:18.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:18.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:19.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:19.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:19.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:19.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:19.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:19.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:19.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:19.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:19.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:20.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:20.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:20.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:20.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:35:20.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:20.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:20.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:20.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:20.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:21.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:21.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:21.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:21.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:21.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:21.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:21.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:21.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:21.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:22.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:22.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:22.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:22.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:22.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:22.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:22.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:22.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:22.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:23.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:23.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:23.215 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:23.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:23.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:23.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:23.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:23.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:23.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:24.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:24.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:24.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:24.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:24.259 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:24.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:24.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:24.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:24.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:25.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:25.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:25.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:25.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:25.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:25.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:25.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:25.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:25.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:26.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:35:26.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:26.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:26.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:26.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:26.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:26.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:26.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:26.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:27.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:27.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:27.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:27.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:27.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:27.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:27.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:27.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:27.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:28.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:28.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:28.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:28.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:28.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:28.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:28.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:28.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:28.423 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:29.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:29.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:29.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:29.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:29.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:29.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:29.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:29.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:29.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:30.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:30.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:30.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:30.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:30.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:30.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:30.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:30.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:30.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:31.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:31.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:31.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:31.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:31.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:31.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:31.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:35:31.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:31.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:32.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:32.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:32.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:32.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:32.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:32.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:32.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:32.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:32.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:33.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:33.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:33.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:33.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:33.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:33.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:33.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:33.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:33.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:34.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:34.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:34.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:34.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:34.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:34.660 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:35:34.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:34.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:34.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:35.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:35.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:35.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:35.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:35.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:35.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:35.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:35.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:35.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:36.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:36.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:36.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:36.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:36.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:36.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:36.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:36.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:36.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:37.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:37.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:37.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:37.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:37.782 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:37.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:37.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:37.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:37.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:38.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:38.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:38.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:38.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:38.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:38.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:38.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:38.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:38.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:39.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:39.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:39.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:39.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:39.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:39.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:39.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:39.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:39.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:40.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:40.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:40.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
```

```
13.01.20 13:35:40.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:40.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:40.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:40.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:40.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:40.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:41.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:41.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:41.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:41.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:41.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:41.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:41.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:41.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:41.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:42.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:42.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:42.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:42.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:42.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:44.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:44.015 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:44.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:44.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:44.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:44.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:44.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:44.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:44.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:45.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:45.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:45.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:45.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:45.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:45.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:46.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:46.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:46.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:46.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:46.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:46.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:46.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:46.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:46.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:35:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:47.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:47.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:48.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:48.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:48.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:48.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:48.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:48.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:48.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:48.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:48.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:49.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:49.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:49.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:49.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:49.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:49.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:49.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:49.223 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:49.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:50.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:50.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:50.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:50.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:50.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:50.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:50.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:50.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:50.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:51.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:51.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:51.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:51.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:51.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:52.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:52.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:35:52.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:52.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:52.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:53.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:53.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:53.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:53.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:53.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:53.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:53.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:53.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:53.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:54.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:54.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:54.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:54.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:54.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:54.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:54.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:54.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:54.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:55.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:55.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:55.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:55.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:55.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:55.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:55.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:55.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:55.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:56.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:56.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:56.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:56.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:56.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:56.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:56.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:56.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:56.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:57.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:57.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:57.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:57.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:57.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:57.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:57.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:57.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:57.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:58.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:58.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:58.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:35:58.533 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:58.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:58.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:58.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:58.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:58.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:59.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:35:59.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:35:59.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:35:59.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:35:59.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:35:59.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:35:59.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:35:59.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:35:59.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:00.036 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "B4C34C73" not exist
13.01.20 13:36:00.044 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "B4C34C73" not exist
13.01.20 13:36:00.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:00.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:00.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:00.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:00.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:00.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:00.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:00.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:00.647 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:36:01.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:01.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:01.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:01.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:01.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:01.679 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:01.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:01.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:01.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:02.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:02.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:02.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:02.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:02.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:02.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:02.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:02.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:02.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:03.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:03.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:03.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:03.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:03.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:03.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:03.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:03.763 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:03.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:04.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:04.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:04.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:04.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:04.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:04.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:04.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:04.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:04.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:05.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:05.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:05.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:05.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:05.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:05.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:05.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:05.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:05.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:06.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:06.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:06.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:06.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:06.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:06.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:36:06.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:06.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:06.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:07.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:07.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:07.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:07.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:07.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:07.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:08.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:08.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:08.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:08.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:08.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:09.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:09.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:09.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:09.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:10.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:10.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:10.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:10.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:10.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:11.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:11.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:11.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:11.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:11.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:11.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:11.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:11.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:11.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:12.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:12.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:12.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:12.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:12.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:12.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:13.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:13.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:13.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:13.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:13.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:14.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:14.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:14.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:14.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:14.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:14.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:14.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:14.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:14.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:15.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:15.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:15.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:15.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:15.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:15.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:15.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:15.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:15.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:16.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:16.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:36:16.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:16.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:16.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:16.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:17.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:17.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:17.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:17.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:17.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:17.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:17.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:17.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:17.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:18.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:18.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:18.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:18.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:18.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:18.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:18.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:18.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:18.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:19.333 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:36:19.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:19.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:19.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:19.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:19.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:19.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:19.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:19.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:20.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:20.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:20.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:20.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:20.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:20.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:20.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:20.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:20.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:21.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:21.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:21.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:21.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:21.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:21.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:21.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:21.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:36:21.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:22.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:22.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:22.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:22.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:22.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:22.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:22.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:22.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:22.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:23.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:23.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:23.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:23.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:23.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:23.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:23.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:23.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:23.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:24.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:24.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:24.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:24.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:24.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:24.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:24.521 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:36:24.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:24.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:25.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:25.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:25.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:25.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:25.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:25.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:25.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:25.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:25.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:26.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:26.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:26.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:26.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:26.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:27.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:36:27.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:27.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:27.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:27.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:28.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:28.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:28.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:28.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:28.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:28.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:28.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:28.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:28.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:29.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:29.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:29.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:29.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:29.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:29.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:29.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:29.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:29.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:36:30.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:30.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:30.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:30.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:30.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:31.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:31.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:31.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:31.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:31.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:31.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:31.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:31.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:31.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:32.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:32.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:32.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:32.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:32.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:32.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:33.839 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:33.839 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:33.839 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:33.839 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:33.839 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:34.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:34.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:34.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:34.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:34.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:34.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:34.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:34.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:34.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:35.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:35.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:35.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:35.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:35.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:35.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:35.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:35.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:35.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:36.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:36:36.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:36.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:36.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:36.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:36.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:36.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:36.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:36.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:37.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:37.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:37.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:37.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:37.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:37.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:37.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:37.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:37.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:39.039 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:39.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:40.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:40.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:40.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:40.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:40.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:41.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:41.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:41.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:41.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:41.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:41.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:41.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:41.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:41.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:42.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:42.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:42.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:42.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:42.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:42.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:42.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:36:42.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:42.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:43.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:43.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:43.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:43.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:43.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:43.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:43.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:43.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:43.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:44.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:44.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:44.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:44.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:44.239 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:44.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:44.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:44.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:44.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:45.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:45.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:45.281 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:36:45.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:45.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:45.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:46.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:46.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:46.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:46.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:46.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:47.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:47.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:47.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:47.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:47.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:47.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:48.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:48.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:48.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:48.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:48.399 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:48.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:48.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:48.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:48.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:49.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:49.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:49.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:49.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:49.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:50.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:50.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:50.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:50.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:51.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:51.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:51.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:36:51.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:51.499 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:51.499 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:51.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:51.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:51.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:52.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:52.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:52.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:52.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:52.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:52.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:52.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:52.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:52.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:53.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:53.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:53.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:36:53.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:53.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:53.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:53.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:53.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:53.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:54.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:54.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:54.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:54.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:54.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:55.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:55.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:55.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:55.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:55.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:55.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:55.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:55.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:55.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:56.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:56.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:56.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:56.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:56.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:56.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:56.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:56.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:56.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:36:57.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:57.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:57.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:57.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:57.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:57.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:57.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:57.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:57.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:58.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:58.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:58.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:58.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:58.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:58.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:58.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:58.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:58.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:59.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:36:59.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:36:59.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:36:59.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:36:59.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:36:59.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:36:59.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:36:59.825 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:36:59.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:00.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:00.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:00.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:00.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:00.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:00.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:00.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:00.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:00.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:01.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:01.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:01.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:01.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:01.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:01.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:01.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:01.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:01.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:02.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:02.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:02.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:02.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:02.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:02.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:37:02.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:02.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:02.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:03.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:03.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:03.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:03.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:03.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:03.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:03.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:03.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:03.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:04.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:04.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:04.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:04.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:05.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:05.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:05.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:05.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:05.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:06.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:06.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:06.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:06.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:06.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:06.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:06.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:06.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:06.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:07.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:07.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:07.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:07.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:07.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:07.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:07.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:07.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:07.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:08.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:08.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:08.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:08.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:08.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:08.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:09.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:09.151 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:09.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:10.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:10.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:10.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:10.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:10.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:10.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:10.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:10.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:10.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:11.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:11.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:11.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:11.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:11.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:11.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:11.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:11.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:11.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:12.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:12.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:37:12.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:12.276 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:12.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:12.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:12.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:12.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:12.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:13.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:13.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:13.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:13.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:13.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:13.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:13.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:13.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:13.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:14.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:14.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:14.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:14.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:14.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:14.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:14.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:14.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:14.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:15.414 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:37:15.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:15.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:15.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:15.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:15.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:15.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:15.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:15.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:16.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:16.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:16.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:16.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:16.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:16.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:16.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:16.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:16.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:17.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:17.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:17.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:17.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:17.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:17.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:17.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:17.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:37:17.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:18.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:18.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:18.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:18.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:18.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:19.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:19.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:19.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:19.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:19.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:19.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:19.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:19.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:19.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:20.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:20.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:20.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:20.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:20.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:20.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:20.624 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:37:20.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:20.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:21.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:21.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:21.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:21.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:21.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:21.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:21.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:21.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:21.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:22.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:22.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:22.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:22.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:22.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:22.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:22.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:22.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:22.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:23.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:23.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:23.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:23.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:23.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:37:23.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:23.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:23.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:23.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:24.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:24.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:24.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:24.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:24.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:25.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:25.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:25.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:25.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:25.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:25.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:25.779 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:25.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:25.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:26.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:26.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:26.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:26.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:37:26.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:26.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:26.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:26.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:26.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:27.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:27.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:27.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:27.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:27.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:27.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:27.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:27.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:27.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:28.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:28.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:28.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:28.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:28.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:28.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:28.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:28.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:28.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:29.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:29.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:29.916 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:29.916 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:29.928 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:29.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:29.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:29.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:29.929 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:30.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:30.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:30.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:30.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:30.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:30.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:30.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:32.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:32.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:32.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:32.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:32.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:32.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:32.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:32.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:32.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:33.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:37:33.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:33.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:33.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:33.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:33.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:33.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:33.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:33.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:34.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:34.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:34.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:34.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:34.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:34.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:35.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:35.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:35.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:35.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:35.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:35.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:35.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:35.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:35.141 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:36.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:36.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:36.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:36.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:36.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:36.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:36.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:36.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:36.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:37.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:37.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:37.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:37.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:37.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:37.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:37.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:37.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:37.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:38.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:38.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:38.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:38.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:38.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:38.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:38.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:37:38.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:38.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:39.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:39.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:39.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:39.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:39.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:39.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:39.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:39.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:39.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:40.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:40.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:40.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:40.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:40.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:40.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:40.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:40.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:40.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:41.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:41.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:41.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:41.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:41.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:41.382 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:37:41.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:41.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:41.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:42.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:43.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:43.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:43.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:43.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:43.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:43.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:43.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:43.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:43.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:44.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:44.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:44.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:44.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:44.503 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:44.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:44.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:44.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:44.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:46.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:46.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:46.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:46.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:46.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:46.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:46.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:46.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:46.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:47.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:47.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:47.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:37:47.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:47.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:47.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:47.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:47.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:47.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:48.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:48.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:48.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:48.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:48.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:48.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:48.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:48.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:48.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:49.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:49.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:49.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:49.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:49.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:49.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:49.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:49.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:49.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:50.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:50.713 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:50.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:50.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:50.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:50.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:50.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:50.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:50.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:51.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:51.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:51.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:51.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:51.759 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:51.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:51.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:51.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:51.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:52.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:52.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:52.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:52.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:52.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:52.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:52.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:52.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:52.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:37:53.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:53.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:53.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:53.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:53.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:53.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:53.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:53.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:53.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:54.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:54.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:54.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:54.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:54.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:54.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:54.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:54.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:54.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:55.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:55.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:55.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:37:55.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:55.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:55.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:55.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:55.922 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:55.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:56.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:56.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:56.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:56.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:56.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:56.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:56.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:56.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:56.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:57.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:57.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:57.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:57.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:57.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:57.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:37:57.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:57.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:57.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:58.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:37:58.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:37:58.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:37:58.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:37:59.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:37:59.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:37:59.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:37:59.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:37:59.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:00.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:00.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:00.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:00.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:00.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:00.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:00.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:00.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:00.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:01.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:01.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:01.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:01.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:02.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:02.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:02.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:02.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:02.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:02.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:02.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:02.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:02.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:03.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:03.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:03.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:03.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:03.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:03.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:03.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:03.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:03.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:04.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:04.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:04.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:04.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:04.179 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:04.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:04.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:04.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:04.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:05.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:05.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:05.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:05.213 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:05.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:05.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:05.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:05.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:06.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:06.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:06.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:06.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:06.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:06.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:06.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:06.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:06.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:07.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:07.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:07.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:07.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:07.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:07.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:07.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:07.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:07.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:08.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:08.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:38:08.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:08.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:08.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:08.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:08.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:08.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:08.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:09.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:09.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:09.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:09.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:09.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:09.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:09.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:09.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:09.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:10.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:10.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:10.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:10.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:10.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:10.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:10.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:10.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:10.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:11.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:38:11.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:11.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:11.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:11.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:11.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:11.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:11.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:11.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:12.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:12.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:12.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:12.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:12.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:12.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:12.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:12.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:12.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:13.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:13.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:13.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:13.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:13.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:13.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:13.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:13.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:38:13.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:14.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:14.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:14.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:14.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:14.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:14.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:14.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:14.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:14.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:15.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:15.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:15.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:15.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:15.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:15.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:15.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:15.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:15.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:16.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:16.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:16.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:16.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:16.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:16.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:16.663 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:38:16.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:16.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:17.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:17.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:17.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:17.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:17.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:17.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:18.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:18.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:18.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:18.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:18.739 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:18.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:18.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:18.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:18.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:19.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:19.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:19.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:19.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:19.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:38:19.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:19.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:19.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:19.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:20.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:20.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:20.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:20.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:20.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:20.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:20.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:20.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:20.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:21.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:21.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:21.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:21.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:21.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:21.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:21.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:21.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:21.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:22.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:22.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:22.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:22.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:38:22.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:22.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:22.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:22.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:22.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:23.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:23.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:23.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:23.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:23.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:23.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:23.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:23.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:23.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:24.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:24.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:24.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:24.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:24.979 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:24.979 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:24.979 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:24.979 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:24.979 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:26.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:26.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:26.012 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:26.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:26.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:26.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:26.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:26.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:26.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:27.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:27.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:27.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:27.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:27.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:27.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:27.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:27.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:27.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:28.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:28.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:28.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:28.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:28.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:28.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:28.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:28.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:28.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:29.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:38:29.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:29.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:29.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:29.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:29.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:29.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:29.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:29.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:30.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:30.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:30.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:30.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:30.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:30.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:30.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:30.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:30.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:31.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:31.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:31.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:31.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:31.223 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:32.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:32.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:32.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:32.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:32.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:32.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:33.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:33.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:33.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:33.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:33.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:34.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:34.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:34.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:34.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:34.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:34.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:34.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:38:34.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:34.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:35.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:35.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:35.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:35.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:35.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:35.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:35.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:35.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:35.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:36.399 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:36.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:36.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:36.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:36.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:37.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:37.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:37.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:37.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:37.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:37.424 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:38:37.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:37.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:37.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:38.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:38.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:38.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:38.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:38.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:38.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:38.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:38.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:38.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:39.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:39.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:39.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:39.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:39.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:39.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:39.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:39.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:39.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:40.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:40.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:40.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:40.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:40.521 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:41.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:41.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:41.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:41.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:42.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:42.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:42.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:42.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:42.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:42.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:43.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:43.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:43.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:38:43.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:43.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:43.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:43.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:43.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:43.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:44.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:44.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:44.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:44.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:44.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:44.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:44.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:44.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:44.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:45.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:45.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:45.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:45.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:45.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:45.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:45.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:45.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:45.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:46.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:46.690 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:46.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:46.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:46.699 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:46.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:46.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:46.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:46.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:47.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:47.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:47.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:47.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:47.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:48.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:48.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:48.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:48.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:48.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:48.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:38:49.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:49.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:49.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:49.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:49.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:50.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:50.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:50.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:50.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:50.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:51.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:51.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:51.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:38:51.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:51.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:51.879 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:51.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:51.880 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:51.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:52.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:52.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:52.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:52.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:52.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:52.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:52.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:52.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:52.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:53.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:53.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:53.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:53.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:53.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:53.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:53.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:53.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:53.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:54.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:54.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:54.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:54.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:55.000 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:55.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:38:55.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:55.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:55.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:56.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:56.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:56.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:56.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:56.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:56.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:56.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:56.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:56.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:57.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:57.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:57.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:57.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:57.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:57.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:57.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:57.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:57.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:58.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:58.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:58.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:58.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:58.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:58.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:58.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:58.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:58.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:59.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:38:59.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:38:59.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:38:59.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:38:59.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:38:59.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:38:59.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:38:59.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:38:59.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:00.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:00.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:00.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:00.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:00.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:00.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:00.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:00.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:00.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:01.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:01.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:01.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:01.233 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:01.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:01.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:01.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:01.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:01.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:02.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:02.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:02.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:02.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:02.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:02.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:02.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:02.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:02.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:03.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:03.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:03.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:03.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:03.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:03.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:03.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:03.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:03.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:04.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:04.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:39:04.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:04.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:04.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:04.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:04.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:04.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:04.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:05.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:05.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:05.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:05.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:05.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:05.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:05.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:05.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:05.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:06.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:06.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:06.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:06.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:06.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:06.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:06.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:06.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:06.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:07.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:39:07.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:07.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:07.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:07.459 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:07.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:07.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:07.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:07.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:08.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:08.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:08.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:08.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:08.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:08.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:08.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:08.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:08.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:09.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:09.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:09.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:09.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:09.539 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:09.539 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:09.539 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:09.539 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:39:09.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:10.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:10.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:10.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:10.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:10.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:10.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:10.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:10.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:10.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:11.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:11.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:11.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:11.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:12.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:12.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:12.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:12.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:12.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:12.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:12.662 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:39:12.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:12.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:13.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:13.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:13.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:13.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:13.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:13.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:14.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:14.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:14.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:14.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:14.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:14.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:14.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:14.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:14.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:15.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:15.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:15.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:15.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:15.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:39:15.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:15.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:15.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:15.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:16.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:16.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:16.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:16.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:16.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:16.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:16.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:16.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:16.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:17.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:17.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:17.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:17.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:17.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:17.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:17.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:17.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:17.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:39:18.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:18.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:18.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:18.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:18.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:19.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:19.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:19.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:19.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:19.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:19.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:19.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:19.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:19.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:20.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:20.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:20.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:20.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:20.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:20.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:20.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:20.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:20.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:21.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:21.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:21.954 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:21.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:21.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:21.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:21.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:21.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:21.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:22.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:22.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:22.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:22.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:23.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:23.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:23.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:23.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:23.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:24.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:24.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:24.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:24.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:24.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:24.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:24.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:24.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:24.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:25.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:39:25.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:25.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:25.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:25.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:26.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:26.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:26.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:26.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:26.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:26.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:26.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:27.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:27.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:27.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:27.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:27.159 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:27.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:27.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:27.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:27.160 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:28.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:28.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:28.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:28.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:28.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:28.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:28.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:28.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:28.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:29.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:29.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:29.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:29.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:29.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:29.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:29.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:29.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:29.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:30.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:30.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:30.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:30.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:30.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:30.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:30.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:39:30.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:30.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:31.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:31.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:31.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:31.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:31.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:31.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:31.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:31.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:31.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:32.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:32.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:32.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:32.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:32.339 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:32.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:32.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:32.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:32.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:33.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:33.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:33.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:33.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:33.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:33.360 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:39:33.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:33.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:33.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:34.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:34.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:34.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:35.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:35.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:35.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:35.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:35.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:35.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:35.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:35.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:35.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:36.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:36.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:36.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:36.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:36.463 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:36.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:36.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:36.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:36.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:37.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:37.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:37.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:37.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:37.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:37.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:37.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:37.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:37.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:38.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:38.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:38.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:38.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:38.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:38.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:38.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:39.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:39.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:39.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:39:39.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:40.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:40.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:40.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:40.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:40.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:40.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:40.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:40.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:40.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:41.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:41.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:41.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:41.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:41.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:41.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:41.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:41.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:41.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:42.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:42.673 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:42.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:42.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:42.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:42.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:42.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:42.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:42.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:43.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:43.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:43.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:44.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:44.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:39:45.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:45.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:46.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:46.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:46.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:46.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:46.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:47.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:47.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:47.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:39:47.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:47.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:47.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:47.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:47.864 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:47.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:48.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:48.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:48.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:48.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:48.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:48.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:48.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:48.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:48.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:49.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:50.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:50.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:50.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:50.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:50.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:50.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:39:50.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:50.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:50.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:52.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:52.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:52.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:52.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:52.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:52.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:52.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:52.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:52.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:53.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:53.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:53.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:53.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:53.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:53.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:53.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:53.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:53.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:54.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:54.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:54.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:54.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:54.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:54.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:55.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:55.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:55.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:55.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:55.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:55.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:55.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:55.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:55.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:56.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:56.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:56.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:56.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:56.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:56.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:56.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:57.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:57.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:57.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:57.235 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:58.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:58.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:58.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:58.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:58.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:59.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:39:59.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:39:59.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:39:59.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:39:59.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:39:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:39:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:39:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:39:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:00.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:00.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:40:00.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:00.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:00.359 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:00.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:00.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:00.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:00.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:00.453 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F18C18, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 13:40:01.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:01.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:01.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:01.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:01.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:01.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:01.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:01.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:01.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:02.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:02.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:40:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:03.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:03.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:03.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:03.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:03.439 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:03.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:03.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:03.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:03.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:04.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:04.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:04.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:04.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:04.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:04.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:04.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:04.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:04.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:05.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:05.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:05.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:05.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:05.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:05.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:05.521 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:40:05.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:05.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:05.730
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F18C18,
securityToken=98D2BB8D
13.01.20 13:40:06.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:06.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:06.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:06.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:06.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:06.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:06.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:06.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:06.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:07.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:07.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:07.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:07.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:07.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:07.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:07.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:07.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:07.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:08.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:08.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:08.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:08.613 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:08.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:08.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:08.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:08.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:08.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:09.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:09.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:09.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:09.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:09.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:09.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:09.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:09.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:09.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:10.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:10.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:10.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:10.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:10.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:10.815 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
13.01.20 13:40:10.846 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
```

```
13.01.20 13:40:10.903 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
13.01.20 13:40:10.904 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - Disable logging 'Status.Interfaces.Ethernet.2.1...' not found
13.01.20 13:40:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:11.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:12.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:12.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:12.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:12.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:12.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:12.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:12.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:12.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:12.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:13.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:13.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:13.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:13.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:13.820 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:40:13.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:13.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:13.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:13.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:14.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:14.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:14.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:14.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:14.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:14.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:14.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:14.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:14.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:15.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:15.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:15.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:15.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:15.899 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:15.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:15.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:15.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:15.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:16.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:16.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:16.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:16.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:40:16.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:16.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:17.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:17.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:17.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:17.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:17.959 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:17.959 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:17.959 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:17.959 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:17.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:18.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:18.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:18.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:18.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:18.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:18.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:20.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:20.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:20.012 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:20.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:20.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:20.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:20.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:20.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:20.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:21.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:21.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:21.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:21.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:21.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:21.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:21.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:21.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:21.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:22.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:22.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:22.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:22.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:22.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:22.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:22.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:22.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:22.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:23.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:40:23.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:23.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:23.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:23.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:23.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:23.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:23.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:23.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:24.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:24.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:24.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:24.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:24.159 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:24.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:24.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:24.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:24.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:25.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:25.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:25.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:25.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:25.199 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:25.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:25.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:25.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:25.200 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:26.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:26.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:26.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:26.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:26.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:26.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:26.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:26.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:26.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:27.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:27.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:27.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:27.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:27.279 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:27.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:27.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:27.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:27.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:28.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:28.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:28.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:28.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:40:28.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:28.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:29.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:29.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:29.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:29.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:29.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:29.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:29.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:29.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:29.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:30.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:30.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:30.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:30.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:30.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:30.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:30.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:30.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:30.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:31.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:31.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:31.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:31.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:31.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:31.442 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:40:31.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:31.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:31.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:32.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:32.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:32.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:32.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:32.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:32.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:32.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:32.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:32.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:33.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:33.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:33.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:33.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:33.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:33.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:33.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:33.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:33.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:34.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:34.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:34.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:34.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:34.541 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:34.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:34.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:34.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:34.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:35.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:35.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:35.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:35.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:35.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:35.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:35.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:35.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:35.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:36.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:36.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:36.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:36.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:36.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:36.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:36.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:36.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:36.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:37.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:37.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:37.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:40:37.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:37.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:37.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:37.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:37.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:37.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:38.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:38.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:38.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:38.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:38.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:38.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:38.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:38.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:38.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:38.867 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 13:40:38.867 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 13:40:38.867 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 13:40:38.929 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 13:40:38.929 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 13:40:38.929 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 13:40:38.930 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=1
13.01.20 13:40:38.931 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 13:40:38.932 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:40:38.934 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:40:38.934 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 13:40:39.243 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 13:40:39.573 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 13:40:39.573 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 13:40:39.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 13:40:39.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 13:40:39.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 13:40:39.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 13:40:39.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 13:40:39.622 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 13:40:39.622 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=1
13.01.20 13:40:39.628 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 13:40:39.629 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 13:40:39.630 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
13.01.20 13:40:40.031 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 13:40:48.296 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 13:40:48.296 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 13:40:48.792 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 13:40:49.948 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 13:40:49.950 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 13:40:49.955 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 13:40:49.963 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 13:40:49.973 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 13:40:49.974 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 13:40:50.315 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 13:40:50.315 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 13:40:50.317 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 13:40:50.328 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=11
13.01.20 13:40:50.334 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 13:40:50.336 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 13:40:50.336 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 13:40:50.337 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/30, active=1/4, esdk=1/4, gds=0/1
13.01.20 13:40:50.338 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=3
13.01.20 13:40:50.353 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/25, active=0/1, esdk=0/1, gds=0/0
13.01.20 13:40:50.493 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 13:40:50.565 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 13:40:50.568 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 44! Please add some variables...
13.01.20 13:40:51.351 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 44! Please add some variables...
13.01.20 13:40:51.354 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 13:40:51.355 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:40:51.355 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:40:51.356 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 13:40:51.357 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 13:40:51.357 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 13:40:51.358 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 13:40:51.359 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 13:40:51.359 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 13:40:51.360 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 13:40:51.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:51.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:51.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:51.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:51.442 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:51.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:51.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:51.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:51.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:52.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:52.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:52.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:52.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:52.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:52.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:52.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:52.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:52.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:53.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:53.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:53.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:53.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:53.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:53.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:53.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:53.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:53.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:54.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:40:54.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:54.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:54.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:54.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:54.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:54.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:55.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:55.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:55.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:55.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:55.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:55.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:55.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:55.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:55.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:56.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:56.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:56.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:56.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:56.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:56.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:56.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:56.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:56.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:56.989 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 13:40:56.993 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 13:40:56.994 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 13:40:56.994 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 13:40:56.995 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=0/5, esdk=0/5, gds=0/1
13.01.20 13:40:56.995 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=2
13.01.20 13:40:57.014 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 13:40:57.014 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 13:40:57.015 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 13:40:57.016 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 13:40:57.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:57.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:57.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:57.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:57.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:57.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:57.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:57.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:57.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:58.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:58.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:58.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:40:58.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:58.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:58.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:58.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:58.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:40:58.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:59.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:40:59.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:40:59.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:40:59.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:40:59.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:40:59.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:40:59.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:40:59.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:40:59.767 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:00.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:00.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:00.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:00.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:00.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:00.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:00.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:00.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:00.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:01.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:01.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:01.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:01.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:01.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:01.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:01.841 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:41:01.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:01.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:02.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:02.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:02.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:02.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:02.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:02.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:02.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:02.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:02.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:03.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:03.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:03.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:03.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:03.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:03.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:03.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:03.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:03.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:03.908 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/29, active=0/1, esdk=0/1, gds=0/1
13.01.20 13:41:04.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:04.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:04.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:04.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:04.943 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:04.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:04.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:04.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:04.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:05.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:05.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:05.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:05.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:05.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:05.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:05.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:05.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:05.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:07.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:07.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:07.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:07.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:07.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:07.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:07.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:07.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:07.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:08.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:08.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:08.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:41:08.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:08.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:08.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:08.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:08.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:08.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:09.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:09.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:09.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:09.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:09.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:09.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:09.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:09.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:09.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:10.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:10.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:10.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:10.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:10.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:10.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:10.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:10.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:10.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:11.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:11.171 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:11.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:11.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:11.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:11.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:11.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:11.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:11.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:12.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:12.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:12.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:12.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:12.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:12.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:12.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:12.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:12.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:13.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:13.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:13.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:13.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:13.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:13.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:13.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:13.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:13.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:41:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:15.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:15.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:15.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:15.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:15.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:15.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:15.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:15.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:16.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:16.383 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:16.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:17.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:17.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:17.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:17.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:17.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:17.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:17.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:17.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:17.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:19.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:19.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:19.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:19.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:19.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:19.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:41:19.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:19.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:19.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:20.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:20.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:20.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:20.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:20.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:20.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:21.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:21.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:21.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:21.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:21.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:21.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:21.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:21.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:21.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:22.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:22.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:22.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:22.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:22.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:22.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:22.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:22.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:22.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:23.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:23.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:23.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:23.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:23.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:23.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:23.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:23.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:23.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:24.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:24.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:24.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:24.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:25.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:25.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:25.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:25.711 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:26.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:26.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:26.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:26.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:26.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:26.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:26.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:26.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:26.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:27.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:27.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:27.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:27.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:27.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:28.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:28.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:41:28.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:28.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:28.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:28.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:28.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:28.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:28.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:29.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:29.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:29.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:29.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:30.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:30.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:30.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:30.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:30.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:30.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:30.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:30.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:30.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:41:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:31.916 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:32.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:32.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:32.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:32.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:32.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:32.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:32.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:32.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:32.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:33.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:33.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:33.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:33.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:34.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:41:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:35.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:35.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:35.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:35.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:35.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:35.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:36.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:36.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:36.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:36.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:36.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:36.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:36.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:36.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:36.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:37.109 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:37.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:37.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:37.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:37.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:37.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:37.121 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:41:37.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:37.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:38.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:38.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:39.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:39.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:39.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:39.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:39.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:39.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:39.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:39.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:39.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:40.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:40.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:40.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:40.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:40.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:41:40.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:40.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:40.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:40.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:41.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:41.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:41.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:41.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:41.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:41.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:43.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:43.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:43.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:43.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:41:43.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:43.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:43.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:43.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:43.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:44.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:44.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:44.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:44.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:44.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:44.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:44.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:44.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:44.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:45.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:45.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:45.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:45.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:45.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:45.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:45.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:45.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:45.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:47.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:47.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:47.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:47.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:47.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:47.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:47.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:47.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:47.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:48.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:48.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:48.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:48.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:48.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:48.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:48.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:48.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:48.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:49.589 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/29, active=0/3, esdk=0/3, gds=0/1
```

```
13.01.20 13:41:49.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:49.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:49.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:49.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:49.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:49.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:49.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:49.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:49.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:50.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:50.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:50.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:50.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:50.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:50.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:50.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:50.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:50.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:51.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:51.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:51.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:41:51.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:52.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:52.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:52.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:52.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:52.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:52.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:52.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:52.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:52.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:53.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:53.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:53.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:53.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:53.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:53.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:53.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:53.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:53.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:54.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:54.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:54.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:54.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:54.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:54.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:41:54.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:54.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:54.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:55.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:55.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:55.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:55.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:56.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:56.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:56.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:56.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:56.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:56.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:56.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:56.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:56.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:57.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:57.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:57.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:57.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:57.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:57.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:58.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:58.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:58.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:58.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:41:58.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:58.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:41:58.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:41:58.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:41:58.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:41:59.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:41:59.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:41:59.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:41:59.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:00.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:00.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:00.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:00.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:00.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:02.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:02.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:02.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:02.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:03.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:03.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:03.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:03.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:03.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:03.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:03.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:03.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:03.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:04.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:04.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:42:04.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:04.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:04.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:04.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:04.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:04.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:04.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:05.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:05.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:05.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:05.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:05.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:05.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:05.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:05.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:05.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:06.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:06.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:06.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:06.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:06.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:07.250 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:42:07.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:07.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:07.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:07.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:07.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:07.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:07.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:07.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:08.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:08.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:08.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:08.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:08.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:08.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:08.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:08.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:08.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:09.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:09.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:09.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:09.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:09.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:09.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:09.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:09.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:42:09.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:10.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:10.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:10.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:10.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:10.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:10.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:10.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:10.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:10.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:11.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:11.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:11.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:11.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:11.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:11.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:11.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:11.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:11.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:12.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:12.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:12.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:12.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:12.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:12.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:12.462 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:42:12.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:12.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:13.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:13.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:13.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:13.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:13.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:13.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:13.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:13.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:13.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:14.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:14.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:14.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:14.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:14.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:14.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:14.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:14.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:14.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:15.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:15.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:15.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:15.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:15.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:42:15.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:15.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:15.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:15.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:16.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:16.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:16.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:16.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:16.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:16.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:16.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:16.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:16.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:17.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:17.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:17.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:17.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:17.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:17.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:17.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:17.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:17.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:18.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:18.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:18.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:18.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:42:18.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:18.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:18.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:18.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:18.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:18.665 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/30, active=0/6, esdk=0/6, gds=0/1
13.01.20 13:42:19.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:19.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:19.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:19.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:19.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:19.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:19.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:19.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:19.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:20.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:20.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:20.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:20.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:20.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:20.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:20.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:20.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:20.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:21.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:21.753 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:21.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:21.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:21.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:21.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:21.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:21.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:21.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:22.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:22.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:22.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:22.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:22.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:22.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:22.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:22.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:22.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:23.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:23.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:23.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:23.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:23.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:23.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:23.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:23.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:23.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:42:24.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:24.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:24.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:24.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:24.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:24.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:24.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:24.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:24.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:25.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:25.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:25.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:25.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:25.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:25.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:25.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:25.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:25.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:26.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:26.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:26.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:26.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:26.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:26.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:26.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:26.962 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:26.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:27.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:27.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:27.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:27.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:28.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:28.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:28.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:28.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:28.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:29.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:29.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:29.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:29.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:29.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:29.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:29.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:29.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:29.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:30.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:30.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:30.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:30.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:30.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:30.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:42:30.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:30.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:30.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:31.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:31.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:31.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:31.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:31.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:31.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:31.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:31.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:31.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:32.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:32.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:32.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:32.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:32.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:32.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:32.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:32.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:32.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:33.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:33.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:33.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:33.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:33.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:33.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:33.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:33.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:33.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:34.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:34.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:34.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:34.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:34.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:34.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:34.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:34.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:34.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:35.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:35.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:35.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:35.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:35.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:35.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:35.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:35.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:35.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:36.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:36.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:36.295 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:36.295 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:36.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:36.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:36.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:36.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:36.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:37.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:37.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:37.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:37.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:37.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:37.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:37.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:37.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:37.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:37.345 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/30, active=0/6, esdk=0/6, gds=0/5
13.01.20 13:42:38.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:38.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:38.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:38.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:38.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:38.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:39.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:42:39.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:39.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:39.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:39.469 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:39.469 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:39.469 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:39.469 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:39.469 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:41.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:41.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:41.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:41.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:41.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:41.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:41.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:41.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:41.606 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:42.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:42.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:42.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:42.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:42.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:42.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:42.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:42.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:42.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:43.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:43.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:43.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:43.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:43.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:43.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:43.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:43.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:43.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:44.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:44.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:44.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:44.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:44.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:44.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:44.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:42:44.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:44.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:45.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:45.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:45.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:45.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:45.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:46.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:46.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:46.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:46.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:47.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:47.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:47.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:47.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:47.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:47.865 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:42:47.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:47.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:47.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:48.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:48.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:48.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:48.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:48.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:48.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:48.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:48.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:48.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:49.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:49.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:49.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:49.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:49.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:50.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:50.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:50.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:42:50.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:52.020 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:53.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:53.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:53.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:53.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:53.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:53.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:42:54.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:54.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:54.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:54.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:54.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:55.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:55.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:55.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:55.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:55.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:55.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:56.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:56.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:56.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:56.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:56.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:56.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:56.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:56.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:56.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:57.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:57.211 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:57.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:57.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:57.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:57.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:57.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:57.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:57.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:58.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:58.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:58.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:58.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:58.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:58.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:58.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:58.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:58.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:59.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:42:59.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:42:59.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:42:59.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:42:59.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:42:59.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:42:59.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:42:59.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:42:59.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:43:00.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:00.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:00.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:00.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:00.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:00.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:00.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:00.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:00.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:01.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:01.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:01.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:01.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:01.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:01.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:01.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:01.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:01.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:02.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:02.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:02.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:02.421 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:02.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:03.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:03.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:03.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:03.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:03.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:03.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:03.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:03.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:03.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:04.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:04.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:04.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:04.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:05.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:05.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:05.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:05.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:05.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:05.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:43:05.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:05.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:05.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:07.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:07.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:07.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:07.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:07.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:07.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:07.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:07.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:07.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:08.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:08.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:08.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:08.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:08.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:08.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:08.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:08.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:08.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:09.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:09.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:09.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:09.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:09.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:09.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:09.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:09.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:09.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:10.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:10.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:10.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:10.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:10.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:11.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:11.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:11.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:11.753 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:11.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:11.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:11.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:11.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:11.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:12.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:12.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:12.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:12.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:12.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:12.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:12.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:12.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:12.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:13.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:13.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:13.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:13.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:13.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:13.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:13.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:13.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:13.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:14.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:14.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:43:14.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:14.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:14.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:14.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:14.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:14.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:14.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:15.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:15.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:15.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:15.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:15.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:15.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:15.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:15.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:15.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:16.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:16.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:16.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:16.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:16.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:16.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:16.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:16.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:16.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:17.994 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:43:17.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:17.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:17.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:18.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:18.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:18.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:18.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:18.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:19.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:19.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:19.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:19.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:19.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:19.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:19.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:19.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:19.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:20.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:20.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:20.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:20.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:20.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:20.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:20.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:20.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:43:20.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:21.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:21.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:21.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:21.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:21.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:21.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:22.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:22.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:22.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:22.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:22.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:22.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:22.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:22.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:22.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:43:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:24.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:24.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:24.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:24.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:24.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:24.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:24.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:24.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:24.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:25.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:25.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:25.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:25.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:25.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:25.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:25.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:25.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:25.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:26.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:26.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:26.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:26.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:26.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:43:26.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:26.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:26.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:26.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:27.080 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F18C18
13.01.20 13:43:27.081 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=98D2BB8D
13.01.20 13:43:27.083 CommonRemoting
  INFO  - Closing connection: connectionId=B4F18C18
13.01.20 13:43:27.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:27.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:27.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:27.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:27.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:27.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:27.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:27.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:27.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:28.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:28.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:28.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:28.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:28.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:28.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:28.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:28.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:28.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:29.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:43:29.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:29.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:29.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:29.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:29.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:29.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:29.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:29.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:30.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:30.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:30.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:30.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:30.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:30.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:30.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:30.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:30.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:31.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:31.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:31.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:31.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:31.520 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:31.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:31.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:31.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:31.521 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:32.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:32.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:32.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:32.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:32.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:32.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:32.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:32.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:32.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:33.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:33.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:33.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:33.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:33.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:33.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:33.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:33.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:33.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:34.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:34.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:34.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:34.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:34.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:34.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:34.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:43:34.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:34.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:35.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:35.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:35.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:35.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:35.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:35.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:35.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:35.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:35.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:36.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:36.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:36.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:36.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:36.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:36.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:36.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:36.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:36.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:37.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:37.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:37.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:37.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:37.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:37.745 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:43:37.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:37.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:37.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:38.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:38.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:38.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:38.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:38.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:38.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:38.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:38.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:38.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:39.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:39.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:39.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:39.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:39.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:39.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:39.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:39.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:39.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:40.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:40.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:40.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:40.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:40.863 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:40.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:40.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:40.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:40.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:41.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:41.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:41.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:41.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:41.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:41.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:41.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:41.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:41.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:42.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:42.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:42.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:42.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:42.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:42.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:42.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:42.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:42.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:43.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:43.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:43.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:43:43.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:43.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:43.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:43.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:43.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:43.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:45.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:45.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:45.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:45.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:45.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:45.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:45.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:45.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:45.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:46.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:46.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:46.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:46.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:46.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:46.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:46.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:46.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:46.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:47.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:47.090 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:47.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:47.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:47.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:47.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:47.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:47.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:47.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:48.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:48.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:48.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:48.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:48.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:48.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:48.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:48.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:48.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:49.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:49.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:49.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:49.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:49.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:49.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:49.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:49.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:49.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:43:50.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:50.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:50.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:50.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:50.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:50.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:50.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:50.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:50.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:51.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:51.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:51.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:51.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:51.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:51.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:51.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:51.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:51.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:52.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:43:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:52.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:52.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:52.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:52.304 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:52.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:53.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:53.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:53.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:53.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:53.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:53.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:53.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:53.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:53.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:54.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:54.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:54.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:54.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:54.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:54.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:54.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:54.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:54.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:55.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:55.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:55.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:55.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:55.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:55.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:43:55.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:55.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:55.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:56.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:56.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:56.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:56.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:56.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:56.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:56.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:56.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:56.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:57.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:57.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:57.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:57.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:57.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:57.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:57.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:57.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:57.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:58.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:58.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:58.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:58.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:58.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:58.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:58.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:58.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:58.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:59.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:43:59.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:43:59.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:43:59.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:43:59.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:43:59.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:43:59.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:43:59.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:43:59.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:00.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:00.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:00.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:00.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:00.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:00.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:00.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:00.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:00.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:01.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:01.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:01.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:01.631 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:01.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:01.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:01.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:01.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:01.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:02.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:02.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:02.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:02.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:02.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:02.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:02.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:02.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:02.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:03.248 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F05B60, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 13:44:03.540
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F05B60,
securityToken=C2DC42AB
13.01.20 13:44:03.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:03.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:03.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:03.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:03.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:03.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:03.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:03.705 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:03.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:04.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:04.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:04.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:04.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:04.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:04.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:04.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:04.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:04.747 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:05.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:05.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:05.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:05.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:05.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:05.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:05.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:05.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:05.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:06.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:06.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:06.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:06.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:06.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:06.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:44:06.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:06.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:06.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:07.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:07.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:07.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:07.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:07.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:07.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:07.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:07.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:07.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:08.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:08.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:08.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:08.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:08.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:08.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:09.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:09.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:09.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:09.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:09.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:09.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:09.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:09.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:09.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:10.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:11.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:11.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:11.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:11.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:11.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:12.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:12.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:12.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:12.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:12.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:12.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:12.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:12.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:12.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:13.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:14.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:14.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:14.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:14.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:14.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:14.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:14.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:14.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:14.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:15.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:15.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:15.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:15.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:15.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:15.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:15.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:15.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:15.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:44:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:16.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:16.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:16.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:16.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:16.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:17.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:17.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:17.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:17.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:18.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:18.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:18.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:18.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:19.290 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:44:19.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:19.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:19.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:19.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:19.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:19.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:19.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:19.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:20.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:20.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:20.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:20.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:21.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:21.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:44:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:22.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:22.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:22.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:22.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:22.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:22.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:22.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:22.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:22.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:23.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:23.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:23.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:23.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:23.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:23.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:23.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:23.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:23.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:24.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:24.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:24.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:24.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:24.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:24.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:24.481 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:44:24.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:24.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:25.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:25.516 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:25.516 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:25.516 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:25.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:25.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:25.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:25.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:25.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:26.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:26.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:26.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:26.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:26.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:26.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:26.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:27.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:44:27.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:27.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:27.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:27.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:28.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:28.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:28.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:28.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:29.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:29.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:29.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:29.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:29.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:29.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:44:30.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:31.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:31.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:31.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:31.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:31.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:32.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:32.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:32.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:32.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:32.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:32.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:32.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:32.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:32.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:33.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:33.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:33.851 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:33.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:33.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:33.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:33.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:33.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:33.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:34.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:34.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:34.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:34.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:34.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:34.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:34.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:34.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:34.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:35.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:35.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:35.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:35.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:35.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:35.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:35.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:35.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:35.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:36.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:44:36.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:36.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:36.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:36.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:36.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:36.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:36.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:36.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:38.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:38.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:38.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:38.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:38.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:38.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:38.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:38.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:38.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:39.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:39.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:39.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:39.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:39.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:39.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:39.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:39.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:39.085 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:40.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:40.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:40.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:40.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:40.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:40.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:40.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:40.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:40.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:41.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:41.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:41.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:41.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:41.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:42.028 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 13:44:42.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:42.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:42.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:42.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:42.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:42.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:44:42.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:42.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:42.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:42.222 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 13:44:42.551 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 13:44:43.070 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 51! Please add some variables...
13.01.20 13:44:43.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:43.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:43.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:43.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:43.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:43.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:43.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:43.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:43.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:44.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:44.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:44.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:44.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:44.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:44.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:44.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:44.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:44.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:45.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:45.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:44:45.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:45.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:45.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:45.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:45.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:45.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:45.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:46.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:46.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:46.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:46.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:46.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:46.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:46.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:46.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:46.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:47.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:47.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:47.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:47.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:47.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:47.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:47.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:47.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:47.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:48.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:44:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:48.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:48.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:48.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:48.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:48.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:49.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:49.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:49.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:49.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:49.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:49.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:49.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:49.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:49.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:50.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:50.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:50.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:50.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:50.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:50.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:50.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:50.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:44:50.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:51.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:51.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:51.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:51.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:51.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:51.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:51.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:51.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:51.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:52.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:52.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:52.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:52.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:52.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:52.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:52.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:52.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:52.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:53.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:53.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:53.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:53.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:53.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:53.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:53.663 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:44:53.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:53.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:54.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:54.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:54.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:54.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:54.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:54.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:54.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:54.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:54.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:55.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:55.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:55.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:55.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:55.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:55.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:55.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:55.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:55.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:56.094 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 52! Please add some variables...
13.01.20 13:44:56.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:56.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:56.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:44:56.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:56.765 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:56.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:56.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:56.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:56.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:57.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:57.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:57.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:57.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:57.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:57.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:57.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:57.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:57.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:58.788 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 53! Please add some variables...
13.01.20 13:44:58.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:44:58.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:58.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:58.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:58.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:58.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:58.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:58.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:58.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:59.799 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 54! Please add some variables...
13.01.20 13:44:59.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:44:59.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:44:59.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:44:59.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:44:59.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:44:59.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:44:59.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:44:59.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:44:59.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:00.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:00.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:00.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:00.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:00.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:00.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:00.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:00.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:00.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:01.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:01.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:01.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:01.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:01.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:01.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:01.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:01.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:01.944 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:02.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:02.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:02.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:02.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:02.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:02.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:02.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:02.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:02.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:04.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:04.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:04.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:04.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:04.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:04.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:04.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:04.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:04.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:05.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:05.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:05.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:05.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:05.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:05.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:05.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:45:05.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:05.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:06.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:06.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:06.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:06.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:06.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:06.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:06.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:06.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:06.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:07.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:07.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:07.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:07.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:07.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:07.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:07.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:07.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:07.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:08.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:08.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:08.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:08.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:08.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:08.185 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:45:08.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:08.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:08.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:09.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:09.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:09.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:09.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:09.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:09.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:09.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:09.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:09.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:10.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:10.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:10.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:10.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:10.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:11.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:12.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:12.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:12.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:12.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:12.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:12.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:12.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:12.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:12.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:13.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:13.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:14.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:14.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:14.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
```

```
13.01.20 13:45:14.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:14.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:14.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:14.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:14.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:14.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:15.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:15.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:15.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:15.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:15.467 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:15.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:15.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:15.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:15.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:16.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:16.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:16.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:16.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:16.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:16.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:16.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:16.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:16.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:18.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:18.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:18.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:18.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:18.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:18.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:18.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:18.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:18.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:19.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:19.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:19.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:19.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:19.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:19.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:19.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:19.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:19.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:45:20.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:20.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:20.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:20.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:20.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:20.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:20.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:20.667 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:20.667 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:21.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:21.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:21.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:21.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:21.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:21.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:21.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:21.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:22.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:22.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:22.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:22.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:23.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:23.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:23.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:23.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:23.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:23.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:23.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:23.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:23.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:24.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:24.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:24.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:24.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:25.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:25.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:25.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:25.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:25.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:25.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:45:25.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:25.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:25.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:26.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:26.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:26.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:26.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:26.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:26.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:26.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:26.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:26.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:27.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:27.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:27.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:27.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:27.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:27.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:27.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:27.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:27.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:28.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:28.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:28.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:28.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:29.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:29.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:30.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:30.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:30.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:30.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:30.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:30.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:30.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:30.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:30.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:32.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:32.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:32.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:32.110 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:32.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:32.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:32.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:32.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:32.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:33.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:33.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:33.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:33.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:33.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:33.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:33.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:33.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:33.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:34.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:34.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:34.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:34.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:34.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:34.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:34.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:34.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:34.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:35.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:35.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:45:35.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:35.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:35.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:35.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:35.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:35.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:35.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:36.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:36.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:36.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:36.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:36.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:36.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:36.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:36.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:36.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:37.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:37.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:37.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:37.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:37.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:37.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:37.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:37.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:37.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:38.352 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:45:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:38.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:38.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:38.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:38.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:38.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:39.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:39.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:39.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:39.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:39.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:40.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:40.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:40.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:40.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:40.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:40.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:40.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:40.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:45:40.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:41.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:41.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:41.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:41.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:41.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:41.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:41.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:41.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:41.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:42.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:42.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:43.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:43.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:43.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:43.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:43.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:43.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:43.563 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:45:43.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:43.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:44.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:44.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:44.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:44.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:44.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:44.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:44.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:44.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:44.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:45.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:45.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:45.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:45.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:45.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:45.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:45.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:45.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:45.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:46.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:46.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:46.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:46.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:46.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:45:46.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:46.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:46.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:46.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:47.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:47.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:47.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:47.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:47.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:47.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:48.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:48.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:48.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:48.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:48.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:48.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:49.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:49.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:49.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:49.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:45:49.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:49.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:49.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:49.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:49.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:50.385 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F05B60
13.01.20 13:45:50.386 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=C2DC42AB
13.01.20 13:45:50.391 CommonRemoting
  INFO  - Closing connection: connectionId=B4F05B60
13.01.20 13:45:50.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:50.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:50.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:50.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:50.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:50.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:50.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:50.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:50.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:51.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:51.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:51.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:51.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:51.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:51.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:51.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:52.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:52.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:52.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:52.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:52.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:52.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:52.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:52.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:52.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:53.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:53.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:53.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:53.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:53.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:53.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:53.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:53.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:53.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:54.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:54.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:54.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:45:54.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:54.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:54.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:54.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:45:54.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:54.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:55.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:55.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:55.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:55.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:56.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:56.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:56.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:56.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:56.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:57.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:57.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:57.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:57.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:57.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:57.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:57.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:57.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:57.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:58.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:58.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:58.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:58.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:58.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:58.084 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:45:58.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:58.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:58.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:59.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:45:59.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:45:59.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:45:59.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:45:59.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:45:59.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:45:59.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:45:59.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:45:59.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:00.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:00.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:00.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:00.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:00.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:00.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:00.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:00.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:00.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:01.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:01.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:01.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:01.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:01.204 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:01.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:01.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:01.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:01.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:02.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:02.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:02.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:02.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:02.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:02.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:02.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:02.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:02.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:03.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:03.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:03.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:03.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:03.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:03.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:03.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:03.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:03.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:04.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:04.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:04.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:46:04.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:04.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:04.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:04.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:04.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:04.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:05.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:05.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:05.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:05.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:05.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:05.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:05.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:05.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:05.367 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:06.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:06.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:06.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:06.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:06.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:06.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:06.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:06.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:06.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:07.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:07.431 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:07.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:07.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:07.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:07.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:07.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:07.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:07.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:08.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:08.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:08.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:08.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:08.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:08.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:08.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:08.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:08.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:09.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:09.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:09.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:09.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:09.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:09.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:09.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:09.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:09.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:46:10.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:10.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:10.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:10.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:10.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:10.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:10.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:10.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:10.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:11.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:11.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:11.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:11.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:11.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:11.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:11.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:11.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:11.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:12.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:12.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:12.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:12.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:12.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:12.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:12.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:12.645 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:12.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:13.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:13.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:13.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:13.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:13.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:13.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:14.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:14.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:14.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:14.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:14.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:14.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:14.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:14.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:14.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:15.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:15.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:15.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:15.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:15.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:15.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:46:15.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:15.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:15.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:16.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:16.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:16.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:16.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:16.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:16.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:16.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:16.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:16.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:18.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:18.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:18.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:18.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:18.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:18.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:20.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:20.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:20.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:20.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:20.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:20.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:20.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:20.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:20.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:21.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:21.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:21.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:21.930 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:21.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:21.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:21.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:21.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:21.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:22.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:22.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:22.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:22.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:22.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:22.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:22.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:22.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:22.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:23.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:23.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:23.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:23.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:24.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:25.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:25.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:46:25.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:25.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:25.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:25.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:25.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:25.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:25.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:26.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:26.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:26.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:26.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:26.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:26.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:26.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:26.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:26.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:27.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:27.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:27.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:27.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:27.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:27.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:27.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:27.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:27.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:28.113 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:46:28.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:28.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:28.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:28.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:28.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:28.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:28.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:28.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:29.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:29.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:29.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:29.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:29.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:29.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:29.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:29.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:29.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:30.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:30.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:30.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:30.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:30.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:30.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:30.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:30.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:46:30.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:31.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:31.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:31.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:31.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:31.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:31.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:32.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:32.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:32.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:32.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:32.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:32.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:32.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:32.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:32.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:33.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:33.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:33.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:33.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:46:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:33.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:34.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:34.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:34.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:34.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:35.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:35.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:35.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:35.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:35.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:35.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:35.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:35.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:35.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:36.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:36.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:36.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:36.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:36.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:46:36.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:36.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:36.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:36.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:37.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:37.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:37.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:37.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:37.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:37.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:37.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:37.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:37.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:38.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:38.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:38.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:38.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:38.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:38.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:38.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:38.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:38.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:39.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:39.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:39.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:39.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:46:39.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:39.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:39.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:39.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:39.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:40.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:40.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:40.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:40.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:40.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:40.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:41.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:41.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:41.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:41.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:42.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:42.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:42.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:42.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:42.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:42.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:43.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:43.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:43.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:43.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:43.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:43.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:43.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:43.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:44.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:44.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:45.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:46:45.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:45.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:45.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:45.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:45.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:46.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:46.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:46.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:46.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:46.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:47.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:48.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:48.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:48.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:48.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:48.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:49.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:49.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:46:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:52.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:52.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:52.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:52.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:52.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:52.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:52.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:52.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:52.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:53.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:53.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:53.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:53.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:53.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:53.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:53.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:53.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:53.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:54.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:54.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:54.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:46:54.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:54.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:54.103 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:46:54.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:54.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:54.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:55.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:55.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:55.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:55.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:55.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:55.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:56.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:56.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:56.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:56.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:56.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:56.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:56.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:56.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:56.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:57.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:57.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:57.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:57.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:57.203 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:57.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:57.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:57.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:57.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:58.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:58.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:58.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:58.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:58.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:58.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:59.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:46:59.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:46:59.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:46:59.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:46:59.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:46:59.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:46:59.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:46:59.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:46:59.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:00.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:00.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:00.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:47:00.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:00.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:00.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:00.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:00.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:00.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:01.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:01.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:01.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:01.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:01.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:01.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:01.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:01.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:01.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:02.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:02.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:02.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:02.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:02.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:02.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:02.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:02.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:02.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:03.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:03.393 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:03.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:03.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:03.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:03.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:03.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:03.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:03.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:04.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:04.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:04.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:04.436 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:04.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:04.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:04.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:04.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:04.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:05.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:05.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:05.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:05.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:05.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:05.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:05.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:05.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:05.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:47:06.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:06.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:06.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:06.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:06.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:06.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:06.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:06.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:06.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:07.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:07.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:07.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:07.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:07.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:07.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:07.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:07.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:07.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:08.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:08.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:08.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:08.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:08.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:08.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:08.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:08.621 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:08.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:09.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:09.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:09.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:09.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:09.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:09.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:09.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:09.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:09.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:10.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:10.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:10.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:10.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:10.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:10.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:11.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:11.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:47:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:11.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:12.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:12.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:12.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:12.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:12.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:12.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:12.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:12.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:12.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:13.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:13.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:13.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:13.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:13.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:13.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:13.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:13.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:13.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:14.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:14.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:14.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:14.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:14.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:14.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:14.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:14.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:14.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:15.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:15.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:15.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:15.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:15.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:16.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:16.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:16.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:16.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:16.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:16.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:16.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:16.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:16.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:17.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:17.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:17.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:17.972 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:17.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:17.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:17.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:17.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:17.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:19.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:19.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:19.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:19.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:19.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:19.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:19.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:19.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:19.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:20.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:20.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:20.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:20.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:20.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:20.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:20.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:20.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:20.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:21.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:21.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:47:21.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:21.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:21.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:21.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:21.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:21.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:21.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:22.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:23.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:23.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:23.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:23.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:23.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:23.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:23.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:23.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:23.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:47:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:24.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:24.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:24.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:24.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:24.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:25.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:25.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:25.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:25.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:25.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:25.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:25.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:25.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:25.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:26.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:26.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:26.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:26.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:26.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:47:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:27.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:28.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:28.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:28.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:28.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:28.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:29.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:29.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:29.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:29.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:29.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:29.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:29.421 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:47:29.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:29.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:30.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:30.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:30.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:30.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:30.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:30.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:30.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:30.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:30.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:31.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:31.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:31.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:31.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:31.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:31.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:31.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:31.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:31.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:32.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:32.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:32.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:32.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:32.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:47:32.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:32.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:32.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:32.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:33.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:33.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:33.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:33.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:33.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:33.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:33.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:33.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:33.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:34.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:34.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:34.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:34.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:34.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:35.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:47:35.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:35.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:35.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:36.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:36.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:36.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:36.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:36.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:36.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:36.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:36.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:36.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:37.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:37.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:37.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:37.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:37.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:37.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:37.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:37.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:37.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:38.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:38.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:38.716 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:38.716 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:38.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:38.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:38.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:38.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:38.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:39.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:39.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:39.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:39.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:39.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:39.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:39.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:39.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:39.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:40.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:40.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:40.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:40.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:40.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:40.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:40.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:40.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:40.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:41.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:47:41.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:41.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:41.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:41.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:41.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:41.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:41.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:41.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:42.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:42.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:42.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:42.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:42.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:42.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:42.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:42.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:42.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:43.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:43.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:43.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:43.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:43.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:43.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:43.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:43.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:43.902 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:44.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:44.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:44.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:44.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:44.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:44.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:44.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:44.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:44.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:45.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:45.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:45.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:45.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:45.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:45.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:45.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:45.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:45.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:47.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:47.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:47.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:47.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:47.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:47.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:47.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:47:47.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:47.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:48.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:48.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:48.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:48.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:48.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:48.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:48.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:48.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:48.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:49.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:49.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:49.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:49.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:49.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:49.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:49.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:49.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:49.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:50.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:50.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:50.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:50.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:50.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:50.142 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:47:50.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:50.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:50.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:51.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:51.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:51.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:51.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:51.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:51.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:51.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:51.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:51.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:52.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:52.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:52.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:52.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:52.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:52.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:52.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:52.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:52.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:53.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:53.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:53.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:47:53.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:53.262 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:53.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:53.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:53.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:53.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:54.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:54.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:54.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:54.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:54.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:55.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:55.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:55.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:55.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:55.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:55.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:55.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:55.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:55.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:56.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:56.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:56.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:47:56.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:56.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:56.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:56.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:56.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:56.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:57.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:57.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:57.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:57.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:57.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:57.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:57.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:57.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:57.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:58.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:58.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:58.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:58.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:58.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:58.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:58.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:58.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:58.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:59.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:47:59.491 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:47:59.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:47:59.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:47:59.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:47:59.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:47:59.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:47:59.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:47:59.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:00.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:00.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:00.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:00.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:00.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:00.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:00.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:00.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:00.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:01.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:01.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:01.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:01.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:01.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:01.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:01.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:01.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:01.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:48:02.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:02.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:02.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:02.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:02.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:02.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:02.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:02.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:02.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:03.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:03.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:03.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:03.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:03.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:03.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:03.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:03.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:03.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:04.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:04.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:04.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:04.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:04.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:04.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:04.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:04.701 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:04.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:05.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:05.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:05.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:05.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:05.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:05.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:05.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:05.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:05.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:06.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:06.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:06.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:06.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:06.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:06.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:06.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:06.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:06.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:07.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:07.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:07.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:07.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:07.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:07.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:48:07.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:07.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:07.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:08.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:08.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:08.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:08.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:08.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:08.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:08.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:08.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:08.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:09.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:09.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:09.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:09.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:09.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:09.900 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:09.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:09.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:09.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:10.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:10.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:10.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:10.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:10.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:10.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:10.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:10.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:10.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:11.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:11.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:11.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:11.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:11.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:11.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:11.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:11.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:11.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:12.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:12.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:12.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:12.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:13.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:13.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:13.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:13.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:13.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:14.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:14.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:14.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:14.015 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:14.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:14.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:14.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:14.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:14.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:15.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:15.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:15.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:15.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:15.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:15.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:15.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:15.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:15.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:16.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:16.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:16.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:16.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:16.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:16.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:16.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:16.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:16.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:17.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:17.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:48:17.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:17.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:17.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:17.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:17.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:17.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:17.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:18.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:18.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:18.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:18.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:18.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:18.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:18.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:18.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:18.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:19.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:19.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:19.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:19.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:19.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:19.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:19.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:19.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:19.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:20.191 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:48:20.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:20.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:20.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:20.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:20.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:20.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:20.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:20.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:21.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:21.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:21.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:21.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:21.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:21.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:21.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:21.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:21.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:22.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:22.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:22.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:22.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:22.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:22.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:22.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:22.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:48:22.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:23.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:23.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:23.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:23.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:23.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:23.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:23.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:23.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:23.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:24.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:24.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:24.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:24.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:24.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:24.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:24.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:24.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:24.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:25.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:25.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:25.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:25.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:25.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:25.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:25.383 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:48:25.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:25.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:26.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:26.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:26.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:26.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:26.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:26.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:26.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:26.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:26.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:27.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:27.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:27.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:27.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:27.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:27.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:27.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:27.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:27.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:28.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:28.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:28.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:28.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:28.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:48:28.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:28.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:28.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:28.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:29.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:29.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:29.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:29.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:29.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:29.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:29.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:29.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:29.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:30.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:30.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:30.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:30.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:30.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:30.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:30.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:30.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:30.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:31.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:31.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:31.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:31.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:48:31.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:31.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:31.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:31.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:31.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:32.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:32.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:32.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:32.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:32.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:32.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:32.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:32.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:32.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:33.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:33.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:33.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:33.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:33.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:33.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:33.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:33.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:33.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:34.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:34.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:34.734 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:34.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:34.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:34.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:34.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:34.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:34.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:35.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:35.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:35.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:35.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:35.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:35.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:35.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:35.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:35.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:36.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:36.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:36.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:36.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:36.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:36.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:36.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:36.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:36.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:37.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:48:37.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:37.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:37.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:37.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:37.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:37.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:37.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:37.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:38.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:38.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:38.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:38.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:38.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:38.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:38.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:38.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:38.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:39.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:39.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:39.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:39.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:39.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:39.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:39.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:39.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:39.942 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:40.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:40.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:40.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:40.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:40.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:40.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:40.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:40.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:40.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:42.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:42.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:42.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:42.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:42.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:42.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:42.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:42.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:42.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:43.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:43.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:43.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:43.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:43.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:43.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:43.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:48:43.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:43.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:44.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:44.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:44.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:44.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:44.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:44.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:44.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:44.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:44.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:45.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:45.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:45.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:45.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:45.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:45.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:45.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:45.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:45.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:46.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:46.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:46.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:46.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:46.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:46.186 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:48:46.186 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:46.186 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:46.186 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:47.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:47.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:47.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:47.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:47.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:47.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:47.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:47.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:47.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:48.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:48.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:48.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:48.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:48.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:48.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:48.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:48.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:48.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:49.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:49.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:49.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:48:49.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:49.284 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:49.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:49.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:49.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:49.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:50.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:50.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:50.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:50.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:50.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:50.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:50.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:50.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:50.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:51.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:51.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:51.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:51.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:51.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:51.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:51.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:51.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:51.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:52.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:52.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:52.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:48:52.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:52.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:52.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:52.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:52.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:52.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:53.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:53.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:53.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:53.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:53.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:53.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:53.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:53.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:53.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:54.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:54.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:54.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:54.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:54.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:54.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:54.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:54.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:54.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:55.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:55.475 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:55.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:55.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:55.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:55.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:55.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:55.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:55.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:56.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:56.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:56.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:56.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:56.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:56.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:56.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:56.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:56.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:57.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:57.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:57.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:57.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:57.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:57.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:57.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:57.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:57.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:48:58.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:58.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:58.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:58.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:58.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:58.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:58.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:58.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:58.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:59.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:48:59.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:48:59.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:48:59.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:48:59.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:48:59.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:48:59.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:48:59.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:48:59.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:00.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:00.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:00.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:00.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:00.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:00.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:00.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:00.685 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:00.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:01.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:01.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:01.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:01.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:01.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:01.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:01.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:01.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:01.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:02.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:02.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:02.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:02.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:02.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:02.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:02.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:02.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:02.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:03.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:03.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:03.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:03.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:03.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:03.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:49:03.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:03.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:03.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:04.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:04.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:04.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:04.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:04.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:04.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:04.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:04.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:04.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:05.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:05.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:05.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:05.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:05.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:05.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:05.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:05.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:05.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:06.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:06.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:06.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:06.916 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:06.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:06.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:06.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:06.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:06.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:07.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:07.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:07.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:07.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:07.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:07.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:07.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:07.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:07.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:08.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:08.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:08.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:08.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:09.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:09.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:09.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:09.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:09.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:10.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:10.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:10.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:10.033 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:10.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:10.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:10.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:10.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:10.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:11.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:11.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:11.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:11.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:11.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:11.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:11.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:11.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:11.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:12.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:12.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:12.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:12.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:12.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:12.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:12.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:12.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:12.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:13.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:13.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:49:13.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:13.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:13.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:13.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:13.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:13.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:13.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:14.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:14.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:14.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:14.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:14.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:14.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:14.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:14.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:14.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:15.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:15.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:15.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:15.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:15.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:15.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:15.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:15.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:15.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:16.273 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:49:16.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:16.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:16.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:16.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:16.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:16.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:16.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:16.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:17.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:17.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:17.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:17.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:17.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:17.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:17.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:17.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:17.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:18.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:18.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:18.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:18.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:18.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:18.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:18.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:18.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:49:18.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:19.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:19.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:19.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:19.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:19.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:19.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:19.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:19.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:19.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:20.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:20.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:20.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:20.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:20.440 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:20.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:20.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:20.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:20.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:21.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:21.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:21.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:21.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:21.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:21.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:21.484 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:49:21.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:21.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:22.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:22.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:22.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:22.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:22.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:22.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:22.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:22.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:22.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:23.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:23.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:23.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:23.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:23.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:23.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:23.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:23.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:23.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:24.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:24.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:24.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:24.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:24.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:49:24.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:24.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:24.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:24.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:25.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:25.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:25.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:25.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:25.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:25.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:25.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:25.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:25.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:26.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:26.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:26.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:26.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:26.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:26.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:26.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:26.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:26.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:27.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:27.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:27.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:27.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:49:27.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:27.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:27.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:27.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:27.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:28.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:28.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:28.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:28.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:28.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:28.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:28.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:28.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:28.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:29.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:29.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:29.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:29.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:29.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:29.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:29.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:29.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:29.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:30.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:30.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:30.813 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:30.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:30.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:30.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:30.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:30.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:30.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:31.855 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:31.855 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:31.855 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:31.855 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:31.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:31.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:31.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:31.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:31.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:32.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:32.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:32.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:32.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:32.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:32.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:32.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:32.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:32.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:33.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:49:33.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:33.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:33.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:33.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:33.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:33.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:33.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:33.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:34.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:34.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:34.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:34.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:34.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:34.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:34.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:34.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:34.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:36.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:36.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:36.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:36.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:36.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:36.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:36.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:36.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:36.021 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:37.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:37.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:37.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:37.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:37.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:37.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:37.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:37.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:37.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:38.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:38.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:38.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:38.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:38.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:38.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:38.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:38.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:38.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:39.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:39.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:39.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:39.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:39.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:39.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:39.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:49:39.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:39.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:40.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:40.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:40.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:40.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:40.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:40.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:40.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:40.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:40.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:41.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:41.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:41.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:41.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:41.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:41.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:41.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:41.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:41.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:42.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:42.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:42.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:42.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:42.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:42.260 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:49:42.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:42.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:42.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:43.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:43.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:43.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:43.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:43.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:43.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:43.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:43.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:43.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:44.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:44.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:44.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:44.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:44.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:44.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:44.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:44.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:44.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:45.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:45.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:45.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:45.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:45.384 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:45.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:45.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:45.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:45.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:46.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:46.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:46.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:46.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:46.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:46.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:46.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:46.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:46.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:47.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:47.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:47.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:47.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:47.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:47.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:47.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:47.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:48.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:48.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:48.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
```

```
13.01.20 13:49:48.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:48.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:48.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:48.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:48.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:48.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:49.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:49.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:49.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:49.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:49.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:49.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:49.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:49.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:49.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:50.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:50.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:50.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:50.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:50.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:50.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:50.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:50.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:50.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:51.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:51.593 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:51.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:51.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:51.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:51.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:51.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:51.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:51.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:52.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:52.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:52.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:52.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:52.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:52.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:52.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:52.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:52.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:53.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:53.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:53.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:53.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:53.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:53.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:53.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:53.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:53.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:49:54.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:54.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:54.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:54.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:54.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:54.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:54.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:54.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:54.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:55.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:55.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:55.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:55.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:55.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:55.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:55.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:55.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:55.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:56.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:56.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:56.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:49:56.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:56.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:56.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:56.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:56.762 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:56.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:57.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:57.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:57.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:57.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:57.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:57.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:57.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:57.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:57.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:58.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:58.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:58.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:58.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:58.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:58.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:49:58.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:58.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:58.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:59.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:49:59.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:49:59.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:49:59.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:49:59.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:49:59.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:49:59.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:49:59.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:49:59.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:00.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:01.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:01.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:01.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:01.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:01.920 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:02.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:02.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:02.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:02.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:02.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:03.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:03.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:03.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:03.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:05.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:05.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:05.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:05.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:05.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:05.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:05.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:05.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:05.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:06.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:06.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:06.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:06.072 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:06.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:06.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:06.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:06.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:06.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:07.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:07.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:07.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:07.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:07.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:07.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:07.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:07.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:07.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:08.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:08.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:08.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:08.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:08.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:08.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:08.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:08.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:08.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:09.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:09.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:50:09.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:09.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:09.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:09.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:09.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:09.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:09.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:10.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:10.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:10.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:10.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:10.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:11.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:11.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:11.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:50:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:12.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:12.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:12.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:12.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:12.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:12.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:13.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:13.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:13.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:13.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:14.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:14.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:14.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:14.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:14.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:14.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:14.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:14.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:50:14.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:15.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:15.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:15.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:15.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:15.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:15.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:15.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:15.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:15.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:16.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:16.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:16.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:16.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:16.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:16.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:16.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:16.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:16.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:17.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:17.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:17.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:17.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:17.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:17.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:17.521 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:50:17.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:17.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:18.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:18.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:18.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:18.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:18.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:18.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:19.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:19.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:19.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:19.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:19.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:19.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:19.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:19.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:19.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:20.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:20.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:20.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:20.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:20.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:50:20.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:20.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:20.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:20.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:21.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:21.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:21.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:21.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:21.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:21.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:21.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:21.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:21.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:22.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:22.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:22.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:22.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:22.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:22.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:22.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:22.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:22.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:23.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:23.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:23.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:23.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:50:23.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:23.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:23.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:23.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:23.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:24.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:24.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:24.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:24.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:24.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:24.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:24.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:24.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:24.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:25.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:25.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:25.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:25.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:25.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:25.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:25.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:25.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:25.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:26.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:26.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:26.834 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:26.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:26.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:26.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:26.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:26.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:26.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:27.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:27.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:27.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:27.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:27.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:27.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:27.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:27.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:27.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:28.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:28.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:29.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:50:29.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:29.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:29.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:29.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:29.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:29.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:29.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:29.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:30.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:30.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:30.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:30.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:30.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:30.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:30.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:30.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:30.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:32.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:32.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:32.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:32.016 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:32.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:32.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:32.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:32.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:32.026 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:33.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:33.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:33.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:33.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:33.060 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:33.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:33.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:33.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:33.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:34.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:34.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:34.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:34.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:34.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:34.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:35.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:35.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:35.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:35.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:35.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:35.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:35.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:50:35.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:35.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:36.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:36.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:36.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:36.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:37.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:37.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:37.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:37.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:37.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:37.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:37.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:37.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:37.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:38.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:38.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:38.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:38.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:38.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:38.222 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:50:38.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:38.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:38.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:39.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:40.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:40.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:40.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:40.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:40.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:40.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:40.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:40.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:40.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:41.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:41.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:41.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:41.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:41.303 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:41.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:41.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:41.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:41.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:42.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:42.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:42.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:42.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:43.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:43.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:43.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:43.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:43.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:50:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:45.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:45.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:45.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:45.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:45.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:45.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:45.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:45.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:45.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:46.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:46.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:46.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:46.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:46.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:46.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:46.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:46.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:46.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:47.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:47.531 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:47.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:47.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:47.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:48.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:48.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:48.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:48.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:48.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:48.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:48.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:48.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:48.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:49.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:49.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:49.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:50:49.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:49.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:49.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:49.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:49.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:49.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:50:50.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:50.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:50.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:50.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:50.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:50.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:50.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:50.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:50.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:51.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:51.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:51.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:51.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:51.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:51.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:51.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:52.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:52.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:52.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:52.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:52.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:52.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:52.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:52.742 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:52.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:53.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:53.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:53.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:53.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:53.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:53.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:53.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:53.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:53.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:54.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:54.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:54.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:54.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:54.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:54.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:54.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:54.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:54.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:55.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:55.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:55.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:55.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:50:55.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:55.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:55.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:56.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:57.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:57.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:57.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:57.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:57.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:57.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:57.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:57.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:57.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:58.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:50:58.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:50:58.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:50:58.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:50:59.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:50:59.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:50:59.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:50:59.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:50:59.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:00.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:00.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:00.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:00.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:00.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:00.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:00.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:00.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:00.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:01.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:01.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:01.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:01.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:01.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:01.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:02.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:02.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:02.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:02.110 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:02.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:02.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:02.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:02.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:02.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:03.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:03.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:03.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:03.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:03.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:03.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:03.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:03.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:03.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:04.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:04.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:04.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:04.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:04.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:04.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:04.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:04.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:04.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:05.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:05.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:51:05.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:05.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:06.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:06.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:07.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:07.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:07.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:07.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:07.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:07.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:07.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:07.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:07.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:08.311 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:51:08.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:08.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:08.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:08.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:08.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:08.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:08.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:08.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:09.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:09.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:09.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:09.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:09.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:09.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:10.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:51:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:11.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:12.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:12.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:12.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:12.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:12.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:12.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:12.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:12.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:12.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:13.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:13.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:13.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:13.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:13.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:13.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:13.524 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:51:13.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:13.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:14.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:14.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:14.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:14.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:14.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:14.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:14.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:14.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:14.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:16.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:16.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:16.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:16.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:16.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:51:16.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:16.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:16.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:16.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:17.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:17.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:17.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:17.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:17.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:17.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:17.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:17.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:17.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:18.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:51:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:20.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:20.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:20.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:20.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:20.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:20.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:20.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:20.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:20.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:21.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:21.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:21.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:21.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:21.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:21.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:21.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:21.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:21.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:22.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:22.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:22.874 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:22.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:22.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:22.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:22.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:22.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:22.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:23.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:23.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:23.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:23.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:23.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:23.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:23.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:23.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:23.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:24.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:24.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:24.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:24.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:24.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:24.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:24.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:24.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:24.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:25.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:51:25.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:25.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:25.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:26.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:26.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:26.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:26.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:26.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:27.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:27.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:27.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:27.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:27.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:27.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:27.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:27.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:27.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:28.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:28.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:28.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:28.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:28.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:28.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:28.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:28.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:28.083 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:29.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:29.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:29.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:29.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:29.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:29.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:29.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:29.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:29.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:30.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:30.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:30.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:30.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:30.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:30.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:30.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:30.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:30.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:31.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:31.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:31.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:31.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:31.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:31.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:31.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:51:31.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:31.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:32.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:32.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:33.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:33.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:33.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:33.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:33.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:33.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:33.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:33.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:33.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:34.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:34.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:34.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:34.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:34.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:34.325 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:51:34.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:34.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:35.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:35.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:35.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:35.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:35.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:35.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:35.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:35.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:35.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:36.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:36.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:36.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:36.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:36.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:36.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:37.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:37.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:37.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:37.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:37.421 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:37.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:37.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:37.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:37.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:38.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:38.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:38.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:38.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:38.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:39.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:39.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:39.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:39.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:40.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:40.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:40.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:51:40.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:40.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:40.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:40.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:40.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:40.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:41.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:41.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:41.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:41.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:41.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:41.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:41.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:41.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:41.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:42.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:42.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:42.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:42.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:42.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:42.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:43.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:43.593 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:43.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:43.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:43.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:43.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:43.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:43.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:43.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:44.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:44.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:44.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:44.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:44.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:44.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:44.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:44.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:44.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:45.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:45.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:45.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:45.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:45.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:45.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:45.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:45.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:45.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:51:46.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:46.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:46.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:46.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:46.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:46.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:46.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:46.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:46.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:47.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:47.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:47.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:47.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:47.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:47.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:47.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:47.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:47.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:48.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:48.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:48.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:51:48.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:48.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:48.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:48.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:48.801 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:48.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:49.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:49.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:49.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:49.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:49.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:49.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:49.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:49.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:49.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:50.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:50.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:50.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:50.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:50.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:50.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:50.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:50.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:50.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:51.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:51.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:51.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:51.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:51.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:51.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:51:51.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:51.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:51.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:52.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:52.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:52.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:52.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:52.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:52.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:53.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:53.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:54.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:54.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:54.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:54.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:54.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:55.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:55.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:55.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:55.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:55.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:55.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:55.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:55.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:55.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:56.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:56.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:56.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:56.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:56.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:56.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:56.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:56.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:56.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:57.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:57.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:57.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:57.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:57.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:57.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:58.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:58.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:58.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:58.152 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:58.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:58.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:58.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:58.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:58.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:59.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:51:59.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:51:59.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:51:59.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:51:59.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:51:59.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:51:59.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:51:59.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:51:59.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:00.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:00.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:00.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:00.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:00.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:00.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:00.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:00.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:00.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:01.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:01.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:52:01.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:01.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:01.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:01.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:01.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:01.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:01.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:02.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:02.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:02.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:03.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:03.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:03.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:03.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:03.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:03.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:03.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:03.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:03.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:04.370 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:52:04.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:04.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:04.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:04.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:04.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:04.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:04.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:04.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:05.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:05.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:05.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:05.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:05.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:05.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:05.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:05.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:05.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:06.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:06.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:06.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:06.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:06.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:06.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:06.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:06.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:52:06.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:07.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:07.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:07.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:07.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:07.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:07.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:07.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:07.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:07.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:09.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:09.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:09.561 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:52:09.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:09.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:11.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:11.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:11.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:11.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:11.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:12.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:12.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:12.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:12.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:12.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:52:12.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:12.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:12.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:12.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:13.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:13.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:13.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:13.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:13.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:13.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:13.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:13.707 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:13.707 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:14.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:14.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:14.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:14.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:14.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:14.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:14.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:14.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:14.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:15.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:15.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:15.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:15.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:52:15.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:15.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:15.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:15.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:15.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:16.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:16.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:16.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:16.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:16.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:16.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:16.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:16.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:16.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:17.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:17.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:17.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:17.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:17.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:17.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:17.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:17.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:17.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:18.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:18.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:18.873 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:18.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:18.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:18.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:18.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:18.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:18.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:19.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:19.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:19.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:19.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:19.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:19.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:19.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:19.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:19.927 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:20.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:20.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:20.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:20.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:20.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:20.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:20.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:20.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:20.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:21.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:52:21.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:21.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:21.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:22.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:22.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:22.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:22.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:22.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:23.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:23.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:23.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:23.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:23.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:23.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:23.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:23.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:23.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:24.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:24.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:24.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:24.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:24.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:24.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:24.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:24.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:24.083 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:25.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:25.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:25.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:25.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:25.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:25.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:25.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:25.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:25.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:26.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:26.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:26.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:26.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:26.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:26.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:26.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:27.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:27.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:27.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:27.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:27.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:27.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:27.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:52:27.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:27.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:28.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:28.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:28.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:28.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:28.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:28.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:28.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:28.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:28.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:29.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:29.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:29.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:29.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:29.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:29.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:30.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:30.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:30.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:30.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:30.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:30.323 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:52:30.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:30.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:30.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:31.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:31.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:31.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:31.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:31.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:31.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:31.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:31.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:31.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:32.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:32.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:32.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:32.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:32.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:32.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:32.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:32.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:32.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:33.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:33.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:33.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:33.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:33.441 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:33.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:33.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:33.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:33.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:34.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:34.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:34.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:34.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:34.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:34.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:34.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:34.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:34.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:35.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:35.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:35.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:35.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:35.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:35.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:35.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:35.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:35.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:36.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:36.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:36.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:52:36.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:36.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:36.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:36.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:36.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:36.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:37.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:37.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:38.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:38.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:38.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:38.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:38.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:38.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:38.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:38.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:38.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:39.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:39.671 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:39.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:39.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:39.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:39.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:39.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:39.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:39.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:40.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:41.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:41.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:41.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:41.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:41.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:41.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:41.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:41.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:41.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:52:42.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:42.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:42.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:42.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:42.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:42.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:42.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:42.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:42.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:43.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:43.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:43.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:43.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:43.820 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:43.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:43.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:43.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:43.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:44.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:44.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:44.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:44.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:44.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:44.864 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:44.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:45.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:45.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:45.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:45.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:46.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:46.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:46.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:46.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:46.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:46.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:46.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:46.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:46.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:47.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:47.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:52:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:49.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:49.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:49.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:49.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:49.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:49.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:49.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:49.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:49.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:50.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:50.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:50.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:50.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:50.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:51.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:51.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:51.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:51.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:51.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:51.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:51.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:51.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:51.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:52.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:52.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:52.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:52.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:52.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:52.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:52.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:52.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:52.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:53.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:53.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:53.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:53.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:53.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:53.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:53.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:53.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:53.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:54.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:54.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:54.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:52:54.173 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:54.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:54.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:54.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:54.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:54.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:55.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:55.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:55.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:55.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:55.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:55.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:55.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:55.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:55.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:56.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:56.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:56.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:56.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:56.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:56.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:56.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:56.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:56.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:57.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:57.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:52:57.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:57.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:57.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:57.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:57.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:57.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:57.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:58.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:58.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:58.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:58.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:58.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:58.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:58.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:58.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:58.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:59.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:52:59.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:52:59.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:52:59.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:52:59.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:52:59.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:52:59.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:52:59.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:52:59.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:00.434 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:53:00.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:00.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:00.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:00.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:01.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:01.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:01.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:01.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:01.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:01.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:01.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:01.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:01.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:02.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:02.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:02.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:02.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:02.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:02.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:02.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:02.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:53:02.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:03.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:03.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:03.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:03.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:03.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:03.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:03.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:03.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:03.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:04.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:04.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:04.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:04.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:04.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:04.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:04.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:04.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:04.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:05.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:53:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:06.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:06.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:06.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:06.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:06.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:06.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:06.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:06.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:06.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:07.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:07.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:07.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:07.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:07.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:08.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:08.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:08.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:08.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:08.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:53:08.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:08.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:09.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:09.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:09.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:09.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:09.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:09.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:09.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:09.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:09.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:10.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:10.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:10.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:10.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:10.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:10.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:10.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:10.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:10.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:11.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:11.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:11.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:11.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:53:11.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:11.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:11.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:11.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:11.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:12.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:12.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:12.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:12.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:12.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:12.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:12.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:12.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:12.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:13.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:13.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:13.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:13.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:13.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:13.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:13.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:13.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:13.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:14.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:14.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:14.992 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:14.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:15.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:15.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:15.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:15.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:15.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:16.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:16.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:16.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:16.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:16.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:16.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:16.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:16.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:16.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:17.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:17.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:17.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:17.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:17.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:17.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:17.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:17.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:17.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:18.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:53:18.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:18.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:18.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:18.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:19.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:19.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:19.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:19.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:19.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:19.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:19.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:19.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:19.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:20.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:20.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:20.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:20.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:20.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:20.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:20.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:20.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:20.146 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:21.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:21.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:21.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:21.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:21.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:21.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:21.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:21.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:21.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:22.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:22.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:22.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:22.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:22.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:22.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:22.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:22.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:22.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:23.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:23.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:23.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:23.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:23.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:53:23.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:23.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:24.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:24.295 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:24.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:24.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:24.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:24.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:24.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:25.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:25.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:25.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:25.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:25.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:25.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:25.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:25.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:25.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:26.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:26.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:26.381 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:53:26.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:26.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:26.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:27.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:27.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:27.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:27.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:27.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:27.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:27.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:27.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:27.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:28.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:28.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:28.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:28.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:28.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:28.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:28.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:29.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:29.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:29.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:29.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:29.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:30.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:30.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:30.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:30.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:30.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:30.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:30.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:30.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:30.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:31.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:31.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:31.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:31.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:31.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:31.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:32.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:32.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:32.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:53:32.613 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:33.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:33.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:33.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:33.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:33.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:33.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:33.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:33.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:33.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:34.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:34.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:34.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:34.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:34.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:34.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:34.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:35.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:35.730 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:35.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:35.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:35.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:35.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:35.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:35.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:35.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:36.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:36.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:36.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:36.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:36.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:36.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:36.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:36.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:36.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:37.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:37.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:37.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:37.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:37.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:37.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:37.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:37.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:37.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:53:38.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:38.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:38.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:38.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:38.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:38.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:38.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:38.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:38.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:39.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:39.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:39.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:39.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:39.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:39.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:39.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:39.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:39.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:40.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:40.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:40.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:40.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:40.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:40.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:40.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:40.942 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:40.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:41.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:41.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:41.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:41.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:41.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:41.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:41.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:41.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:41.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:43.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:43.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:43.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:43.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:43.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:43.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:43.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:43.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:43.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:44.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:44.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:44.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:44.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:44.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:44.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:53:44.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:44.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:44.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:45.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:45.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:45.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:45.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:45.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:45.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:45.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:45.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:45.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:46.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:46.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:46.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:46.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:46.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:46.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:46.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:46.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:46.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:47.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:47.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:47.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:47.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:47.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:47.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:47.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:47.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:47.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:48.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:48.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:48.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:48.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:48.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:48.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:48.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:48.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:48.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:49.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:49.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:49.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:49.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:49.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:49.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:49.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:49.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:49.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:50.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:50.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:50.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:53:50.255 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:50.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:50.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:50.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:50.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:50.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:51.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:51.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:51.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:52.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:52.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:52.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:52.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:52.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:52.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:52.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:52.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:52.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:53.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:53.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:53:53.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:53.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:54.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:54.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:54.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:54.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:54.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:54.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:54.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:54.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:54.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:55.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:55.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:55.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:55.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:55.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:53:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:56.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:56.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:56.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:56.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:56.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:57.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:57.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:57.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:57.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:57.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:57.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:58.540 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:53:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:59.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:53:59.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:53:59.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:53:59.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:53:59.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:53:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:53:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:53:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:53:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:00.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:00.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:00.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:00.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:00.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:00.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:00.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:00.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:00.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:01.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:54:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:02.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:02.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:02.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:02.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:02.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:02.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:02.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:02.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:02.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:03.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:03.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:03.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:03.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:03.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:03.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:03.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:03.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:03.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:04.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:04.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:04.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:04.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:04.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:54:04.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:04.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:04.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:04.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:05.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:05.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:05.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:05.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:05.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:05.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:05.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:05.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:05.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:06.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:06.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:06.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:06.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:06.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:06.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:06.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:06.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:06.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:07.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:54:07.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:07.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:07.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:07.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:07.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:08.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:08.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:08.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:08.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:08.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:08.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:08.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:09.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:09.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:09.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:09.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:10.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:10.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:10.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:10.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:10.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:11.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:11.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:11.035 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:11.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:11.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:11.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:11.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:11.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:11.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:12.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:12.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:12.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:12.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:12.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:12.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:13.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:13.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:13.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:13.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:13.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:13.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:14.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:54:14.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:14.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:14.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:14.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:14.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:14.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:14.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:14.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:15.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:15.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:15.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:15.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:15.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:15.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:15.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:15.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:15.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:16.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:16.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:16.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:16.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:16.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:16.243 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:17.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:17.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:17.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:17.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:17.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:17.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:17.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:17.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:17.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:18.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:18.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:18.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:18.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:18.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:18.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:18.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:18.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:18.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:19.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:19.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:19.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:19.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:19.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:19.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:19.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:54:19.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:19.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:20.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:20.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:20.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:20.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:21.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:21.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:21.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:21.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:21.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:21.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:21.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:21.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:21.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:22.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:22.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:22.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:22.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:22.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:22.443 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:54:22.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:22.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:22.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:23.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:23.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:23.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:23.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:23.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:23.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:23.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:23.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:23.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:24.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:24.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:24.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:24.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:24.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:24.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:24.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:24.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:24.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:25.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:25.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:25.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:25.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:25.563 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:25.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:25.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:25.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:25.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:26.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:26.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:26.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:26.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:26.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:27.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:27.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:27.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:27.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:27.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:27.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:27.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:27.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:27.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:28.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:28.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:28.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:54:28.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:28.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:29.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:29.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:29.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:29.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:29.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:29.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:30.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:30.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:30.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:30.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:30.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:31.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:31.773 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:31.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:31.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:31.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:31.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:31.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:32.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:32.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:32.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:32.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:32.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:32.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:32.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:32.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:32.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:33.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:33.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:33.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:33.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:33.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:33.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:54:34.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:34.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:34.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:34.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:34.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:34.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:34.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:34.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:34.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:35.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:35.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:35.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:35.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:35.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:35.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:35.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:35.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:35.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:36.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:36.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:36.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:36.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:36.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:36.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:36.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:36.921 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:36.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:37.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:37.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:37.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:37.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:37.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:37.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:37.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:37.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:37.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:38.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:38.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:38.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:38.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:38.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:38.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:38.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:38.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:38.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:40.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:40.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:40.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:40.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:40.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:40.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:54:40.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:40.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:40.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:41.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:41.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:41.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:41.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:41.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:41.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:41.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:41.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:41.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:42.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:42.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:42.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:42.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:42.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:42.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:42.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:42.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:42.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:43.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:43.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:43.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:43.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:43.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:43.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:43.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:43.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:43.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:44.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:44.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:44.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:44.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:44.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:44.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:44.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:44.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:44.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:45.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:45.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:45.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:45.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:45.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:45.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:45.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:45.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:45.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:46.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:46.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:46.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:46.271 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:46.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:46.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:46.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:46.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:46.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:47.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:47.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:47.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:47.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:47.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:47.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:47.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:48.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:48.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:48.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:48.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:48.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:48.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:49.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:49.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:54:49.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:49.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:49.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:49.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:49.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:49.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:49.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:50.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:50.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:50.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:50.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:50.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:50.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:50.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:50.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:50.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:51.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:51.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:51.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:51.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:51.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:51.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:51.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:51.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:51.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:52.512 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:54:52.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:52.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:52.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:52.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:52.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:52.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:52.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:52.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:53.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:53.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:53.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:53.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:53.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:53.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:53.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:53.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:53.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:54.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:54:54.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:54.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:54.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:54.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:54.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:54:54.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:55.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:55.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:55.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:55.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:55.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:55.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:55.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:55.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:55.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:56.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:56.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:56.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:56.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:56.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:56.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:56.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:56.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:56.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:57.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:57.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:57.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:57.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:57.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:57.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:57.722 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:54:57.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:57.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:58.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:58.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:58.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:58.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:58.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:58.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:58.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:58.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:58.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:59.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:54:59.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:54:59.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:54:59.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:54:59.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:54:59.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:54:59.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:54:59.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:54:59.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:00.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:00.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:00.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:00.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:00.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:55:00.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:00.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:00.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:00.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:01.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:01.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:01.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:01.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:01.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:01.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:01.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:01.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:01.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:02.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:02.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:02.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:02.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:02.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:02.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:02.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:02.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:02.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:03.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:03.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:03.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:03.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:55:03.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:03.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:03.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:03.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:03.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:04.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:04.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:04.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:04.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:04.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:06.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:06.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:06.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:06.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:06.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:06.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:06.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:06.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:06.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:07.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:08.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:08.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:08.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:08.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:08.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:09.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:09.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:09.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:09.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:09.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:09.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:09.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:09.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:09.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:10.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:55:10.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:10.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:10.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:10.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:10.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:10.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:10.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:10.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:11.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:11.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:11.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:11.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:11.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:11.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:11.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:11.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:11.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:12.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:12.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:12.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:12.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:12.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:12.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:12.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:12.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:12.245 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:13.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:13.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:13.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:13.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:13.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:14.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:14.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:14.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:14.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:14.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:15.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:15.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:15.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:15.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:15.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:15.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:15.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:55:15.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:15.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:16.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:16.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:16.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:16.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:16.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:17.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:17.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:17.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:17.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:17.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:17.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:17.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:17.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:17.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:18.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:18.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:18.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:18.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:18.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:18.483 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:55:18.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:18.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:18.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:19.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:19.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:19.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:19.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:19.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:19.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:19.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:19.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:19.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:20.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:20.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:20.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:20.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:20.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:20.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:20.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:20.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:20.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:21.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:21.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:21.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:21.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:21.622 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:21.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:21.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:21.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:21.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:22.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:22.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:22.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:22.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:22.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:22.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:22.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:22.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:22.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:23.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:23.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:23.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:23.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:23.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:23.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:23.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:23.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:23.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:24.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:24.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:24.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:55:24.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:24.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:24.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:24.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:24.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:24.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:25.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:25.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:25.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:25.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:25.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:26.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:26.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:26.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:26.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:26.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:26.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:26.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:26.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:26.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:27.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:27.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:27.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:27.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:27.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:27.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:28.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:28.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:28.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:28.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:28.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:28.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:28.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:29.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:29.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:29.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:29.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:29.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:29.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:29.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:29.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:29.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:55:30.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:30.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:30.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:30.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:30.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:32.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:32.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:32.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:32.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:32.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:32.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:32.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:32.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:32.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:33.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:33.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:33.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:33.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:33.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:33.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:33.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:33.044 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:33.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:34.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:34.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:34.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:34.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:34.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:34.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:34.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:34.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:34.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:35.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:35.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:35.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:35.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:35.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:35.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:35.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:35.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:35.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:36.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:36.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:36.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:36.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:36.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:36.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:55:36.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:36.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:36.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:37.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:38.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:38.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:38.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:38.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:38.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:38.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:38.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:38.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:38.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:40.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:40.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:40.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:40.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:40.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:40.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:40.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:40.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:40.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:41.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:41.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:41.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:41.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:41.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:41.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:41.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:41.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:41.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:42.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:42.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:42.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:42.352 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:42.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:42.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:42.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:42.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:42.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:43.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:43.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:43.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:43.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:43.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:43.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:43.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:43.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:43.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:44.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:44.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:44.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:44.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:44.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:44.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:44.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:44.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:44.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:45.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:45.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:55:45.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:45.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:45.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:45.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:45.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:45.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:45.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:46.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:46.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:46.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:46.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:46.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:47.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:47.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:47.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:47.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:47.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:47.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:47.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:47.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:47.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:48.590 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:55:48.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:48.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:48.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:48.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:48.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:48.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:48.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:48.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:49.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:49.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:49.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:49.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:49.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:49.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:49.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:49.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:49.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:50.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:50.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:50.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:55:50.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:50.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:50.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:50.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:50.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:55:50.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:51.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:51.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:51.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:51.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:51.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:51.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:51.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:51.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:51.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:52.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:52.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:52.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:52.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:52.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:52.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:52.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:52.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:52.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:55:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:54.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:54.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:54.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:54.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:54.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:54.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:54.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:54.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:54.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:55.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:55.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:55.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:55.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:55.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:55.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:55.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:55.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:55.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:56.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:55:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:57.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:57.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:57.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:57.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:57.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:57.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:57.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:57.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:57.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:58.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:55:58.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:55:58.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:55:58.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:55:58.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:55:58.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:55:58.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:55:58.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:55:58.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:00.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:00.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:00.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:00.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:56:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:01.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:01.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:01.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:01.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:01.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:01.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:01.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:01.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:01.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:02.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:02.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:02.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:02.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:02.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:02.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:02.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:02.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:02.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:03.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:03.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:03.111 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:03.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:03.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:03.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:03.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:03.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:03.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:04.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:04.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:04.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:04.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:04.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:04.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:04.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:04.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:04.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:05.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:05.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:05.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:05.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:05.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:05.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:05.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:05.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:05.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:56:06.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:06.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:06.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:06.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:07.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:07.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:07.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:07.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:07.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:07.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:07.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:07.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:07.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:08.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:08.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:08.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:08.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:08.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:08.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:08.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:08.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:08.303 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:09.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:09.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:09.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:09.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:09.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:09.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:09.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:09.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:09.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:10.349 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:10.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:10.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:10.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:10.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:10.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:10.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:10.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:10.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:11.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:11.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:11.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:11.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:11.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:11.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:11.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:56:11.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:11.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:12.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:12.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:12.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:12.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:12.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:12.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:12.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:12.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:12.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:13.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:13.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:13.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:13.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:13.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:13.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:13.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:13.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:13.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:14.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:14.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:14.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:14.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:14.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:14.481 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:56:14.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:14.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:14.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:15.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:15.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:15.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:15.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:15.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:15.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:16.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:16.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:16.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:16.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:16.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:16.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:16.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:16.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:16.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:17.549 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:17.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:17.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:17.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:17.560 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:17.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:17.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:17.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:17.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:18.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:18.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:18.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:18.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:19.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:19.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:19.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:20.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:20.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:20.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:56:20.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:20.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:20.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:20.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:20.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:20.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:21.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:21.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:21.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:22.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:22.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:22.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:22.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:22.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:23.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:23.792 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:23.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:23.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:23.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:23.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:23.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:23.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:23.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:24.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:24.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:24.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:24.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:24.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:24.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:24.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:24.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:25.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:25.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:25.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:25.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:25.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:56:26.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:26.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:26.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:26.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:26.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:26.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:26.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:26.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:26.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:27.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:27.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:27.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:28.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:28.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:28.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:28.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:29.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:29.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:29.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:29.005 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:29.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:30.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:30.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:30.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:30.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:30.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:30.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:30.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:30.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:30.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:31.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:31.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:31.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:31.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:32.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:32.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:32.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:32.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:32.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:32.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:56:32.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:32.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:32.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:33.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:33.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:33.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:33.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:33.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:33.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:33.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:33.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:33.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:34.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:34.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:34.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:34.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:34.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:34.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:34.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:34.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:34.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:35.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:35.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:35.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:35.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:35.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:35.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:35.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:35.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:35.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:36.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:36.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:36.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:36.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:37.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:37.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:37.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:37.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:37.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:37.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:37.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:37.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:37.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:38.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:38.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:38.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:38.372 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:38.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:39.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:39.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:39.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:39.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:39.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:39.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:39.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:39.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:39.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:40.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:40.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:40.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:40.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:40.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:40.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:40.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:40.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:40.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:41.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:41.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:56:41.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:41.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:41.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:41.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:41.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:41.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:41.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:42.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:42.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:42.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:42.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:42.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:42.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:42.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:42.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:42.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:43.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:43.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:43.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:43.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:43.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:43.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:43.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:43.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:43.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:44.613 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:56:44.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:44.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:44.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:44.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:44.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:44.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:44.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:44.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:45.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:45.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:45.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:45.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:45.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:45.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:45.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:45.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:45.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:46.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:46.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:46.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:46.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:46.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:46.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:46.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:46.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:56:46.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:47.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:47.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:47.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:47.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:47.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:47.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:47.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:47.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:47.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:48.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:48.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:48.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:48.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:48.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:48.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:48.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:48.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:48.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:49.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:49.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:49.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:49.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:49.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:56:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:49.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:50.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:50.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:50.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:50.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:50.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:50.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:51.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:51.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:51.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:51.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:51.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:52.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:52.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:56:52.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:52.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:52.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:52.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:53.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:53.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:53.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:53.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:53.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:53.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:53.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:53.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:53.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:54.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:54.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:54.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:54.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:54.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:54.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:55.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:55.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:55.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:56:55.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:56:56.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:56.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:56.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:56.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:56.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:57.029 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:57.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:57.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:57.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:57.040 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:57.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:57.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:58.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:58.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:58.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:58.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:58.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:58.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:58.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:58.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:58.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:59.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:56:59.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:56:59.090 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:56:59.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:56:59.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:56:59.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:56:59.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:56:59.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:56:59.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:00.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:00.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:00.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:01.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:01.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:01.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:01.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:01.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:01.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:01.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:01.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:01.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:02.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:57:02.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:02.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:02.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:02.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:02.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:02.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:02.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:02.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:03.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:03.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:03.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:03.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:03.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:03.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:03.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:03.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:03.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:04.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:04.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:04.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:04.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:04.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:04.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:04.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:04.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:04.265 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:05.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:05.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:05.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:05.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:05.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:05.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:05.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:05.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:05.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:06.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:06.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:06.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:06.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:06.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:06.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:06.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:06.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:06.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:07.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:07.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:07.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:07.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:07.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:07.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:07.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:57:07.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:07.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:08.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:08.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:08.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:08.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:08.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:08.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:08.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:08.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:08.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:09.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:09.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:09.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:09.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:09.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:09.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:09.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:09.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:09.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:10.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:10.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:10.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:10.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:10.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:10.505 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:57:10.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:10.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:10.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:11.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:11.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:11.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:11.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:11.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:11.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:11.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:11.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:11.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:12.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:12.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:12.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:12.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:12.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:12.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:12.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:12.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:12.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:13.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:13.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:13.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:13.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:13.626 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:13.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:13.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:13.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:13.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:14.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:14.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:14.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:14.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:14.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:14.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:14.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:14.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:14.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:15.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:15.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:15.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:15.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:15.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:15.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:15.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:15.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:15.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:16.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:16.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:16.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:57:16.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:16.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:16.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:16.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:16.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:16.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:17.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:17.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:17.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:17.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:17.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:17.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:17.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:17.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:17.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:18.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:18.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:18.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:18.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:18.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:18.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:18.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:18.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:18.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:19.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:19.852 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:19.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:19.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:19.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:19.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:19.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:19.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:19.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:20.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:20.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:20.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:20.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:20.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:20.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:20.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:20.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:20.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:21.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:21.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:21.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:21.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:21.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:21.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:21.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:21.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:21.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:57:22.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:22.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:22.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:22.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:23.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:23.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:23.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:23.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:24.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:25.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:25.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:25.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:25.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:25.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:25.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:25.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:25.042 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:25.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:26.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:26.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:26.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:26.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:26.080 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:26.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:27.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:27.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:27.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:27.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:27.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:27.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:27.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:27.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:27.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:28.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:28.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:28.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:28.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:57:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:28.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:29.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:29.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:29.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:29.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:29.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:29.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:29.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:29.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:29.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:30.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:30.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:30.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:30.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:30.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:30.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:30.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:31.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:31.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:31.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:31.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:31.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:31.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:32.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:32.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:32.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:32.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:32.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:32.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:32.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:32.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:32.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:33.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:33.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:33.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:33.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:33.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:33.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:33.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:33.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:33.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:34.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:34.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:34.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:34.393 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:34.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:34.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:34.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:34.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:34.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:35.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:35.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:35.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:35.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:35.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:35.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:35.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:35.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:35.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:36.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:36.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:36.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:36.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:36.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:36.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:36.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:36.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:36.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:37.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:37.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:57:37.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:37.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:37.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:37.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:37.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:37.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:37.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:38.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:38.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:38.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:38.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:38.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:38.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:38.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:38.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:38.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:39.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:39.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:39.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:39.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:39.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:39.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:39.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:39.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:39.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:57:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:40.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:40.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:40.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:40.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:40.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:41.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:41.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:41.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:41.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:41.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:41.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:41.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:41.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:41.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:42.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:42.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:42.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:42.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:42.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:42.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:42.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:42.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:57:42.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:43.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:43.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:43.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:43.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:43.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:43.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:43.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:43.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:43.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:44.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:44.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:44.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:44.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:44.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:44.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:44.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:44.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:44.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:45.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:45.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:45.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:45.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:45.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:45.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:45.842 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:57:45.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:45.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:46.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:46.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:46.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:46.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:46.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:46.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:46.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:46.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:46.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:47.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:47.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:47.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:47.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:47.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:47.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:47.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:47.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:47.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:48.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:48.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:48.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:48.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:48.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:57:48.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:48.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:48.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:48.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:49.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:49.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:49.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:49.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:50.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:50.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:50.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:50.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:50.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:51.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:51.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:51.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:51.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:51.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:57:52.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:57:52.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:52.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:52.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:52.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:52.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:53.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:53.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:53.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:53.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:53.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:53.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:53.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:53.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:53.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:54.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:54.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:54.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:54.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:54.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:55.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:55.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:55.212 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:55.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:55.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:55.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:55.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:55.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:55.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:56.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:56.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:56.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:56.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:56.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:56.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:56.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:56.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:56.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:57.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:57.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:57.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:57.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:57.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:57.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:57.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:57.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:57.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:58.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:57:58.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:58.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:58.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:58.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:58.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:58.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:58.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:58.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:59.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:57:59.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:57:59.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:57:59.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:57:59.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:57:59.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:57:59.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:57:59.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:57:59.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:00.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:00.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:00.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:00.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:00.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:00.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:00.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:00.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:00.401 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:01.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:01.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:01.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:01.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:01.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:01.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:01.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:01.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:01.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:02.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:02.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:02.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:02.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:02.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:02.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:02.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:02.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:02.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:03.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:03.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:03.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:03.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:03.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:03.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:03.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:58:03.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:03.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:04.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:04.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:04.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:04.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:04.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:04.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:04.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:04.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:04.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:05.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:05.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:05.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:05.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:05.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:05.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:05.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:05.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:05.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:06.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:06.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:06.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:06.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:06.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:06.605 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:58:06.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:06.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:06.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:07.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:07.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:07.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:07.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:07.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:07.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:07.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:07.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:07.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:08.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:08.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:08.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:08.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:08.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:10.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:10.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:10.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:10.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:10.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:10.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:10.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:11.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:12.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:12.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:12.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:58:12.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:12.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:12.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:12.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:12.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:12.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:13.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:13.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:13.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:13.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:14.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:14.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:14.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:14.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:14.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:14.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:14.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:14.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:14.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:15.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:15.890 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:15.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:15.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:15.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:15.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:15.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:15.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:15.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:16.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:16.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:16.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:16.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:16.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:16.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:16.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:16.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:16.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:17.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:17.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:17.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:17.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:17.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:17.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:17.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:17.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:17.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:58:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:18.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:19.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:19.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:19.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:19.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:19.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:20.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:20.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:20.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:20.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:20.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:21.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:21.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:21.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:21.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:21.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:21.082 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:21.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:22.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:22.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:22.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:22.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:22.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:22.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:22.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:22.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:22.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:23.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:23.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:23.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:23.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:23.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:23.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:23.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:23.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:23.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:24.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:24.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:24.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:24.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:24.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:58:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:25.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:25.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:25.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:25.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:25.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:25.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:25.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:25.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:25.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:26.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:26.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:26.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:26.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:26.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:26.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:26.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:26.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:26.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:27.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:27.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:28.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:28.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:28.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:28.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:28.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:28.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:28.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:28.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:28.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:29.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:29.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:29.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:29.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:29.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:29.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:30.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:30.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:30.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:30.434 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:30.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:30.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:30.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:30.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:30.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:31.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:31.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:31.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:31.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:31.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:32.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:32.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:32.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:32.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:33.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:33.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:58:33.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:33.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:33.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:33.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:33.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:33.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:33.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:34.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:34.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:34.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:35.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:35.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:35.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:35.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:35.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:35.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:36.671 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:58:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:36.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:36.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:36.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:36.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:36.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:36.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:37.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:37.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:38.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:38.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:38.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:38.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:38.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:38.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:38.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:38.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:58:38.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:39.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:39.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:39.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:39.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:39.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:39.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:39.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:39.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:39.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:40.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:40.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:40.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:40.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:40.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:40.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:40.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:40.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:40.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:41.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:41.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:41.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:41.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:41.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:41.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:41.885 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:58:41.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:41.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:42.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:42.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:42.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:42.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:42.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:42.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:42.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:42.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:42.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:43.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:43.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:43.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:43.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:43.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:43.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:43.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:43.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:43.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:44.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:44.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:45.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:58:45.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:45.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:45.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:45.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:46.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:46.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:46.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:46.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:46.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:46.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:46.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:46.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:46.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:47.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:47.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:47.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:47.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:47.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:47.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:47.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:47.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:47.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:48.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:48.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:48.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:48.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:58:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:49.149 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:49.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:49.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:49.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:49.160 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:49.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:49.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:49.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:49.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:50.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:50.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:50.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:50.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:50.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:50.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:50.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:51.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:51.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:51.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:51.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:51.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:52.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:52.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:52.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:52.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:52.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:52.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:52.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:52.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:52.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:53.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:53.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:53.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:53.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:53.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:53.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:53.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:53.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:53.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:54.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:58:54.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:54.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:54.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:54.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:54.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:54.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:54.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:54.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:55.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:55.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:55.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:55.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:55.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:55.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:55.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:55.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:55.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:56.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:56.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:56.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:58:56.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:56.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:56.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:56.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:56.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:56.422 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:57.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:57.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:57.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:57.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:57.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:57.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:57.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:57.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:57.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:58.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:58.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:58.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:58.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:58.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:58.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:58.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:58:58.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:58.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:59.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:58:59.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:58:59.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:58:59.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:58:59.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:58:59.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:58:59.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:58:59.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:58:59.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:00.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:00.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:00.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:00.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:00.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:00.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:00.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:00.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:00.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:01.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:01.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:01.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:01.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:01.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:01.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:01.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:01.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:01.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:02.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:02.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:02.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:02.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:02.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:02.645 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:59:02.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:02.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:02.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:03.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:03.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:03.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:03.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:03.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:03.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:03.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:04.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:04.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:04.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:04.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:04.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:04.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:04.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:04.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:04.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:05.782 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:06.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:06.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:06.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:06.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:06.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:06.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:06.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:06.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:06.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:07.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:07.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:07.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:07.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:07.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:07.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:07.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:07.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:07.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 13:59:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:08.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:08.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:08.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:08.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:08.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:09.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:09.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:09.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:09.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:09.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:09.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:09.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:09.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:09.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:10.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:10.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:10.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:10.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:10.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:10.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:10.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:12.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:12.015 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:12.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:12.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:12.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:12.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:12.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:12.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:12.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:13.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:13.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:14.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:14.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:14.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:14.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:14.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:14.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:14.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:14.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:14.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:59:15.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:15.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:15.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:15.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:15.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:15.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:15.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:15.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:15.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:16.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:16.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:16.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:16.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:16.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:16.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:16.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:17.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:17.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:17.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:17.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:17.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:17.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:17.227 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:17.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:18.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:18.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:18.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:18.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:18.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:18.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:19.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:19.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:19.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:19.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:19.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:19.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:19.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:19.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:19.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:20.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:20.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 13:59:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:20.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:21.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:21.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:21.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:21.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:21.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:22.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:22.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:22.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:22.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:22.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:22.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:22.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:22.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:22.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:23.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:23.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:23.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:23.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:23.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:23.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:23.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:23.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:23.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:24.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:24.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:24.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:24.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:24.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:24.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:25.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:25.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:25.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:25.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:25.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:25.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:25.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:25.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:25.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:26.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:26.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:26.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:26.575 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:26.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:26.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:26.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:26.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:27.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:27.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:27.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:27.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:27.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:27.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:28.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:28.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:28.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:28.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:28.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:28.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:28.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:28.667 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:28.667 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:29.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:29.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 13:59:29.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:29.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:29.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:29.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:29.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:29.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:29.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:30.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:30.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:30.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:30.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:30.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:30.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:31.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:31.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:31.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:31.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:31.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:31.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:31.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:31.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:31.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:32.814 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 13:59:32.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:32.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:32.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:32.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:32.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:32.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:32.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:32.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:33.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:33.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:33.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:33.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:33.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:33.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:33.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:33.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:33.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:34.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:34.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:34.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:34.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:34.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:34.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:34.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:34.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 13:59:34.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:35.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:35.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:35.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:35.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:35.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:36.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:36.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:36.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:36.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:36.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:36.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:36.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:36.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:36.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:37.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:37.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:37.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:37.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:38.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:38.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:38.006 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 13:59:38.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:38.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:39.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:39.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:39.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:39.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:39.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:39.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:39.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:39.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:39.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:40.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:40.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:40.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:40.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:40.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:40.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:40.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:40.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:40.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:41.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:41.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:41.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:41.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:41.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 13:59:41.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:41.100 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:41.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:41.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:42.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:42.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:42.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:42.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:42.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:42.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:42.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:42.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:42.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:43.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:43.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:43.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:43.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:43.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:43.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:43.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:43.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:43.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:44.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:44.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:44.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:44.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 13:59:44.200 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:44.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:44.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:44.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:44.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:45.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:45.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:45.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:45.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:45.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:45.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:45.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:45.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:45.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:46.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:46.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:46.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:46.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:46.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:47.295 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:47.295 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:47.295 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:47.295 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:47.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:47.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:47.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:47.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:47.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:48.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:48.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:48.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:48.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:48.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:48.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:48.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:48.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:48.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:49.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:49.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:49.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:49.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:49.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 13:59:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:50.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:50.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:50.427 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:50.427 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:50.427 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:50.427 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:51.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:51.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:51.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:51.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:51.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:51.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:51.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:51.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:51.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:52.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:52.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:52.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 13:59:52.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:52.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:52.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:52.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:52.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:52.505 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:53.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:53.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:53.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:53.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:53.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:53.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:53.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:53.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:53.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:54.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:54.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:54.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:54.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:54.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:54.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:54.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:54.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:54.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:55.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:55.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:55.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:55.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:55.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:55.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:55.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 13:59:55.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:55.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:56.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:56.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:56.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:56.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:56.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:56.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:56.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:56.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:56.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:57.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:57.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:57.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:57.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:57.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:57.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:57.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:57.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:57.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:58.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:58.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:58.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:58.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:58.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:58.745 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 13:59:58.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:58.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:58.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:59.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 13:59:59.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 13:59:59.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 13:59:59.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 13:59:59.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 13:59:59.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 13:59:59.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 13:59:59.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 13:59:59.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:00.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:00.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:00.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:00.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:00.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:00.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:00.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:00.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:00.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:01.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:01.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:01.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:01.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:01.861 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:01.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:01.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:01.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:01.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:02.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:02.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:02.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:02.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:02.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:03.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:03.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:03.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:03.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:03.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:03.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:03.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:03.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:03.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:04.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:04.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:00:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:04.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:04.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:04.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:04.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:04.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:06.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:06.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:06.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:06.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:06.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:06.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:06.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:06.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:06.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:07.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:07.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:09.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:09.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:09.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:09.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:09.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:09.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:09.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:09.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:09.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:10.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:10.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:10.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:00:11.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:11.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:11.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:11.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:11.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:11.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:13.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:13.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:13.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:13.280 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:13.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:14.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:14.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:15.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:16.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:00:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:16.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:17.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:17.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:17.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:17.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:17.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:17.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:17.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:17.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:17.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:18.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:18.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:18.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:18.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:18.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:18.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:18.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:18.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:18.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:19.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:19.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:19.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:19.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:19.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:19.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:19.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:19.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:19.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:20.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:20.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:20.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:20.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:20.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:20.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:20.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:20.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:20.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:21.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:21.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:21.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:21.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:21.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:21.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:21.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:21.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:21.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:22.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:22.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:22.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:22.616 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:22.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:22.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:22.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:22.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:22.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:23.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:23.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:23.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:23.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:23.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:23.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:23.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:23.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:23.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:24.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:24.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:24.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:24.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:24.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:24.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:24.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:24.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:25.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:25.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:00:25.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:25.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:25.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:25.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:25.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:25.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:25.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:26.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:26.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:26.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:26.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:26.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:26.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:26.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:27.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:27.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:27.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:27.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:27.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:27.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:27.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:27.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:27.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:28.811 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:00:28.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:28.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:28.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:28.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:28.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:28.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:28.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:28.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:30.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:30.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:30.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:30.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:30.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:30.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:30.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:30.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:00:30.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:31.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:31.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:31.927 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:31.927 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:32.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:32.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:32.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:32.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:32.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:32.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:32.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:32.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:32.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:34.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:34.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:34.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:34.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:34.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:34.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:34.025 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:00:34.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:34.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:35.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:35.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:35.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:35.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:35.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:35.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:35.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:35.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:35.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:36.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:36.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:36.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:36.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:36.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:36.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:36.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:36.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:36.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:37.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:37.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:37.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:37.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:37.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:00:37.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:37.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:37.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:37.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:38.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:38.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:38.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:38.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:38.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:38.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:38.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:38.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:38.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:39.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:39.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:39.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:39.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:39.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:39.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:39.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:39.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:39.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:40.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:40.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:40.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:40.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:00:40.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:40.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:40.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:40.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:40.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:41.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:41.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:41.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:41.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:41.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:41.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:41.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:41.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:41.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:42.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:42.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:42.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:42.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:42.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:43.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:43.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:43.374 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:43.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:43.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:44.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:44.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:45.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:45.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:45.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:45.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:45.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:46.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:00:46.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:46.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:46.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:46.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:46.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:46.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:46.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:46.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:47.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:47.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:47.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:47.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:47.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:47.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:47.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:47.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:47.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:48.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:48.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:48.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:48.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:48.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:48.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:48.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:48.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:48.582 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:49.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:49.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:49.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:49.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:49.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:49.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:49.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:49.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:49.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:50.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:50.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:50.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:50.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:50.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:50.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:50.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:50.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:50.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:51.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:51.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:51.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:51.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:00:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:51.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:52.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:52.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:52.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:52.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:52.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:52.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:52.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:52.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:52.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:53.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:53.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:53.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:53.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:53.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:53.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:53.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:53.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:53.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:54.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:54.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:54.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:54.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:54.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:54.822 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:00:54.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:54.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:54.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:55.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:55.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:55.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:55.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:55.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:55.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:55.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:55.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:55.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:56.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:56.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:56.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:56.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:56.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:56.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:56.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:56.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:56.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:57.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:57.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:57.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:00:57.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:57.940 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:57.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:57.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:57.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:57.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:58.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:58.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:58.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:58.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:00:58.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:58.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:00:58.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:00:58.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:00:58.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:00:59.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:00:59.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:00:59.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:00:59.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:00.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:00.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:00.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:00.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:00.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:01:01.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:01.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:02.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:02.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:02.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:02.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:02.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:02.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:02.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:02.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:02.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:03.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:03.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:03.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:03.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:03.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:03.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:03.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:03.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:03.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:04.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:04.134 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:04.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:04.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:04.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:04.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:04.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:04.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:04.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:05.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:05.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:05.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:05.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:05.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:05.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:05.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:05.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:05.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:06.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:06.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:06.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:06.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:06.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:06.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:06.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:06.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:01:07.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:07.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:07.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:07.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:07.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:07.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:07.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:07.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:07.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:08.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:08.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:08.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:08.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:08.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:08.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:08.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:08.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:08.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:09.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:09.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:09.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:09.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:09.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:09.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:09.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:09.305 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:09.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:10.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:10.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:10.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:10.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:10.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:10.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:10.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:10.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:10.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:11.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:11.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:11.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:11.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:11.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:11.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:11.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:11.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:11.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:12.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:12.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:12.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:12.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:12.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:12.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:01:12.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:12.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:12.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:13.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:13.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:13.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:13.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:13.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:13.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:13.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:13.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:13.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:14.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:14.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:15.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:15.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:15.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:15.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:15.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:15.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:15.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:15.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:15.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:16.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:16.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:16.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:16.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:16.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:16.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:16.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:16.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:16.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:17.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:17.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:17.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:17.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:17.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:17.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:17.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:17.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:17.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:18.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:18.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:18.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:18.615 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:18.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:18.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:18.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:18.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:18.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:19.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:19.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:19.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:19.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:19.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:19.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:19.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:19.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:19.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:20.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:20.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:20.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:20.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:20.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:20.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:20.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:20.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:20.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:21.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:21.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:01:21.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:21.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:21.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:21.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:21.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:21.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:21.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:22.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:22.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:22.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:22.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:22.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:22.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:22.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:22.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:22.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:23.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:23.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:23.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:23.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:23.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:23.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:23.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:23.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:23.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:24.854 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:01:24.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:24.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:24.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:24.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:24.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:24.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:24.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:24.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:25.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:25.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:25.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:25.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:25.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:25.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:25.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:25.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:25.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:26.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:26.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:26.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:26.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:26.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:26.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:26.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:26.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:01:26.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:27.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:27.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:27.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:27.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:27.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:27.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:27.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:27.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:27.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:29.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:29.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:29.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:29.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:29.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:29.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:29.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:29.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:29.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:30.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:30.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:30.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:30.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:30.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:30.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:30.061 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:01:30.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:30.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:31.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:31.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:31.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:31.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:31.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:31.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:31.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:31.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:31.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:32.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:32.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:32.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:32.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:32.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:32.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:32.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:32.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:32.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:33.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:33.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:33.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:33.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:33.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:01:33.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:33.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:33.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:33.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:34.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:34.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:34.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:34.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:34.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:34.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:34.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:34.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:34.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:35.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:35.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:35.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:35.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:35.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:35.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:35.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:35.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:35.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:36.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:36.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:36.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:36.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:01:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:36.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:36.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:36.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:37.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:37.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:37.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:37.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:37.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:37.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:37.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:37.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:37.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:38.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:38.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:38.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:38.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:38.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:38.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:38.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:38.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:38.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:39.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:39.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:39.372 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:39.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:39.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:39.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:39.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:39.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:39.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:40.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:40.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:40.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:40.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:40.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:40.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:40.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:40.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:40.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:41.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:41.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:41.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:41.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:41.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:41.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:41.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:41.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:41.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:01:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:42.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:42.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:43.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:43.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:43.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:43.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:43.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:43.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:43.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:43.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:43.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:44.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:44.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:44.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:44.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:44.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:44.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:44.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:44.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:44.583 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:45.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:45.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:45.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:45.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:45.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:45.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:45.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:45.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:45.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:46.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:46.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:46.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:46.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:46.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:46.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:46.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:46.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:46.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:47.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:47.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:47.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:47.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:47.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:47.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:47.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:01:47.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:47.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:48.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:48.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:48.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:48.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:48.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:48.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:48.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:48.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:48.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:49.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:49.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:49.716 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:49.716 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:49.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:49.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:49.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:49.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:49.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:50.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:50.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:50.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:50.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:50.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:50.762 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:01:50.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:50.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:50.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:51.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:51.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:51.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:51.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:51.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:51.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:51.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:51.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:51.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:52.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:52.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:52.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:52.816 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:52.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:52.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:52.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:52.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:52.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:53.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:53.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:53.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:01:53.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:53.882 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:53.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:53.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:53.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:53.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:54.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:54.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:54.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:54.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:54.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:54.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:54.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:54.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:54.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:55.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:55.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:55.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:55.955 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:55.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:55.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:55.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:55.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:55.966 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:56.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:56.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:56.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:01:56.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:57.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:57.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:57.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:57.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:57.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:58.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:58.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:58.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:58.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:58.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:58.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:58.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:58.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:58.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:59.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:01:59.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:01:59.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:01:59.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:01:59.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:01:59.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:01:59.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:01:59.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:01:59.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:00.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:00.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:00.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:01.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:01.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:01.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:01.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:01.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:01.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:01.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:01.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:01.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:02.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:02.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:02.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:02.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:02.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:02.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:02.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:02.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:02.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:02:03.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:03.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:03.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:03.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:03.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:03.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:03.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:03.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:03.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:04.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:04.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:04.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:04.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:04.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:04.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:04.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:04.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:04.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:05.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:05.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:05.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:05.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:05.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:05.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:05.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:05.326 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:05.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:06.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:06.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:06.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:06.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:06.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:07.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:07.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:07.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:07.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:07.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:07.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:07.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:07.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:07.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:08.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:08.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:08.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:08.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:08.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:08.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:02:08.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:08.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:08.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:09.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:09.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:09.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:09.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:09.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:09.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:09.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:09.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:09.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:10.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:10.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:10.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:10.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:10.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:10.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:10.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:10.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:10.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:11.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:11.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:11.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:11.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:11.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:11.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:11.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:11.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:11.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:12.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:12.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:12.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:12.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:12.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:12.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:12.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:12.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:12.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:13.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:13.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:13.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:13.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:13.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:13.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:13.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:13.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:13.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:14.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:14.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:14.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:14.673 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:14.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:14.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:14.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:14.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:14.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:15.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:15.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:15.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:15.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:15.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:15.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:15.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:15.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:15.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:16.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:16.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:16.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:16.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:16.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:16.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:16.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:16.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:16.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:02:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:17.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:17.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:17.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:17.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:18.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:18.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:18.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:18.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:18.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:18.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:18.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:18.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:18.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:19.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:19.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:19.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:19.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:19.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:20.913 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:02:20.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:20.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:20.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:20.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:20.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:20.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:20.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:20.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:21.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:21.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:21.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:21.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:21.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:21.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:21.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:21.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:21.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:22.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:22.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:22.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:22.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:22.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:22.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:02:22.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:23.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:23.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:23.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:23.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:24.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:24.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:24.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:24.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:24.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:25.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:25.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:25.036 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:25.036 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:25.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:25.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:25.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:25.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:25.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:26.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:26.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:26.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:26.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:26.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:26.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:26.104 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:02:26.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:26.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:27.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:27.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:27.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:27.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:27.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:27.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:27.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:27.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:27.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:28.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:28.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:28.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:28.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:28.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:28.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:28.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:28.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:28.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:29.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:29.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:29.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:29.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:29.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:02:29.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:29.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:29.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:29.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:30.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:30.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:30.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:30.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:30.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:30.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:30.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:30.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:30.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:31.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:31.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:31.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:31.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:31.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:31.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:31.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:31.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:31.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:32.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:32.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:32.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:32.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:02:32.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:32.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:32.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:32.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:32.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:33.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:33.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:33.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:33.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:33.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:33.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:33.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:33.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:33.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:34.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:34.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:34.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:34.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:34.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:34.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:34.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:34.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:34.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:35.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:35.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:35.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:35.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:35.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:35.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:35.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:35.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:35.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:36.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:36.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:36.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:36.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:36.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:36.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:36.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:36.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:36.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:37.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:37.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:37.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:37.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:37.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:37.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:37.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:37.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:37.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:38.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:02:38.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:38.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:38.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:38.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:38.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:38.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:38.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:38.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:39.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:39.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:39.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:39.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:39.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:39.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:39.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:39.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:39.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:40.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:40.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:40.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:40.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:40.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:40.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:40.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:40.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:40.661 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:41.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:41.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:41.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:41.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:41.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:41.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:41.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:41.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:41.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:42.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:42.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:42.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:42.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:42.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:42.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:42.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:42.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:42.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:43.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:43.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:43.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:43.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:43.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:43.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:43.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:02:43.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:43.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:44.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:44.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:44.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:44.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:44.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:44.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:44.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:44.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:44.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:45.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:45.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:45.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:45.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:45.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:45.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:45.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:45.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:45.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:46.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:46.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:46.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:46.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:46.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:46.902 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:02:46.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:46.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:46.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:47.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:47.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:47.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:47.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:47.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:47.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:47.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:47.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:47.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:48.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:48.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:48.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:48.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:48.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:48.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:48.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:48.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:48.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:50.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:50.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:50.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:50.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:50.026 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:50.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:50.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:50.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:50.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:51.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:51.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:51.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:51.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:51.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:51.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:51.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:52.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:52.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:52.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:52.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:52.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:52.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:53.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:53.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:53.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:02:53.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:53.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:53.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:53.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:53.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:53.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:54.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:54.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:54.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:54.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:54.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:54.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:54.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:55.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:55.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:55.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:55.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:55.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:55.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:55.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:55.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:55.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:56.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:56.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:56.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:56.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:56.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:56.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:57.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:57.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:57.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:57.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:57.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:57.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:57.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:57.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:57.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:58.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:58.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:58.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:02:58.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:58.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:58.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:58.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:58.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:58.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:02:59.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:02:59.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:02:59.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:02:59.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:02:59.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:02:59.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:02:59.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:02:59.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:02:59.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:00.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:00.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:00.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:00.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:00.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:00.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:00.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:00.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:00.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:01.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:01.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:01.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:01.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:01.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:01.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:01.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:01.421 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:01.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:02.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:02.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:02.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:02.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:02.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:02.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:02.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:02.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:03.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:03.480 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:03.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:03.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:03.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:03.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:04.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:04.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:04.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:04.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:03:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:04.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:05.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:05.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:05.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:05.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:06.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:06.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:06.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:06.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:06.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:06.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:06.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:06.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:07.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:07.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:07.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:07.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:08.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:08.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:08.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:08.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:08.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:08.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:08.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:08.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:09.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:09.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:09.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:10.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:10.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:10.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:10.733 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:10.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:10.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:10.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:10.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:10.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:11.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:11.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:11.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:11.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:11.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:11.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:11.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:11.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:11.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:12.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:12.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:12.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:12.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:12.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:12.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:12.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:12.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:12.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:03:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:13.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:14.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:14.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:14.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:14.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:14.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:14.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:14.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:14.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:14.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:15.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:15.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:15.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:15.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:15.940 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:15.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:15.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:15.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:15.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:16.971 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:03:16.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:16.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:16.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:16.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:18.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:18.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:18.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:18.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:18.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:18.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:18.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:18.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:18.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:19.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:19.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:19.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:19.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:03:19.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:20.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:20.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:20.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:20.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:21.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:21.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:21.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:21.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:21.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:21.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:22.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:22.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:22.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:22.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:22.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:22.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:22.161 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:03:22.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:22.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:23.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:23.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:24.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:24.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:24.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:24.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:24.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:24.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:25.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:25.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:25.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:25.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:25.260 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:03:25.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:25.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:25.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:25.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:26.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:26.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:26.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:26.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:26.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:26.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:26.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:26.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:26.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:27.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:27.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:27.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:28.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:28.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:28.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:28.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:03:28.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:28.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:28.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:28.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:28.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:29.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:29.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:30.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:30.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:30.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:30.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:30.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:30.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:30.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:30.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:30.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:31.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:31.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:31.455 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:31.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:31.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:31.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:31.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:31.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:31.467 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:32.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:32.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:32.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:32.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:32.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:32.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:32.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:32.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:32.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:33.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:33.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:33.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:33.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:33.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:33.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:33.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:33.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:33.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:34.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:03:34.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:34.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:34.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:34.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:34.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:34.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:34.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:34.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:35.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:35.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:35.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:35.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:35.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:35.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:35.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:35.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:35.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:36.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:36.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:36.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:36.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:36.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:36.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:36.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:36.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:36.644 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:37.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
13.01.20 14:03:37.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
13.01.20 14:03:37.027 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
13.01.20 14:03:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:38.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:38.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:38.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:38.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:38.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:38.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:39.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
13.01.20 14:03:39.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
13.01.20 14:03:39.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
13.01.20 14:03:39.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:39.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:39.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:39.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:39.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:39.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:39.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:39.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:39.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:03:40.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:40.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:40.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:40.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:40.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:40.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:40.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:40.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:40.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:41.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:41.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:41.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:41.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:41.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:41.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:41.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:41.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:41.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:42.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:42.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:42.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:42.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:42.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:42.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:42.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:42.242 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:42.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:43.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:43.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:43.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:43.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:43.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:43.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:43.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:43.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:43.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:44.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:44.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:44.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:44.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:44.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:44.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:44.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:44.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:44.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:45.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:45.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:45.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:45.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:45.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:45.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:03:45.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:45.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:45.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:46.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:46.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:46.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:46.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:46.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x40 ErrorCode2:
0x4, Message: PNIO_CMRPC_OUT_OF_AR_RESOURCES
13.01.20 14:03:46.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:46.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:46.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x40 0x 4
13.01.20 14:03:46.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_CMRPC_OUT_OF_AR_RESOURCES
13.01.20 14:03:47.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:47.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:47.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:47.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:47.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0x81 ErrorCode1: 0x45 ErrorCode2:
0x1, Message: CLRPC_ERR_REJECTED
13.01.20 14:03:47.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:47.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:47.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0x45 0x 1
13.01.20 14:03:47.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = CLRPC_ERR_REJECTED
13.01.20 14:03:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:48.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:50.467 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found
```

```
13.01.20 14:03:50.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:50.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:50.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:03:50.468 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:03:51.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:51.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:51.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:51.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:53.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:53.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:53.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:53.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:53.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:54.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:54.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:54.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:54.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:54.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:54.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:54.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:54.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:54.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:55.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:55.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:55.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:55.571 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:55.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:55.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:55.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:55.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:55.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:56.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:56.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:56.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:56.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:56.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:56.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:56.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:56.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:56.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:57.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:57.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:57.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:03:57.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:57.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:57.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:57.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:57.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:57.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:03:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:58.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:58.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:58.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:58.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:58.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:58.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:59.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:03:59.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:03:59.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:03:59.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:03:59.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:03:59.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:03:59.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:03:59.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:03:59.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:00.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:00.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:00.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:00.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:00.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:00.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:00.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:00.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:00.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:01.771 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:04:01.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:01.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:01.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:01.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:01.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:01.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:01.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:01.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:02.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:02.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:02.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:02.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:02.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:02.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:02.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:02.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:02.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:03.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:03.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:03.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:03.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:03.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:03.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:03.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:03.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:04:03.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:04.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:04.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:04.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:04.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:04.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:04.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:04.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:04.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:04.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:05.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:05.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:05.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:05.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:05.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:05.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:05.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:05.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:05.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:06.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:06.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:06.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:06.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:06.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:06.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:06.983 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:04:06.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:06.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:08.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:08.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:08.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:08.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:08.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:08.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:08.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:08.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:08.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:09.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:09.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:09.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:09.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:09.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:09.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:09.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:09.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:09.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:10.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:10.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:10.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:10.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:10.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:04:10.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:10.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:10.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:10.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:11.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:11.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:11.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:11.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:11.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:11.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:11.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:11.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:11.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:12.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:12.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:12.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:12.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:12.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:12.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:12.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:13.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:13.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:13.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:13.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:04:13.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:13.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:13.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:13.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:13.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:14.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:14.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:14.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:14.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:14.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:14.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:14.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:14.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:14.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:15.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:15.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:15.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:15.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:15.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:15.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:15.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:15.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:15.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:16.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:16.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:16.333 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:16.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:16.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:16.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:16.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:16.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:16.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:17.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:17.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:17.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:17.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:17.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:17.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:17.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:17.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:17.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:18.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:18.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:18.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:18.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:18.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:18.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:18.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:18.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:18.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:19.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:04:19.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:19.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:19.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:19.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:19.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:19.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:19.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:19.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:20.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:20.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:20.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:20.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:20.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:20.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:21.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:21.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:21.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:21.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:21.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:21.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:21.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:21.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:21.545 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:22.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:22.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:22.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:22.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:22.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:22.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:22.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:22.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:22.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:23.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:23.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:23.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:23.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:23.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:23.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:23.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:23.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:23.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:24.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:24.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:24.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:24.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:24.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:24.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:24.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:04:24.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:24.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:25.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:25.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:25.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:25.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:25.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:25.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:25.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:25.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:25.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:26.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:26.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:26.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:26.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:26.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:26.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:27.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:04:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:27.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:27.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:28.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:28.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:28.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:28.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:28.820 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:28.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:28.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:28.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:28.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:29.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:29.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:29.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:30.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:30.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:30.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:30.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:30.904 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:30.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:30.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:30.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:30.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:31.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:31.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:31.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:31.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:31.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:31.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:31.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:31.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:31.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:32.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:32.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:32.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:32.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:32.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:32.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:32.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:32.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:32.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:33.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:33.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:33.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:04:33.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:34.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:35.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:35.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:35.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:35.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:35.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:35.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:36.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:36.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:36.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:36.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:36.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:36.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:36.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:36.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:36.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:37.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:37.115 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:37.116 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:37.116 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:37.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:37.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:37.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:37.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:37.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:38.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:38.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:38.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:38.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:39.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:39.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:39.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:39.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:39.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:39.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:39.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:39.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:39.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:04:40.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:40.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:40.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:40.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:40.240 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:40.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:40.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:40.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:40.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:41.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:41.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:41.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:41.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:41.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:41.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:42.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:42.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:42.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:42.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:43.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:43.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:43.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:43.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:43.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:43.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:43.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:43.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:43.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:44.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:44.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:44.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:44.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:44.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:44.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:44.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:44.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:44.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:45.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:45.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:45.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:45.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:45.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:45.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:04:45.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:45.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:45.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:46.470 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:46.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:46.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:46.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:46.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:47.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:47.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:47.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:47.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:47.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:47.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:47.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:47.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:47.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:48.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:48.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:48.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:48.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:48.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:48.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:48.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:48.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:48.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:49.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:49.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:49.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:49.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:49.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:49.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:49.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:49.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:49.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:50.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:50.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:50.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:50.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:50.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:50.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:50.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:50.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:50.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:51.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:51.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:51.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:51.674 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:51.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:52.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:52.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:52.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:52.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:52.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:52.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:52.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:52.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:52.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:53.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:53.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:53.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:04:53.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:53.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:53.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:53.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:53.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:53.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:54.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:54.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:04:54.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:54.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:54.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:54.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:54.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:54.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:54.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:55.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:55.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:55.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:55.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:55.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:55.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:55.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:55.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:56.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:56.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:56.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:56.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:56.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:56.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:56.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:56.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:56.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:57.913 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:04:57.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:57.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:57.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:57.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:58.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:58.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:58.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:58.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:04:58.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:58.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:04:58.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:04:58.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:04:58.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:04:59.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:04:59.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:04:59.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:04:59.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:00.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:00.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:00.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:00.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:05:00.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:01.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:01.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:01.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:01.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:01.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:01.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:01.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:01.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:01.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:02.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:02.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:02.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:02.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:02.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:03.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:03.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:03.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:03.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:03.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:03.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:03.126 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:05:03.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:03.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:04.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:04.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:04.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:04.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:04.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:04.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:04.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:04.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:04.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:05.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:05.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:05.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:05.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:05.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:05.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:05.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:05.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:05.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:06.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:06.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:06.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:06.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:06.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:05:06.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:06.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:06.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:06.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:07.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:07.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:07.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:07.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:08.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:08.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:08.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:08.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:08.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:09.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:05:09.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:09.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:09.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:09.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:09.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:10.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:10.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:10.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:13.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:13.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:13.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:13.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:14.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:14.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:14.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:14.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:14.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:14.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:14.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:14.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:14.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:15.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:05:15.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:15.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:15.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:15.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:15.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:15.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:15.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:15.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:16.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:16.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:16.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:16.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:16.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:16.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:16.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:16.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:16.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:17.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:17.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:17.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:17.633 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:17.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:17.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:17.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:17.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:17.644 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:18.669 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:18.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:18.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:18.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:18.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:18.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:18.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:18.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:18.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:19.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:19.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:19.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:19.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:19.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:19.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:19.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:19.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:19.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:20.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:20.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:20.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:20.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:20.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:20.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:20.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:05:20.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:20.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:21.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:21.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:21.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:21.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:21.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:21.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:21.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:21.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:21.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:22.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:22.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:22.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:22.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:22.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:22.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:22.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:22.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:22.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:23.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:23.881 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:05:23.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:23.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:23.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:24.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:24.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:24.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:24.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:24.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:24.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:24.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:24.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:24.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:25.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:25.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:25.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:25.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:25.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:25.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:25.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:25.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:25.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:26.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:26.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:26.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:26.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:27.001 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:27.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:27.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:27.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:27.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:28.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:28.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:28.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:28.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:28.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:28.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:28.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:28.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:28.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:29.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:29.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:29.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:29.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:29.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:29.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:29.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:29.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:29.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:30.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:30.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:30.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:05:30.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:30.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:30.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:30.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:30.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:30.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:31.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:31.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:31.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:31.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:31.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:31.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:31.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:31.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:31.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:32.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:32.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:32.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:32.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:32.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:32.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:32.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:32.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:32.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:33.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:33.231 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:33.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:33.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:33.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:33.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:33.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:33.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:33.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:34.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:34.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:34.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:34.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:34.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:34.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:34.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:34.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:34.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:35.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:35.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:35.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:35.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:35.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:35.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:35.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:35.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:35.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:05:36.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:36.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:36.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:36.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:36.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:36.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:36.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:36.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:36.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:37.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:37.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:37.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:37.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:37.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:37.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:37.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:37.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:37.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:38.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:38.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:38.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:38.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:38.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:38.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:38.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:38.443 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:38.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:39.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:39.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:39.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:39.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:39.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:40.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:40.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:41.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:41.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:41.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:41.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:41.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:41.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:05:41.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:41.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:41.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:42.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:42.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:42.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:42.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:42.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:42.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:42.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:42.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:42.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:43.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:43.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:43.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:43.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:43.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:43.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:43.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:43.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:43.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:44.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:44.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:44.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:44.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:44.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:44.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:44.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:44.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:44.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:45.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:45.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:45.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:45.716 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:45.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:45.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:45.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:45.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:45.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:46.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:46.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:46.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:46.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:46.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:46.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:46.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:46.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:46.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:47.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:47.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:47.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:47.792 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:47.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:47.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:47.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:47.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:47.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:48.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:48.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:48.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:48.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:48.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:48.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:48.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:48.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:48.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:49.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:49.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:49.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:05:49.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:49.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:49.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:49.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:49.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:49.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:50.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:50.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:05:50.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:50.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:50.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:50.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:50.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:50.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:50.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:51.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:51.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:51.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:51.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:51.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:51.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:51.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:51.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:51.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:52.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:52.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:52.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:52.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:53.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:53.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:53.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:53.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:53.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:54.031 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:05:54.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:54.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:54.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:54.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:54.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:54.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:54.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:54.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:55.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:55.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:55.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:55.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:55.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:55.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:55.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:55.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:55.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:56.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:56.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:56.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:56.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:56.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:56.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:56.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:56.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:05:56.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:57.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:57.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:57.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:57.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:57.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:57.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:57.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:57.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:57.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:58.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:58.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:58.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:58.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:58.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:58.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:58.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:05:58.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:58.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:59.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:05:59.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:05:59.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:05:59.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:05:59.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:05:59.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:05:59.224 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:05:59.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:05:59.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:00.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:00.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:00.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:00.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:00.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:02.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:02.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:02.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:02.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:02.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:06:02.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:02.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:02.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:02.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:03.369 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:03.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:03.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:03.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:03.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:03.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:03.380 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:03.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:03.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:04.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:04.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:04.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:04.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:04.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:04.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:04.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:04.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:04.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:05.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:05.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:05.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:05.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:06:05.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:05.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:05.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:05.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:05.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:06.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:06.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:06.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:06.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:06.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:06.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:06.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:06.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:06.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:07.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:07.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:07.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:07.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:07.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:07.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:07.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:07.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:07.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:08.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:08.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:08.573 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:08.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:08.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:08.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:08.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:08.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:08.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:09.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:09.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:09.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:09.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:09.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:09.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:09.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:09.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:09.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:10.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:10.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:10.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:10.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:10.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:10.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:10.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:10.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:10.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:11.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:06:11.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:11.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:11.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:11.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:11.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:11.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:11.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:11.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:12.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:12.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:12.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:12.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:12.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:12.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:12.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:12.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:12.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:13.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:13.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:13.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:13.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:13.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:13.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:13.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:13.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:13.784 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:14.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:14.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:14.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:14.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:14.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:14.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:14.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:14.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:14.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:15.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:15.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:15.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:15.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:15.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:15.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:15.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:15.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:15.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:16.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:16.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:16.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:16.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:16.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:16.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:16.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:06:16.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:16.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:17.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:17.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:17.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:17.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:17.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:17.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:17.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:17.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:17.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:18.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:18.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:18.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:18.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:18.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:18.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:20.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:20.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:20.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:20.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:20.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:20.026 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:06:20.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:20.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:20.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:21.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:21.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:21.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:21.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:21.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:21.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:21.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:21.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:21.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:22.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:22.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:22.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:22.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:22.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:22.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:22.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:22.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:22.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:23.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:23.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:23.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:23.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:23.142 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:23.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:23.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:23.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:23.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:24.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:24.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:24.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:24.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:24.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:24.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:24.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:24.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:24.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:25.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:25.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:25.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:25.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:25.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:25.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:25.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:25.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:25.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:26.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:26.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:26.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
```

```
13.01.20 14:06:26.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:26.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:26.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:26.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:26.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:26.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:27.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:27.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:27.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:27.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:27.320 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:27.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:27.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:27.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:27.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:28.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:28.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:28.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:28.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:28.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:28.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:28.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:28.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:28.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:29.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:29.370 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:29.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:29.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:29.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:29.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:29.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:29.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:29.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:30.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:30.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:30.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:30.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:30.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:30.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:30.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:30.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:30.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:31.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:31.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:31.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:31.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:31.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:31.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:31.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:31.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:31.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:06:32.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:32.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:32.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:32.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:32.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:32.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:32.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:32.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:32.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:33.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:33.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:33.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:33.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:33.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:33.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:33.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:33.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:33.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:34.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:34.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:34.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:34.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:34.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:34.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:34.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:34.521 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:34.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:35.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:35.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:35.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:35.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:35.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:35.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:35.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:35.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:35.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:36.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:36.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:36.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:36.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:36.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:36.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:36.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:36.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:36.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:37.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:37.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:37.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:37.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:37.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:37.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:06:37.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:37.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:37.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:38.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:38.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:38.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:38.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:38.660 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:38.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:38.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:38.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:38.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:39.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:39.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:39.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:39.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:39.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:39.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:39.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:39.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:39.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:40.716 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:40.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:41.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:41.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:41.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:41.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:41.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:41.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:41.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:41.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:41.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:42.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:42.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:42.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:42.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:42.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:42.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:42.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:42.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:42.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:43.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:43.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:43.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:43.853 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:43.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:43.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:43.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:43.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:43.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:44.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:44.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:44.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:44.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:44.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:44.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:44.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:44.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:44.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:45.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:45.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:45.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:45.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:45.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:45.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:45.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:45.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:45.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:46.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:46.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:06:46.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:46.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:46.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:46.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:46.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:46.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:46.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:48.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:48.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:48.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:48.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:48.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:48.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:48.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:48.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:48.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:49.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:49.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:49.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:49.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:49.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:49.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:49.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:49.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:49.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:50.091 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:06:50.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:50.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:50.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:50.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:50.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:50.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:50.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:50.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:51.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:51.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:51.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:51.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:51.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:51.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:51.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:51.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:51.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:52.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:52.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:52.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:52.175 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:52.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:52.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:52.186 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:52.186 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:06:52.186 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:53.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:53.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:53.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:53.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:53.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:53.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:53.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:53.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:53.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:54.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:54.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:54.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:54.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:54.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:54.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:54.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:54.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:54.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:55.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:55.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:55.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:06:55.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:55.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:55.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:55.301 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:06:55.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:55.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:56.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:56.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:56.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:56.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:56.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:56.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:56.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:56.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:56.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:57.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:57.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:57.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:57.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:57.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:57.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:57.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:57.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:57.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:58.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:58.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:58.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:58.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:58.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:06:58.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:58.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:58.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:58.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:59.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:06:59.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:06:59.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:06:59.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:06:59.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:06:59.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:06:59.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:06:59.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:06:59.467 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:00.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:00.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:00.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:00.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:00.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:00.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:00.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:00.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:00.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:01.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:01.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:01.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:01.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:07:01.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:01.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:01.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:01.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:01.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:02.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:02.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:02.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:02.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:02.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:02.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:02.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:02.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:02.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:03.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:03.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:03.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:03.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:03.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:03.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:03.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:03.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:03.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:04.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:04.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:04.651 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:04.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:04.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:04.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:04.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:04.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:04.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:05.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:05.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:05.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:05.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:05.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:05.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:05.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:05.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:05.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:06.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:06.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:06.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:06.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:06.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:06.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:06.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:06.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:06.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:07.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:07:07.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:07.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:07.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:07.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:07.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:07.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:07.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:07.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:08.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:08.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:08.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:08.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:08.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:08.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:09.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:09.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:09.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:09.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:09.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:09.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:09.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:09.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:09.885 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:10.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:10.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:10.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:10.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:10.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:10.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:10.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:10.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:10.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:11.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:11.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:11.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:11.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:11.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:11.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:11.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:11.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:11.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:12.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:12.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:12.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:12.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:13.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:13.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:13.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:07:13.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:13.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:14.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:14.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:14.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:14.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:14.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:14.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:14.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:14.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:14.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:15.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:15.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:15.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:15.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:15.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:15.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:15.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:15.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:15.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:16.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:16.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:16.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:16.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:16.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:16.122 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:07:16.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:16.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:16.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:17.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:17.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:17.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:17.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:17.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:17.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:17.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:17.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:17.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:18.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:18.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:18.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:18.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:18.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:18.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:18.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:18.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:18.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:19.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:19.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:19.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:19.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:19.240 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:19.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:19.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:19.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:19.241 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:20.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:20.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:20.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:20.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:20.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:20.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:20.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:20.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:20.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:21.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:21.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:21.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:21.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:21.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:21.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:21.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:21.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:21.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:22.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:22.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:22.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:07:22.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:22.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:22.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:22.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:22.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:22.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:23.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:23.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:23.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:23.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:23.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:23.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:23.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:23.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:23.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:24.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:24.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:24.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:24.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:24.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:24.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:24.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:24.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:24.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:25.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:25.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:25.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:25.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:25.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:25.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:25.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:25.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:25.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:26.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:26.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:26.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:26.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:26.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:26.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:26.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:26.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:26.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:27.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:27.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:27.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:27.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:27.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:27.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:27.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:27.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:27.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:07:28.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:28.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:28.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:28.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:28.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:28.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:28.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:28.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:28.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:29.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:29.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:29.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:29.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:29.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:29.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:29.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:29.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:29.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:30.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:30.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:30.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:30.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:30.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:30.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:30.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:30.645 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:30.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:31.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:31.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:31.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:31.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:31.680 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:31.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:31.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:31.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:31.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:32.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:32.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:32.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:32.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:32.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:32.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:32.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:32.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:32.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:33.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:33.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:33.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:33.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:33.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:33.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:07:33.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:33.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:33.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:34.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:34.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:34.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:34.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:34.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:34.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:34.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:34.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:34.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:35.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:35.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:35.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:35.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:35.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:35.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:35.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:35.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:35.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:36.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:36.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:36.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:36.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:36.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:36.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:36.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:36.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:36.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:37.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:37.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:37.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:37.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:37.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:37.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:37.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:37.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:37.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:38.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:38.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:38.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:38.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:38.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:38.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:38.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:38.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:38.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:39.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:39.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:39.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:39.993 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:40.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:40.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:40.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:40.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:40.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:41.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:41.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:41.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:41.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:41.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:41.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:41.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:41.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:41.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:42.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:42.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:42.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:42.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:42.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:42.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:42.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:42.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:42.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:43.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:43.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:07:43.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:43.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:43.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:43.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:43.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:43.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:43.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:44.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:44.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:44.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:44.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:44.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:44.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:44.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:44.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:44.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:45.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:45.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:45.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:45.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:45.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:45.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:45.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:45.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:45.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:46.252 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:07:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:46.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:46.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:46.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:46.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:46.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:46.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:47.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:47.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:47.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:47.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:47.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:47.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:47.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:47.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:47.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:48.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:48.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:48.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:48.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:48.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:48.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:48.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:48.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:07:48.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:49.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:49.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:49.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:49.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:49.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:49.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:49.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:50.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:50.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:50.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:50.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:50.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:50.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:51.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:51.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:51.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:51.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:51.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:51.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:51.461 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:07:51.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:51.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:52.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:52.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:52.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:52.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:52.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:52.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:53.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:53.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:53.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:53.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:53.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:53.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:53.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:53.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:53.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:54.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:54.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:54.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:54.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:54.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:07:54.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:54.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:54.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:54.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:55.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:55.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:55.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:55.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:55.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:55.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:55.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:55.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:55.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:56.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:56.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:56.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:56.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:56.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:56.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:56.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:56.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:56.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:57.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:57.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:57.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:07:57.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:07:57.700 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:57.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:57.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:57.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:57.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:58.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:58.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:58.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:58.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:58.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:58.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:58.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:58.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:58.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:59.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:07:59.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:07:59.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:07:59.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:07:59.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:07:59.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:07:59.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:07:59.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:07:59.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:00.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:00.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:00.814 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:00.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:00.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:00.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:00.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:00.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:00.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:01.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:01.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:01.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:01.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:01.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:01.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:01.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:01.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:01.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:02.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:02.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:02.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:02.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:02.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:02.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:02.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:02.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:02.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:03.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:08:03.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:03.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:03.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:03.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:03.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:03.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:03.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:03.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:04.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:04.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:04.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:04.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:04.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:04.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:04.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:04.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:04.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:06.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:06.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:06.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:06.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:06.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:06.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:06.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:06.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:06.022 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:07.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:07.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:07.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:08.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:08.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:08.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:08.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:08.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:09.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:09.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:09.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:09.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:09.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:09.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:09.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:08:09.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:09.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:10.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:10.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:10.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:10.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:10.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:10.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:10.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:10.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:10.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:11.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:11.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:11.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:11.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:11.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:11.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:11.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:11.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:11.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:12.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:12.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:12.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:08:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:13.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:13.280 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:13.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:13.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:13.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:13.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:14.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:14.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:14.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:14.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:14.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:14.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:14.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:14.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:14.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:15.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:15.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:15.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:15.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:16.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:16.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:16.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:16.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:16.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:16.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:16.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:16.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:16.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:17.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:17.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:17.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:17.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:17.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:17.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:17.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:17.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:17.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:08:18.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:18.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:18.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:19.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:19.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:19.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:19.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:19.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:19.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:19.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:19.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:19.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:20.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:20.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:20.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:20.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:20.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:21.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:21.550 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:21.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:21.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:21.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:21.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:21.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:21.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:21.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:22.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:22.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:22.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:22.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:22.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:22.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:22.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:22.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:22.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:23.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:23.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:23.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:23.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:23.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:23.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:23.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:23.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:23.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:08:24.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:24.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:24.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:24.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:24.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:24.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:24.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:24.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:24.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:25.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:25.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:25.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:25.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:25.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:25.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:26.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:26.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:26.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:26.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:26.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:26.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:26.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:26.763 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:26.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:27.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:27.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:27.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:27.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:27.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:27.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:27.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:27.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:27.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:28.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:28.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:28.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:28.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:28.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:28.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:28.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:28.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:28.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:29.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:29.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:08:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:29.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:30.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:30.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:30.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:30.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:30.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:30.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:30.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:30.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:30.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:31.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:31.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:31.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:31.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:31.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:31.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:31.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:31.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:31.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:32.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:32.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:32.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:32.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:33.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:34.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:34.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:34.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:34.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:34.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:34.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:34.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:34.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:34.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:35.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:35.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:35.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:35.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:35.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:35.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:35.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:35.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:35.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:36.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:36.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:36.116 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:36.116 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:36.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:36.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:36.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:36.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:36.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:37.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:37.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:37.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:38.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:38.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:38.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:38.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:38.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:38.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:38.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:38.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:38.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:08:39.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:39.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:39.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:39.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:40.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:40.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:40.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:40.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:40.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:40.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:40.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:40.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:40.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:41.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:41.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:41.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:41.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:41.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:41.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:41.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:41.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:41.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:42.354 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:08:42.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:42.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:42.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:42.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:42.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:42.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:42.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:42.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:43.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:43.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:43.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:43.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:43.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:43.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:43.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:43.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:43.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:44.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:44.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:44.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:44.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:44.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:44.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:44.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:44.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:08:44.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:45.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:45.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:45.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:45.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:45.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:46.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:46.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:46.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:46.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:46.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:46.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:46.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:46.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:46.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:47.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:47.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:47.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:47.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:08:47.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:47.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:48.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:48.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:48.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:48.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:48.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:48.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:48.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:48.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:48.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:49.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:49.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:49.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:49.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:49.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:49.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:49.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:49.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:49.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:50.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:50.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:50.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:50.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:50.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:08:50.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:50.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:50.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:50.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:51.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:51.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:51.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:51.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:51.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:51.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:51.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:51.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:51.666 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:52.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:52.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:52.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:52.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:52.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:52.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:52.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:52.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:52.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:53.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:53.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:53.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:08:53.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:08:53.740 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:53.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:53.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:53.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:53.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:54.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:54.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:54.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:54.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:54.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:54.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:54.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:54.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:54.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:55.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:55.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:55.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:55.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:55.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:55.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:55.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:55.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:55.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:56.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:56.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:56.831 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:56.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:56.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:56.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:56.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:56.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:56.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:57.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:57.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:57.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:57.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:57.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:57.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:57.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:57.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:57.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:58.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:08:58.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:58.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:58.913 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:58.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:58.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:58.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:58.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:58.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:59.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:08:59.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:08:59.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:08:59.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:08:59.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:08:59.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:08:59.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:08:59.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:08:59.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:00.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:00.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:00.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:00.990 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:01.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:01.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:01.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:01.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:01.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:02.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:02.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:02.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:02.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:02.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:02.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:02.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:02.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:02.043 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:03.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:03.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:03.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:03.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:03.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:03.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:03.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:03.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:03.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:04.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:04.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:04.116 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:04.117 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:04.127 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:04.128 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:04.128 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:04.128 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:04.128 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:05.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:05.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:05.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:05.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:05.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:05.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:05.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:09:05.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:05.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:06.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:06.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:06.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:06.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:06.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:06.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:07.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:07.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:07.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:07.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:07.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:07.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:07.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:07.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:07.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:08.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:08.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:08.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:08.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:08.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:08.304 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:09:08.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:08.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:08.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:09.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:09.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:09.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:09.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:09.340 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:09.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:09.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:09.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:09.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:10.370 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:10.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:10.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:10.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:10.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:10.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:10.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:10.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:10.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:11.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:11.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:11.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:11.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:11.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:12.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:12.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:12.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:12.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:12.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:13.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:13.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:13.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:13.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:13.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:14.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:14.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:14.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:09:14.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:14.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:14.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:14.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:14.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:14.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:15.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:15.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:15.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:15.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:15.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:15.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:15.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:15.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:15.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:16.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:16.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:16.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:16.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:16.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:16.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:16.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:16.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:16.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:17.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:17.651 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:17.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:17.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:17.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:17.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:17.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:17.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:17.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:18.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:18.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:18.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:18.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:18.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:18.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:18.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:18.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:18.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:19.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:19.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:19.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:19.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:19.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:19.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:19.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:19.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:19.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:09:20.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:20.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:20.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:20.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:20.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:20.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:20.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:20.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:21.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:21.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:21.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:21.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:21.820 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:21.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:21.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:21.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:21.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:22.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:22.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:22.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:22.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:22.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:22.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:22.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:22.841 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:22.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:23.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:23.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:23.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:23.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:23.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:23.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:24.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:24.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:24.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:24.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:24.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:24.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:24.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:24.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:24.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:25.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:25.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:25.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:25.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:25.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:25.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:09:25.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:25.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:25.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:26.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:26.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:26.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:26.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:26.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:26.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:26.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:26.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:26.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:28.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:28.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:28.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:28.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:28.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:28.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:28.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:28.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:28.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:29.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:29.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:29.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:29.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:29.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:29.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:29.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:29.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:29.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:30.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:30.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:30.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:30.070 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:30.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:30.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:30.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:30.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:30.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:31.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:31.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:31.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:31.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:31.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:31.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:31.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:31.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:31.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:32.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:32.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:32.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:32.155 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:32.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:32.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:32.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:32.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:32.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:33.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:33.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:33.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:33.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:33.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:33.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:33.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:33.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:33.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:34.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:34.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:34.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:34.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:34.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:34.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:34.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:34.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:34.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:35.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:35.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:09:35.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:35.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:35.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:35.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:35.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:35.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:35.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:36.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:36.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:36.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:36.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:36.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:36.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:36.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:36.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:36.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:37.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:37.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:37.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:37.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:37.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:37.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:37.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:37.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:37.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:38.411 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:09:38.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:38.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:38.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:38.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:38.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:38.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:38.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:38.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:39.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:39.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:39.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:39.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:39.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:39.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:39.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:39.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:39.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:40.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:40.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:40.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:40.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:40.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:40.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:40.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:40.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:09:40.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:41.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:41.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:41.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:41.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:41.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:42.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:42.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:42.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:42.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:42.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:42.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:42.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:42.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:42.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:43.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:43.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:43.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:43.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:43.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:43.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:43.627 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:09:43.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:43.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:44.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:44.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:44.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:44.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:44.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:44.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:44.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:44.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:44.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:45.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:45.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:45.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:45.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:45.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:45.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:45.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:45.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:45.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:46.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:46.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:46.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:46.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:46.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:09:46.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:46.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:46.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:46.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:47.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:47.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:47.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:47.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:47.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:47.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:47.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:47.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:47.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:48.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:48.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:48.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:48.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:48.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:48.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:48.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:48.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:48.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:49.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:49.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:49.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:49.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:09:49.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:49.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:49.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:49.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:49.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:50.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:50.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:50.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:50.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:50.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:50.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:50.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:50.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:50.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:51.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:51.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:51.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:51.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:51.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:51.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:51.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:51.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:51.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:52.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:52.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:52.972 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:52.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:52.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:52.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:52.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:52.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:52.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:54.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:54.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:54.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:54.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:54.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:54.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:54.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:54.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:54.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:55.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:55.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:55.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:55.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:55.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:55.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:55.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:55.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:55.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:56.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:09:56.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:56.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:56.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:56.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:56.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:56.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:56.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:56.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:57.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:57.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:57.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:57.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:57.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:57.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:57.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:57.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:57.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:58.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:58.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:58.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:09:58.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:58.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:58.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:58.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:58.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:58.185 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:59.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:09:59.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:09:59.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:09:59.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:09:59.220 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:09:59.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:09:59.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:09:59.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:09:59.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:00.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:00.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:00.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:00.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:00.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:01.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:01.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:01.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:01.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:01.300 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:10:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:02.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:02.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:02.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:02.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:02.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:02.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:02.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:02.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:02.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:03.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:03.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:03.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:03.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:03.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:04.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:04.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:04.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:04.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:10:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:05.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:05.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:05.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:05.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:05.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:06.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:06.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:06.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:06.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:06.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:06.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:06.460 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:06.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:06.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:07.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:07.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:07.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:07.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:07.481 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:07.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:07.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:07.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:07.481 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:08.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:08.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:08.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:08.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:08.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:08.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:08.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:08.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:08.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:09.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:09.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:09.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:09.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:09.566 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:10.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:10.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:10.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:10:10.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:10.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:10.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:10.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:10.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:10.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:11.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:11.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:11.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:11.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:11.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:11.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:11.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:11.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:11.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:12.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:12.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:12.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:12.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:12.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:12.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:12.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:12.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:12.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:13.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:13.694 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:13.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:13.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:13.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:13.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:13.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:13.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:13.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:14.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:14.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:14.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:14.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:14.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:14.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:14.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:14.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:14.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:15.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:15.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:15.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:15.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:15.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:15.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:15.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:15.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:15.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:10:16.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:16.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:16.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:16.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:16.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:16.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:16.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:16.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:16.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:17.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:17.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:17.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:17.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:17.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:17.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:17.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:17.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:17.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:18.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:18.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:18.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:18.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:18.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:18.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:18.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:18.903 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:18.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:19.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:19.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:19.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:19.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:20.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:22.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:22.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:22.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:22.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:22.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:22.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:10:22.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:22.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:22.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:23.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:23.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:23.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:23.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:23.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:23.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:23.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:23.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:23.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:24.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:24.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:24.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:24.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:24.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:24.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:24.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:24.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:24.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:25.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:25.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:25.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:25.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:25.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:25.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:25.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:25.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:25.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:26.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:26.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:26.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:26.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:26.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:26.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:26.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:26.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:26.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:27.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:27.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:27.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:27.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:27.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:27.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:27.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:27.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:27.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:28.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:28.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:28.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:28.255 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:28.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:28.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:28.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:28.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:28.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:29.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:29.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:29.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:29.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:29.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:29.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:29.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:29.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:29.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:30.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:30.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:30.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:30.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:30.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:30.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:30.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:30.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:30.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:31.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:31.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:10:31.376 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:31.376 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:31.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:31.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:31.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:31.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:31.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:32.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:32.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:32.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:32.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:32.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:32.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:32.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:32.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:32.426 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:33.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:33.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:33.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:33.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:33.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:33.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:33.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:33.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:33.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:34.495 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:10:34.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:34.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:34.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:34.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:34.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:34.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:34.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:34.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:35.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:35.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:35.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:35.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:35.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:35.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:35.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:35.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:35.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:36.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:36.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:36.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:36.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:36.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:36.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:36.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:36.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:10:36.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:37.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:37.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:37.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:37.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:37.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:37.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:37.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:37.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:37.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:38.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:38.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:38.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:38.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:38.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:38.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:38.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:38.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:38.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:39.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:39.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:39.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:39.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:39.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:39.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:39.683 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:10:39.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:39.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:40.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:40.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:40.726 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:40.727 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:41.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:41.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:41.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:41.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:41.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:41.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:41.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:41.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:41.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:42.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:42.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:42.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:42.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:42.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:10:42.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:42.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:42.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:42.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:43.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:43.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:43.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:43.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:43.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:43.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:43.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:43.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:43.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:44.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:44.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:44.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:44.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:44.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:45.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:45.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:45.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:45.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:10:45.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:45.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:45.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:45.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:45.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:46.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:46.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:46.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:46.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:46.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:47.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:47.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:47.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:47.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:47.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:47.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:48.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:48.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:48.991 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:48.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:49.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:49.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:49.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:49.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:49.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:50.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:50.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:50.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:50.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:50.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:50.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:50.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:51.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:51.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:51.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:51.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:51.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:51.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:51.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:51.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:51.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:52.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:10:52.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:52.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:52.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:52.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:52.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:52.127 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:52.127 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:52.127 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:53.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:53.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:53.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:53.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:53.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:53.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:53.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:53.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:53.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:54.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:54.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:54.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:10:54.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:54.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:54.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:54.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:54.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:54.205 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:55.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:55.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:55.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:55.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:55.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:55.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:55.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:55.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:55.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:56.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:56.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:56.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:56.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:56.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:56.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:56.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:56.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:56.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:57.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:57.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:57.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:57.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:57.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:57.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:57.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:10:57.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:57.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:58.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:58.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:58.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:58.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:58.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:58.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:59.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:10:59.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:10:59.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:10:59.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:10:59.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:10:59.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:10:59.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:10:59.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:10:59.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:00.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:00.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:00.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:00.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:00.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:00.442 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:11:00.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:00.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:00.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:01.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:01.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:01.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:01.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:01.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:01.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:01.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:01.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:01.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:02.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:02.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:02.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:02.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:02.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:02.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:02.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:02.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:02.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:04.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:04.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:04.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:04.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:04.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:04.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:04.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:04.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:04.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:05.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:05.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:05.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:05.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:05.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:05.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:05.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:05.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:05.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:06.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:06.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:06.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:11:06.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:06.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:06.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:06.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:06.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:06.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:07.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:07.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:07.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:07.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:07.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:07.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:07.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:07.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:07.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:08.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:08.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:08.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:08.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:08.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:09.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:09.793 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:09.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:09.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:09.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:09.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:09.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:09.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:09.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:10.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:10.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:10.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:10.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:10.840 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:10.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:10.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:10.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:10.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:11.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:11.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:11.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:11.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:11.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:11.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:11.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:11.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:11.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:11:12.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:12.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:12.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:12.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:12.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:12.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:12.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:12.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:12.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:13.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:13.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:13.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:13.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:13.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:13.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:13.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:13.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:13.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:14.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:14.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:14.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:14.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:14.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:14.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:14.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:14.982 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:14.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:15.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:15.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:15.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:15.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:16.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:16.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:16.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:16.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:16.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:17.033 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:17.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:17.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:17.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:17.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:17.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:17.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:17.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:17.044 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:17.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
13.01.20 14:11:17.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
13.01.20 14:11:18.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:18.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:18.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:18.071 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:18.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:18.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:19.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:19.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:19.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:19.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:19.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:19.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:19.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:19.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:19.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:20.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:20.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:20.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:20.150 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:20.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:20.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:20.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:20.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:20.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:21.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:21.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:11:21.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:21.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:21.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:21.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:21.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:21.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:21.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:22.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:22.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:22.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:22.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:22.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:22.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:22.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:22.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:22.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:23.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:23.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:23.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:23.256 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:23.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:23.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:23.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:23.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:23.267 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:24.291 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:11:24.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:24.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:24.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:24.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:24.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:24.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:24.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:24.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:25.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:25.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:25.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:25.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:25.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:25.345 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:26.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:26.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:26.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:26.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:26.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:26.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:26.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:26.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:11:26.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:27.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:27.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:27.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:27.430 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:27.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:27.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:27.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:27.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:27.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:28.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:28.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:28.471 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:28.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:28.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:28.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:28.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:28.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:28.482 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:29.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:29.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:29.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:29.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:29.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:29.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:29.522 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:11:29.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:29.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:30.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:30.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:31.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:31.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:31.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:31.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:31.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:31.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:31.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:31.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:31.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:32.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:32.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:32.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:32.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:32.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:11:32.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:32.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:32.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:32.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:33.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:33.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:33.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:33.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:33.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:33.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:33.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:33.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:33.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:34.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:34.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:34.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:34.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:34.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:34.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:34.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:34.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:34.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:35.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:35.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:35.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:35.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:11:35.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:35.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:35.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:35.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:35.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:36.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:36.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:36.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:36.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:36.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:36.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:36.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:36.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:36.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:37.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:37.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:37.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:37.833 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:37.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:37.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:37.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:37.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:37.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:38.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:38.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:38.874 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:38.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:38.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:38.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:38.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:38.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:38.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:39.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:39.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:39.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:39.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:39.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:39.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:39.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:39.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:39.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:40.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:40.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:40.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:40.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:40.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:40.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:40.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:40.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:40.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:41.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:11:41.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:41.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:41.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:42.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:42.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:42.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:42.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:42.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:43.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:43.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:43.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:43.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:43.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:43.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:43.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:43.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:43.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:44.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:44.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:44.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:44.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:44.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:44.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:44.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:44.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:44.084 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:45.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:45.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:45.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:45.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:45.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:45.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:45.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:45.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:45.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:46.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:46.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:46.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:46.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:46.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:47.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:47.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:47.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:47.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:47.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:47.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:47.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:11:47.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:47.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:48.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:48.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:48.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:48.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:48.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:48.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:48.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:48.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:48.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:49.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:49.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:49.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:49.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:49.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:49.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:49.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:49.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:49.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:50.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:50.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:50.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:50.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:50.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:50.283 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:11:50.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:50.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:50.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:51.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:51.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:51.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:51.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:51.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:51.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:51.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:51.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:51.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:52.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:52.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:52.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:52.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:52.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:52.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:52.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:52.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:52.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:53.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:53.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:53.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:11:53.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:53.401 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:53.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:53.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:53.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:53.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:54.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:54.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:54.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:54.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:54.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:54.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:54.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:54.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:54.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:55.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:55.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:55.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:55.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:55.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:55.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:55.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:55.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:55.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:56.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:56.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:56.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:11:56.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:56.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:56.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:56.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:56.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:56.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:57.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:57.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:57.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:57.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:57.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:57.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:57.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:57.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:57.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:58.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:58.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:58.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:58.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:58.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:58.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:58.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:58.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:58.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:59.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:11:59.594 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:11:59.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:11:59.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:11:59.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:11:59.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:11:59.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:11:59.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:11:59.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:00.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:00.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:00.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:00.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:00.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:00.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:00.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:00.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:00.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:01.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:01.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:01.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:01.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:01.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:01.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:01.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:01.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:01.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:12:02.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:02.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:02.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:02.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:02.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:02.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:02.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:02.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:02.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:03.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:03.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:03.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:03.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:03.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:04.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:04.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:04.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:04.770 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:04.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:04.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:04.780 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:04.781 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:04.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:05.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:05.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:05.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:05.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:05.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:05.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:05.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:05.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:05.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:06.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:06.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:07.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:07.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:07.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:07.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:07.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:07.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:12:07.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:07.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:07.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:08.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:08.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:08.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:08.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:08.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:08.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:08.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:08.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:08.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:09.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:09.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:09.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:09.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:09.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:09.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:09.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:09.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:09.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:11.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:11.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:11.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:11.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:11.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:11.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:11.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:11.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:11.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:12.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:12.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:12.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:12.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:12.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:12.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:12.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:12.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:12.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:13.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:13.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:13.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:13.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:13.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:13.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:13.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:13.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:13.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:14.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:14.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:14.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:14.133 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:14.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:14.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:14.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:14.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:14.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:15.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:15.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:15.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:15.174 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:15.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:15.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:15.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:15.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:15.185 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:16.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:16.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:16.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:16.216 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:16.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:16.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:16.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:16.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:16.227 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:17.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:17.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:12:17.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:17.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:17.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:17.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:17.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:17.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:17.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:18.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:18.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:18.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:18.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:18.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:18.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:18.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:18.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:18.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:19.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:19.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:19.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:19.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:19.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:19.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:19.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:19.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:19.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:20.372 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:12:20.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:20.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:20.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:20.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:21.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:21.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:21.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:21.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:21.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:21.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:21.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:21.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:21.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:22.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:22.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:22.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:22.450 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:22.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:22.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:22.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:22.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:12:22.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:23.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:23.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:23.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:23.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:23.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:23.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:23.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:23.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:23.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:24.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:24.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:24.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:24.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:24.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:24.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:24.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:24.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:24.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:25.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:25.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:25.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:25.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:25.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:25.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:25.586 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:12:25.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:25.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:26.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:26.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:26.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:26.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:26.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:26.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:27.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:27.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:27.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:27.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:27.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:27.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:28.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:28.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:28.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:28.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:28.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:12:28.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:28.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:28.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:28.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:29.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:29.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:29.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:29.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:29.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:29.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:29.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:29.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:29.742 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:30.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:30.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:30.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:30.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:30.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:30.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:30.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:30.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:30.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:31.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:31.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:31.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:31.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:12:31.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:31.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:31.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:31.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:31.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:32.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:32.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:32.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:32.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:32.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:32.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:32.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:32.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:32.866 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:33.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:33.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:33.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:33.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:33.901 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:33.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:33.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:33.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:33.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:34.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:34.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:34.911 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:34.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:34.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:34.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:34.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:34.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:34.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:35.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:35.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:35.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:35.954 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:35.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:35.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:35.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:35.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:35.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:36.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:36.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:36.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:36.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:37.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:37.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:37.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:37.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:37.006 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:38.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:12:38.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:38.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:38.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:38.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:38.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:38.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:38.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:38.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:39.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:39.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:39.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:39.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:39.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:39.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:39.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:39.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:39.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:40.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:40.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:40.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:40.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:40.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:40.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:40.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:40.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:40.105 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:41.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:41.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:41.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:41.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:41.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:41.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:41.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:41.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:41.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:42.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:42.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:42.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:42.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:42.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:42.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:42.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:43.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:43.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:43.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:12:43.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:43.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:44.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:44.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:44.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:44.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:44.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:44.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:45.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:45.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:45.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:45.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:45.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:45.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:45.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:46.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:46.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:46.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:46.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:12:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:46.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:47.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:47.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:47.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:47.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:47.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:48.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:48.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:48.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:48.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:48.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:48.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:48.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:48.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:48.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:12:49.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:49.443 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:49.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:49.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:49.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:49.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:50.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:50.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:50.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:50.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:50.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:50.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:50.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:50.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:50.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:51.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:51.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:51.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:51.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:51.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:51.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:51.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:51.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:51.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:52.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:52.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:52.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:12:52.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:52.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:52.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:52.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:52.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:52.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:53.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:53.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:53.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:53.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:53.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:53.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:53.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:53.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:53.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:54.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:54.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:54.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:54.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:54.644 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:54.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:54.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:54.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:54.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:55.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:55.671 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:55.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:55.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:55.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:55.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:55.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:55.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:55.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:56.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:56.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:56.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:56.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:56.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:56.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:56.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:56.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:56.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:57.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:57.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:57.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:57.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:57.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:57.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:57.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:57.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:57.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:12:58.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:58.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:58.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:58.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:58.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:58.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:58.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:58.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:58.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:59.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:12:59.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:12:59.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:12:59.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:12:59.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:12:59.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:12:59.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:12:59.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:12:59.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:00.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:00.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:00.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:00.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:00.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:00.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:00.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:00.885 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:00.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:01.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:01.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:01.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:01.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:01.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:02.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:02.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:02.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:02.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:02.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:02.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:03.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:03.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:03.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:03.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:04.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:13:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:04.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:05.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:05.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:05.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:05.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:05.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:05.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:05.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:05.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:05.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:06.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:06.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:06.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:06.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:06.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:06.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:06.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:06.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:06.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:07.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:07.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:07.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:07.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:07.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:07.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:07.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:07.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:07.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:08.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:08.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:08.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:08.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:08.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:08.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:08.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:08.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:08.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:09.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:09.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:09.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:09.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:09.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:09.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:09.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:09.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:09.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:10.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:10.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:10.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:10.234 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:10.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:10.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:10.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:10.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:10.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:11.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:11.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:11.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:11.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:11.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:11.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:11.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:11.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:11.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:12.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:12.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:12.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:12.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:12.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:12.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:12.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:13.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:13.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:13:13.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:13.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:13.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:13.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:13.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:13.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:13.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:14.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:14.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:14.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:14.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:14.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:14.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:14.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:14.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:14.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:15.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:15.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:15.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:15.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:15.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:15.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:15.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:15.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:15.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:16.494 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:13:16.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:16.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:16.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:16.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:16.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:16.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:16.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:16.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:17.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:17.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:18.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:18.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:18.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:18.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:18.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:18.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:18.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:18.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:13:18.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:19.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:19.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:19.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:19.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:19.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:19.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:19.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:19.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:19.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:20.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:20.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:20.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:20.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:20.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:20.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:20.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:20.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:20.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:21.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:21.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:21.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:21.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:21.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:21.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:21.682 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:13:21.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:21.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:22.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:22.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:22.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:22.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:22.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:22.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:22.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:22.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:22.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:23.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:23.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:23.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:23.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:23.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:23.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:23.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:23.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:23.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:24.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:24.793 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:24.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:24.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:24.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:13:24.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:24.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:24.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:24.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:25.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:25.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:25.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:25.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:25.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:25.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:25.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:25.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:25.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:26.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:26.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:26.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:26.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:26.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:26.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:26.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:26.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:26.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:27.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:27.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:27.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:27.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:13:27.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:27.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:27.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:27.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:27.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:28.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:28.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:28.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:28.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:28.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:28.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:28.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:28.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:28.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:29.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:29.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:29.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:29.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:29.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:29.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:29.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:29.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:29.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:31.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:31.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:31.015 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:31.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:31.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:31.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:31.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:31.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:31.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:32.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:32.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:32.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:32.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:32.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:32.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:32.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:32.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:32.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:33.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:33.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:33.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:33.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:33.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:33.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:33.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:33.102 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:33.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:34.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:13:34.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:34.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:34.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:34.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:34.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:34.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:34.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:34.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:35.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:35.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:35.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:35.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:35.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:35.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:35.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:35.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:35.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:36.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:36.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:36.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:36.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:36.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:36.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:36.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:36.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:36.183 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:37.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:37.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:37.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:37.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:37.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:37.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:37.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:37.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:37.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:38.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:38.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:38.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:38.251 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:38.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:38.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:38.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:38.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:38.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:39.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:39.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:39.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:39.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:39.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:39.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:39.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:13:39.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:39.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:40.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:40.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:40.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:40.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:40.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:40.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:40.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:40.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:40.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:41.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:41.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:41.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:41.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:41.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:41.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:41.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:41.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:41.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:42.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:42.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:42.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:42.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:42.420 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:42.421 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:13:42.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:42.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:42.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:43.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:43.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:43.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:43.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:43.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:43.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:43.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:43.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:43.461 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:44.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:44.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:44.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:44.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:44.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:44.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:44.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:44.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:44.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:45.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:45.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:45.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:45.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:45.541 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:45.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:45.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:45.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:45.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:46.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:46.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:46.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:46.574 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:46.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:46.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:46.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:46.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:46.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:47.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:47.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:47.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:47.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:47.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:47.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:47.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:47.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:47.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:48.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:13:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:48.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:48.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:48.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:48.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:48.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:49.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:49.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:49.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:49.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:49.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:49.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:49.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:49.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:49.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:50.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:50.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:50.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:50.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:50.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:50.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:50.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:50.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:50.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:51.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:51.771 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:51.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:51.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:51.781 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:51.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:51.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:51.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:51.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:52.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:52.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:52.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:52.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:52.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:52.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:52.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:52.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:52.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:53.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:53.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:53.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:53.850 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:53.860 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:53.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:53.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:53.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:53.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:13:54.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:54.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:54.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:54.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:54.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:54.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:54.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:54.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:54.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:55.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:56.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:56.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:56.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:13:56.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:56.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:56.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:56.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:56.983 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:56.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:58.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:58.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:58.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:58.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:58.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:58.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:58.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:58.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:58.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:13:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:13:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:13:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:13:59.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:13:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:13:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:13:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:13:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:00.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:00.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:00.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:00.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:00.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:00.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:14:00.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:00.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:00.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:01.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:01.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:01.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:01.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:01.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:01.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:01.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:01.140 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:01.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:02.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:02.161 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:02.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:03.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:03.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:03.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:03.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:03.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:04.211 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:04.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:04.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:04.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:04.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:04.222 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:04.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:04.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:04.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:05.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:05.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:05.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:05.255 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:05.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:05.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:05.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:05.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:05.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:06.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:06.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:06.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:06.292 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:06.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:06.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:06.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:06.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:06.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:07.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:07.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:07.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:07.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:07.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:07.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:07.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:07.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:07.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:08.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:08.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:08.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:08.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:08.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:08.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:08.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:08.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:08.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:14:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:09.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:09.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:09.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:10.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:10.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:10.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:10.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:10.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:10.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:10.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:10.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:10.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:11.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:12.530 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:14:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:12.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:12.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:12.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:12.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:12.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:12.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:13.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:13.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:13.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:13.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:13.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:13.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:13.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:13.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:13.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:14.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:14.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:14.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:14.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:14.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:14.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:14.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:14.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:14:14.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:15.629 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:15.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:15.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:15.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:15.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:15.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:15.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:15.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:15.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:16.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:16.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:16.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:16.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:16.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:16.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:16.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:16.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:16.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:17.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:17.702 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:17.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:17.703 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:14:17.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:17.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:18.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:18.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:18.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:19.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:19.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:19.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:20.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:20.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:20.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:20.790 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:20.800 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:14:20.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:20.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:20.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:20.801 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:21.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:21.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:21.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:21.832 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:21.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:21.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:21.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:21.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:21.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:22.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:22.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:22.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:22.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:22.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:22.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:22.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:22.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:23.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:23.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:23.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:23.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:14:23.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:23.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:23.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:23.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:23.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:24.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:24.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:25.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:25.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:25.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:25.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:25.980 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:25.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:25.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:25.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:25.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:27.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:27.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:27.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:27.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:27.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:27.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:28.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:28.053 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:28.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:28.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:28.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:29.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:29.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:29.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:29.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:29.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:29.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:29.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:29.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:29.101 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:30.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:14:30.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:30.133 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:30.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:30.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:30.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:30.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:30.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:30.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:31.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:31.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:31.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:31.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:31.180 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:31.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:31.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:31.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:31.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:32.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:32.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:32.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:32.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:32.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:32.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:32.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:32.226 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:32.226 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:33.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:33.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:33.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:33.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:33.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:33.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:33.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:33.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:33.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:34.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:34.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:34.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:34.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:34.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:34.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:34.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:34.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:34.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:35.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:35.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:35.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:35.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:35.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:35.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:35.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:14:35.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:35.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:36.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:36.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:36.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:36.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:36.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:36.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:37.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:37.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:37.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:37.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:37.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:37.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:37.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:38.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:38.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:38.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:38.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:38.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:14:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:39.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:39.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:39.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:39.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:39.521 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:39.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:39.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:39.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:39.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:40.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:40.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:40.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:40.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:40.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:40.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:40.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:40.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:40.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:41.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:41.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:41.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:41.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:41.603 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:41.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:41.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:41.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:41.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:42.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:42.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:42.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:42.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:42.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:42.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:42.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:42.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:42.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:43.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:43.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:43.671 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:43.672 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:43.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:43.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:43.681 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:43.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:43.682 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:44.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:44.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:44.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:14:44.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:44.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:44.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:44.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:44.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:44.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:45.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:45.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:45.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:45.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:45.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:45.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:45.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:45.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:45.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:46.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:46.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:46.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:46.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:46.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:46.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:46.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:46.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:46.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:47.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:47.834 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:47.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:47.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:47.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:47.844 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:47.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:47.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:47.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:48.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:48.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:48.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:48.870 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:48.880 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:48.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:48.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:48.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:48.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:49.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:49.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:49.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:14:49.915 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:49.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:49.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:49.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:49.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:49.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:14:50.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:50.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:50.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:50.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:50.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:50.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:50.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:50.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:50.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:51.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:51.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:51.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:51.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:52.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:52.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:52.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:52.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:52.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:53.034 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:53.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:53.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:53.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:53.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:53.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:53.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:53.045 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:53.045 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:54.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:54.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:54.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:54.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:54.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:54.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:54.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:54.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:54.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:55.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:55.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:55.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:55.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:55.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:55.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:55.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:55.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:55.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:56.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:56.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:56.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:56.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:56.144 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:56.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:14:56.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:56.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:56.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:57.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:57.170 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:57.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:57.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:57.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:57.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:57.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:57.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:57.181 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:58.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:58.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:58.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:58.212 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:58.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:58.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:58.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:58.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:58.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:59.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:14:59.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:14:59.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:14:59.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:14:59.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:14:59.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:14:59.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:14:59.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:14:59.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:00.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:00.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:00.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:00.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:00.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:00.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:00.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:00.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:00.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:01.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:01.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:01.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:01.302 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:02.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:02.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:02.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:02.330 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:02.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:02.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:02.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:02.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:02.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:03.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:03.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:03.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:03.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:03.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:03.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:03.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:04.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:04.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:04.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:04.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:04.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:04.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:15:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:05.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:05.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:05.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:05.423 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:05.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:05.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:06.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:06.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:06.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:06.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:06.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:06.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:06.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:06.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:06.466 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:07.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:07.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:07.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:07.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:07.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:07.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:07.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:07.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:07.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:08.533 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:15:08.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:08.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:08.533 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:08.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:08.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:08.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:08.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:08.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:09.554 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:09.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:09.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:09.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:09.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:09.565 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:10.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:10.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:10.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:10.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:10.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:15:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:11.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:11.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:11.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:11.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:11.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:11.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:12.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:12.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:12.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:12.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:12.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:12.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:12.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:12.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:12.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:13.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:13.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:13.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:13.715 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:13.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:13.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:13.725 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:15:13.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:13.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:13.925 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F070F8, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:15:14.063 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F070F8
13.01.20 14:15:14.067 CommonRemoting
  INFO  - Closing connection: connectionId=B4F070F8
13.01.20 14:15:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:14.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:14.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:14.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:15.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:15.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:15.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:15.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:15.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:15.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:16.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:16.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:15:16.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:16.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:17.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:17.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:17.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:17.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:17.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:17.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:17.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:17.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:17.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:18.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:18.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:18.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:18.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:18.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:19.952 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:15:19.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:19.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:19.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:19.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:19.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:19.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:19.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:19.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:20.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:20.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:20.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:20.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:21.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:21.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:21.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:21.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:21.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:22.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:22.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:22.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:22.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:22.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:22.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:22.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:22.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:15:22.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:23.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:23.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:23.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:23.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:23.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:23.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:23.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:23.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:23.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:24.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:24.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:24.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:24.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:24.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:24.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:24.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:24.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:24.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:25.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:25.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:25.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:25.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:25.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:25.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:25.165 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:15:25.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:25.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:26.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:26.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:26.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:26.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:26.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:26.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:26.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:26.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:26.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:27.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:27.231 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:27.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:27.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:27.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:27.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:27.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:27.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:27.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:28.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:28.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:28.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:28.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:28.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:15:28.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:28.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:28.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:28.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:29.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:29.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:29.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:29.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:29.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:29.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:29.411 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:29.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:29.412 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:30.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:30.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:30.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:30.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:31.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:31.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:31.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:31.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:15:31.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:31.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:31.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:31.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:31.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:32.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:32.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:32.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:32.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:32.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:32.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:32.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:32.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:32.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:33.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:33.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:33.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:33.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:33.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:33.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:33.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:33.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:33.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:34.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:34.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:34.573 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:34.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:34.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:34.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:34.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:34.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:34.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:35.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:35.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:36.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:36.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:36.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:36.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:36.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:36.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:36.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:36.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:36.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:37.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:15:37.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:37.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:37.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:37.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:37.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:37.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:37.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:37.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:38.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:38.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:38.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:38.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:38.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:38.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:38.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:38.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:38.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:39.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:39.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:39.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:39.750 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:39.760 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:39.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:39.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:39.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:39.761 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:40.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:40.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:40.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:40.795 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:40.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:40.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:40.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:40.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:40.806 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:41.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:41.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:41.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:41.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:41.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:41.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:41.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:41.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:41.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:42.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:42.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:42.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:42.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:42.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:42.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:42.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:15:42.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:42.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:43.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:43.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:43.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:43.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:43.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:43.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:43.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:43.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:43.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:44.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:44.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:44.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:44.970 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:44.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:44.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:44.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:44.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:44.981 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:45.899 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F18B40, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:15:46.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:46.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:46.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:46.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:46.043 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:46.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:46.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:46.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:46.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:47.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:47.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:47.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:47.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:47.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:47.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:47.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:47.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:47.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:48.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:48.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:48.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:48.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:48.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:49.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:49.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:49.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:15:49.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:49.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:49.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:49.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:49.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:49.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:49.701
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F18B40,
securityToken=C594CCEE
13.01.20 14:15:50.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:50.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:50.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:50.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:50.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:51.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:51.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:51.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:51.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:51.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:51.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:51.245 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:52.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:52.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:52.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:52.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:52.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:52.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:52.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:52.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:52.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:53.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:53.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:53.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:53.295 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:53.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:53.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:53.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:53.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:53.306 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:54.331 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:54.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:54.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:54.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:54.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:54.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:54.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:15:54.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:54.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:55.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:55.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:55.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:55.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:55.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:55.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:55.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:55.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:55.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:56.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:56.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:56.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:15:56.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:56.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:56.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:56.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:56.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:56.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:57.060 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 14:15:57.060 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 14:15:57.060 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 14:15:57.132 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 14:15:57.132 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 14:15:57.132 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
```

```
13.01.20 14:15:57.132 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=0
13.01.20 14:15:57.134 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 14:15:57.134 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:15:57.137 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:15:57.139 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 14:15:57.450 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 14:15:57.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:57.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:57.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:57.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:57.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:58.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:15:58.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:15:58.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:15:58.495 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:15:58.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:58.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:15:58.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:15:58.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:15:58.506 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:15:58.767 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 14:15:58.767 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 14:15:58.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 14:15:58.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 14:15:58.816 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 14:15:58.816 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 14:15:58.817 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 14:15:58.818 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 14:15:58.818 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=2
13.01.20 14:15:58.824 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 14:15:58.824 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 14:15:58.825 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
13.01.20 14:15:59.244 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 14:16:05.099 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 14:16:05.099 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 14:16:05.867 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 14:16:07.013 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 14:16:07.014 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 14:16:07.018 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 14:16:07.024 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 14:16:07.032 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 14:16:07.033 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 14:16:07.369 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 14:16:07.369 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 14:16:07.374 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 14:16:07.385 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=11
13.01.20 14:16:07.391 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 14:16:07.393 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 14:16:07.395 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 14:16:07.396 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/31, active=0/7, esdk=0/7, gds=0/5
13.01.20 14:16:07.397 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=6
13.01.20 14:16:07.422 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
13.01.20 14:16:07.542 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 14:16:07.715 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 14:16:07.721 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 56! Please add some variables...
13.01.20 14:16:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:08.515 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:08.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:08.611 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 56! Please add some variables...
13.01.20 14:16:08.614 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 14:16:08.616 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:16:08.618 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:16:08.619 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 14:16:08.620 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 14:16:08.621 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 14:16:08.623 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 14:16:08.624 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
```

```
13.01.20 14:16:08.626 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 14:16:08.633 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 14:16:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:09.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:09.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:09.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:09.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:09.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:09.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:10.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:10.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:11.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:11.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:11.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:11.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:11.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:11.646 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:16:11.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:11.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:11.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:12.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:12.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:12.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:12.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:12.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:12.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:12.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:12.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:12.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:13.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:13.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:13.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:13.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:13.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:13.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:13.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:13.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:13.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:14.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:14.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:15.794 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:15.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:15.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:15.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:15.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:15.805 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:16.646 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 14:16:16.649 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 14:16:16.650 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 14:16:16.650 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 14:16:16.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/30, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:16:16.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=2
13.01.20 14:16:16.669 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 14:16:16.670 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:16:16.671 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:16:16.671 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 14:16:16.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:16.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:16:16.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:16.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:16.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:16.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:16.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:17.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:17.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:17.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:17.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:17.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:17.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:17.885 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/27, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:16:18.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:18.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:18.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:18.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:18.922 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:19.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:19.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:19.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:19.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:19.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:20.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:20.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:21.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:21.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:21.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:21.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:22.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:22.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:22.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:16:22.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:22.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:23.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:23.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:23.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:23.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:23.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:23.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:23.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:23.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:23.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:24.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:24.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:24.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:24.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:24.081 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:24.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:24.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:24.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:24.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:25.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:25.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:25.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:25.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:25.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:25.125 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:16:25.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:25.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:25.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:26.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:26.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:26.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:26.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:26.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:27.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:27.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:27.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:27.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:27.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:27.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:27.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:27.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:27.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:28.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:28.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:28.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:28.230 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:28.241 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:28.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:28.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:28.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:28.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:29.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:29.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:29.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:29.254 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:29.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:29.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:29.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:29.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:29.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:30.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:30.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:30.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:30.292 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:30.303 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:30.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:30.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:30.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:30.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:31.334 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:31.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:31.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:16:31.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:31.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:31.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:31.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:31.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:31.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:32.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:32.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:32.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:32.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:32.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:32.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:32.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:32.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:32.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:33.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:33.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:33.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:33.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:33.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:33.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:33.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:33.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:33.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:34.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:34.451 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:34.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:34.451 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:34.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:34.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:34.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:34.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:34.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:35.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:35.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:35.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:35.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:35.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:35.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:35.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:35.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:35.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:36.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:36.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:36.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:36.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:36.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:36.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:36.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:36.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:36.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:16:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:37.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:37.600 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:37.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:37.602 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/29, active=0/2, esdk=0/1, gds=0/1
13.01.20 14:16:38.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:38.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:38.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:38.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:38.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:38.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:38.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:38.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:38.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:39.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:39.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:39.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:39.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:39.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:39.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:39.686 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:16:39.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:39.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:40.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:40.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:40.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:40.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:40.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:41.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:41.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:41.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:41.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:41.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:41.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:41.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:41.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:41.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:42.508 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 14:16:42.666 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 14:16:42.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:42.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:42.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:42.775 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:42.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:42.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:42.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:42.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:42.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:42.871 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 14:16:43.089 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 14:16:43.503 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 63! Please add some variables...
13.01.20 14:16:43.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:43.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:43.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:43.812 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:43.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:44.045 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 64! Please add some variables...
13.01.20 14:16:44.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:44.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:44.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:44.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:44.861 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:44.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:44.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:16:44.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:44.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:45.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:45.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:45.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:45.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:45.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:45.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:46.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:46.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:46.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:46.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:46.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:46.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:47.611 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/31, active=0/2, esdk=0/1, gds=0/1
13.01.20 14:16:47.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:47.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:47.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:47.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:47.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:49.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:49.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:49.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:49.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:49.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:49.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:49.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:49.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:49.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:50.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:50.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:50.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:50.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:50.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:50.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:50.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:50.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:50.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:16:51.094 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:51.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:51.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:51.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:51.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:51.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:52.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:52.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:52.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:52.135 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:52.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:52.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:52.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:52.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:52.146 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:52.795 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 65! Please add some variables...
13.01.20 14:16:53.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:53.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:53.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:53.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:53.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:53.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:53.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:53.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:53.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:54.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:16:54.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:54.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:54.214 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:54.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:54.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:54.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:54.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:54.225 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:54.516 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 66! Please add some variables...
13.01.20 14:16:55.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:55.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:55.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:55.253 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:55.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:55.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:55.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:55.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:55.264 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:55.278 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 67! Please add some variables...
13.01.20 14:16:55.400 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 68! Please add some variables...
13.01.20 14:16:55.649 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 69! Please add some variables...
13.01.20 14:16:56.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:56.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:56.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:56.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:56.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:56.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:56.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:56.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:56.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:57.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:57.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:57.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:57.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:57.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:57.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:57.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:57.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:57.344 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:57.624 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/31, active=0/4, esdk=0/4, gds=0/1
13.01.20 14:16:58.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:58.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:58.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:58.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:58.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:58.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:58.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:58.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:58.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:59.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:16:59.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:16:59.390 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:16:59.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:16:59.400 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:16:59.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:16:59.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:16:59.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:16:59.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:00.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:00.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:00.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:00.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:00.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:01.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:01.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:01.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:01.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:01.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:01.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:01.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:01.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:01.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:02.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:17:02.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:02.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:02.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:02.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:02.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:02.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:02.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:02.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:03.552 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:03.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:03.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:03.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:03.563 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:04.165 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 70! Please add some variables...
13.01.20 14:17:04.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:04.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:04.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:04.590 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:04.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:04.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:04.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:04.602 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:04.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:05.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:05.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:05.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:05.645 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:05.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:06.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:06.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:06.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:06.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:06.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:06.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:06.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:06.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:06.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:07.711 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:07.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:07.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:07.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:17:07.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:07.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:07.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:08.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:08.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:08.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:08.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:08.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:08.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:08.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:08.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:08.766 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:09.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:09.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:09.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:09.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:09.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:09.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:09.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:09.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:09.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:10.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:10.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:10.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:10.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:10.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:10.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:10.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:10.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:10.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:11.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:11.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:11.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:11.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:11.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:11.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:11.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:11.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:11.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:12.871 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:12.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:12.881 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:12.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:12.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:12.882 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:13.909 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:13.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:13.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:13.910 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:13.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:13.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:13.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:13.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:13.921 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:14.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:14.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:14.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:14.953 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:14.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:14.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:14.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:14.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:14.965 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:15.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:15.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:15.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:15.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:16.001 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:16.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:16.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:16.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:16.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:17.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:17.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:17:17.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:17.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:17.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:17.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:17.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:17.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:17.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:18.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:18.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:18.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:18.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:18.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:18.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:18.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:18.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:18.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:19.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:19.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:19.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:19.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:19.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:19.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:20.154 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:17:20.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:20.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:20.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:20.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:20.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:20.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:20.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:20.166 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:21.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:21.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:21.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:21.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:21.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:21.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:21.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:21.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:21.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:22.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:22.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:22.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:22.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:22.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:22.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:22.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:22.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:17:22.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:23.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:23.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:23.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:23.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:23.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:23.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:23.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:23.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:23.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:24.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:24.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:24.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:24.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:24.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:24.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:24.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:24.321 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:24.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:25.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:25.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:25.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:25.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:25.360 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:25.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:25.361 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:17:25.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:25.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:26.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:26.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:26.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:26.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:26.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:26.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:26.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:26.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:26.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:27.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:27.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:27.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:27.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:27.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:27.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:27.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:27.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:27.446 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:28.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:28.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:28.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:28.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:28.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:17:28.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:28.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:28.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:28.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:29.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:29.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:29.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:29.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:29.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:29.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:29.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:29.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:29.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:30.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:30.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:30.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:31.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:31.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:31.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:31.575 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:17:31.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:31.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:31.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:31.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:31.586 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:32.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:32.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:32.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:32.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:32.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:32.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:33.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:33.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:33.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:33.635 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:33.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:33.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:33.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:33.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:33.646 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:34.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:34.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:34.674 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:34.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:34.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:34.685 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:34.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:34.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:34.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:35.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:35.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:35.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:35.714 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:35.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:35.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:35.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:35.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:35.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:36.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:36.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:36.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:36.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:36.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:36.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:36.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:36.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:36.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:37.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:17:37.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:37.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:37.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:37.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:37.802 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:37.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:37.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:37.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:38.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:38.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:38.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:38.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:38.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:38.841 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:38.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:38.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:38.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:39.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:39.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:39.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:39.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:39.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:39.883 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:39.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:39.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:39.884 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:40.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:40.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:40.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:40.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:40.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:40.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:40.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:40.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:40.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:41.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:41.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:41.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:41.950 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:41.960 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:41.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:41.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:41.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:41.961 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:42.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:42.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:42.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:42.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:42.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:17:42.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:42.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:44.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:44.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:44.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:44.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:44.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:44.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:44.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:44.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:44.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:45.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:45.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:45.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:45.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:45.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:45.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:45.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:45.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:45.042 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:46.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:46.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:46.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:46.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:46.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:46.083 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:17:46.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:46.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:46.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:47.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:47.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:47.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:47.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:47.121 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:47.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:47.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:47.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:47.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:48.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:48.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:48.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:48.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:48.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:48.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:48.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:48.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:48.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:49.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:49.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:49.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:49.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:49.204 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:49.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:49.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:49.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:49.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:50.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:50.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:50.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:50.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:50.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:50.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:50.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:50.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:50.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:51.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:51.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:51.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:51.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:51.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:51.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:51.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:51.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:51.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:52.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:17:52.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:52.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:52.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:52.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:52.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:52.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:53.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:53.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:53.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:53.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:53.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:54.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:54.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:54.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:17:54.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:54.384 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:54.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:54.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:54.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:54.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:55.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:55.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:56.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:56.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:56.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:56.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:56.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:56.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:56.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:56.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:56.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:57.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:57.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:57.493 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:57.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:17:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:58.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:58.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:58.531 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:58.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:59.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:17:59.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:17:59.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:17:59.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:17:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:17:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:17:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:17:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:17:59.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:00.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:00.615 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:00.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:00.616 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:00.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:00.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:00.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:00.627 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:00.627 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:01.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:01.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:01.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:01.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:01.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:01.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:02.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:02.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:02.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:02.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:02.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:02.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:02.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:02.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:02.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:03.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:03.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:03.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:03.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:03.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:03.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:18:03.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:03.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:03.725 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:04.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:04.752 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:04.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:04.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:04.763 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:04.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:04.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:04.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:04.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:05.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:05.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:06.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:06.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:06.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:06.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:06.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:06.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:06.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:06.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:06.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:07.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:07.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:07.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:07.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:07.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:07.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:07.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:07.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:07.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:08.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:08.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:08.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:08.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:08.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:08.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:09.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:09.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:09.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:09.933 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:09.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:09.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:09.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:09.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:09.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:10.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:10.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:10.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:10.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:10.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:12.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:12.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:12.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:12.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:12.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:12.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:12.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:12.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:12.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:13.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:13.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:18:13.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:13.031 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:13.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:13.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:13.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:13.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:13.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:14.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:14.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:14.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:14.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:14.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:14.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:14.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:14.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:14.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:15.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:15.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:15.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:15.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:15.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:15.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:15.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:15.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:15.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:16.152 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:18:16.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:16.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:16.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:16.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:16.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:16.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:16.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:16.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:17.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:17.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:17.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:17.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:17.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:17.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:17.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:17.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:17.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:18.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:18.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:18.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:18.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:18.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:18.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:18.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:18.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:18:18.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:19.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:19.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:19.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:19.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:19.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:19.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:19.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:19.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:19.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:20.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:20.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:20.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:20.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:20.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:20.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:20.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:20.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:20.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:21.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:21.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:21.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:21.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:21.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:21.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:21.363 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:18:21.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:21.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:22.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:22.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:22.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:22.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:22.381 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:22.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:22.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:22.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:22.382 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:23.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:23.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:23.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:23.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:23.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:23.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:23.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:23.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:23.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:24.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:24.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:24.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:24.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:24.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:18:24.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:24.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:24.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:24.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:25.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:25.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:25.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:25.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:25.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:25.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:25.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:25.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:25.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:26.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:26.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:26.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:26.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:26.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:27.305 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 71! Please add some variables...
13.01.20 14:18:27.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:27.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:27.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
```

```
13.01.20 14:18:27.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:27.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:27.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:27.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:27.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:27.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:28.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:28.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:28.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:28.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:28.624 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:28.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:28.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:28.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:28.625 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:29.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:29.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:29.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:29.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:29.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:29.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:29.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:29.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:29.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:30.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:30.693 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:30.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:30.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:30.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:30.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:30.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:30.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:30.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:31.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:31.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:31.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:31.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:31.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:31.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:31.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:31.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:31.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:32.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:32.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:32.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:32.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:32.782 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:32.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:32.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:32.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:32.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:18:33.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:33.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:33.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:33.815 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:33.826 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:33.828 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:33.828 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:33.828 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:33.828 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:34.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:34.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:34.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:34.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:34.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:34.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:34.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:34.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:34.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:35.910 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:35.911 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:35.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:35.924 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:36.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:36.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:36.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:36.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:36.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:36.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:37.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:37.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:37.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:37.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:38.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:39.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:18:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:39.041 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:40.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:40.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:40.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:40.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:40.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:40.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:40.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:40.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:40.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:41.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:41.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:41.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:41.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:41.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:41.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:41.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:41.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:41.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:42.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:42.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:42.165 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:43.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:43.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:43.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:43.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:43.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:43.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:44.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:44.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:44.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:44.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:44.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:44.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:45.272 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:45.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:46.312 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:46.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:46.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:46.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:46.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:46.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:47.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:47.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:47.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:47.350 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:47.361 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:48.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:48.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:18:48.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:48.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:48.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:48.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:48.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:48.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:48.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:49.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:49.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:49.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:49.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:49.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:49.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:49.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:49.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:49.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:50.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:50.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:50.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:50.454 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:50.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:50.465 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:51.491 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:18:51.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:51.491 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:51.492 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:51.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:51.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:51.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:51.502 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:51.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:52.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:52.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:52.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:52.530 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:52.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:52.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:52.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:52.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:52.541 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:53.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:53.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:53.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:53.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:53.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:53.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:53.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:53.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:18:53.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:54.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:54.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:54.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:54.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:54.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:54.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:54.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:54.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:54.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:55.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:55.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:55.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:55.655 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:55.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:55.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:55.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:55.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:55.665 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:56.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:56.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:56.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:18:56.690 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:56.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:56.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:56.701 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:18:56.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:56.701 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:57.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:57.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:57.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:57.713 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:57.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:57.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:57.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:57.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:57.724 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:58.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:58.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:58.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:58.751 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:58.761 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:58.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:58.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:58.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:58.762 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:18:59.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:18:59.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:18:59.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:18:59.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:18:59.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:18:59.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:18:59.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:18:59.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:18:59.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:00.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:00.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:00.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:00.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:00.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:00.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:00.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:00.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:00.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:01.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:01.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:01.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:01.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:01.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:01.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:01.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:01.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:01.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:02.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:19:02.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:02.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:02.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:02.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:02.902 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:03.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:03.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:03.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:03.930 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:03.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:03.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:03.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:03.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:03.941 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:04.971 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:04.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:04.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:04.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:04.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:04.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:04.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:06.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:06.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:06.015 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:06.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:06.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:06.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:06.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:06.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:06.026 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:07.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:07.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:07.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:07.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:08.092 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:08.103 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:09.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:19:09.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:09.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:09.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:09.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:09.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:09.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:09.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:09.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:10.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:10.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:10.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:11.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:11.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:11.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:11.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:11.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:11.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:11.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:11.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:11.205 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:12.232 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:12.242 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:12.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:13.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:13.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:13.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:13.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:13.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:13.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:13.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:13.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:13.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:14.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:14.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:14.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:14.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:19:14.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:14.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:15.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:15.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:15.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:15.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:15.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:15.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:15.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:15.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:15.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:16.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:16.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:16.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:16.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:16.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:16.406 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:17.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:17.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:17.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:17.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:17.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:17.445 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:19:17.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:17.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:17.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:18.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:18.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:18.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:18.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:18.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:18.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:18.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:18.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:18.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:19.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:19.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:19.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:19.513 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:19.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:19.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:19.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:19.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:19.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:20.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:20.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:20.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:20.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:20.562 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:20.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:20.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:20.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:20.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:21.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:21.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:21.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:21.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:21.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:21.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:21.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:21.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:21.606 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:22.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:22.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:22.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:22.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:22.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:22.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:22.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:22.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:22.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:23.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:23.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:23.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:19:23.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:23.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:23.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:23.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:23.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:23.704 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:24.732 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:24.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:24.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:24.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:24.743 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:24.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:24.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:25.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:25.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:25.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:25.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:25.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:25.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:26.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:26.810 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:26.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:26.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:26.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:26.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:26.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:26.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:26.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:27.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:27.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:27.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:27.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:27.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:27.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:28.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:28.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:28.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:28.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:28.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:19:29.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:29.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:29.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:29.914 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:29.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:29.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:29.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:29.925 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:29.926 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:30.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:30.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:30.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:30.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:30.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:30.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:30.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:30.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:30.964 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:31.993 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:31.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:31.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:31.994 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:32.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:32.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:32.004 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:32.005 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:32.005 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:33.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:33.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:33.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:33.032 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:33.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:33.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:33.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:33.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:33.043 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:34.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:34.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:34.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:34.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:34.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:34.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:34.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:34.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:34.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:35.110 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:35.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:35.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:35.111 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:35.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:35.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:19:35.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:35.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:35.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:36.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:36.151 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:36.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:36.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:36.162 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:37.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:37.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:37.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:37.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:37.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:37.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:37.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:37.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:37.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:38.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:38.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:38.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:38.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:38.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:38.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:38.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:38.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:38.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:39.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:39.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:39.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:39.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:39.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:39.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:39.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:39.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:39.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:40.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:40.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:40.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:40.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:40.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:40.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:40.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:40.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:40.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:41.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:41.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:41.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:41.375 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:41.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:41.387 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:41.387 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:41.388 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:41.388 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:42.413 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:42.424 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:42.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:42.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:42.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:42.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:43.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:43.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:43.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:43.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:43.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:43.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:43.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:43.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:43.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:44.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:44.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:19:44.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:44.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:44.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:44.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:44.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:44.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:44.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:45.534 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:45.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:45.544 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:45.545 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:46.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:46.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:46.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:46.572 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:46.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:46.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:46.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:46.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:46.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:47.611 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:19:47.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:47.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:47.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:47.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:47.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:47.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:47.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:47.623 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:48.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:48.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:48.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:48.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:48.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:48.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:49.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:49.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:49.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:19:49.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:49.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:49.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:49.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:49.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:19:49.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:50.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:50.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:50.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:50.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:50.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:50.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:50.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:50.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:50.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:51.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:51.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:51.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:51.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:51.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:51.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:51.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:51.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:51.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:52.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:52.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:52.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:52.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:52.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:52.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:52.823 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:19:52.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:52.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:53.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:53.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:53.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:53.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:53.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:53.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:53.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:53.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:53.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:54.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:54.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:54.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:54.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:54.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:54.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:54.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:54.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:54.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:55.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:55.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:55.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:19:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:55.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:56.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:56.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:56.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:56.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:56.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:56.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:56.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:56.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:56.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:58.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:58.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:58.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:58.011 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:19:58.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:58.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:58.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:58.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:58.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:19:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:19:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:19:59.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:19:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:19:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:19:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:19:59.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:19:59.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:00.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:00.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:00.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:00.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:00.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:00.082 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:01.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:01.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:01.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:01.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:01.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:01.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:01.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:01.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:01.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:02.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:02.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:02.153 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:02.153 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:02.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:02.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:02.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:02.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:02.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:03.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:03.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:03.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:03.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:03.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:03.203 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:04.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:04.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:04.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:04.235 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:04.246 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:04.246 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:04.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:04.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:04.247 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:05.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:20:05.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:05.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:05.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:05.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:05.283 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:05.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:06.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:06.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:06.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:06.315 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:06.326 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:06.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:06.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:06.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:06.327 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:07.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:07.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:07.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:07.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:07.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:07.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:07.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:07.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:07.366 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:08.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:08.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:08.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:08.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:08.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:08.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:08.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:08.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:08.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:09.431 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:09.441 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:10.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:10.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:10.472 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:10.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:10.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:10.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:10.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:20:10.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:10.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:11.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:11.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:12.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:12.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:12.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:12.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:12.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:12.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:12.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:12.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:12.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:13.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:13.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:13.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:13.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:13.581 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:13.581 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:20:13.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:13.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:13.582 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:14.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:14.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:14.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:14.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:14.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:14.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:15.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:15.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:15.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:15.651 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:15.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:15.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:15.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:15.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:15.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:16.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:16.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:16.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:16.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:16.705 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:16.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:16.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:16.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:16.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:17.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:17.733 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:17.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:17.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:17.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:17.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:17.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:17.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:17.745 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:18.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:18.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:18.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:18.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:18.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:18.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:18.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:18.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:18.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:19.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:19.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:19.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:20:19.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:19.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:19.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:19.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:19.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:19.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:20.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:20.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:20.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:20.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:20.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:20.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:20.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:20.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:20.846 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:21.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:21.874 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:21.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:21.875 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:21.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:21.885 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:21.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:21.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:21.886 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:22.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:22.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:22.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:22.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:22.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:22.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:23.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:23.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:23.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:23.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:23.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:23.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:23.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:23.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:23.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:25.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:25.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:25.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:25.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:25.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:25.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:25.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:25.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:25.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:20:26.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:26.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:26.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:26.052 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:26.063 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:26.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:26.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:26.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:26.064 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:27.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:27.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:27.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:27.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:27.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:27.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:27.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:27.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:27.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:28.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:28.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:28.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:28.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:28.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:28.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:28.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:28.143 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:28.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:29.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:29.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:29.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:29.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:29.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:29.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:29.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:29.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:29.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:30.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:30.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:30.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:30.194 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:30.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:30.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:30.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:30.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:30.205 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:31.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:31.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:31.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:31.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:31.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:31.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:20:31.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:31.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:31.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:32.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:32.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:32.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:32.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:32.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:32.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:33.290 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:33.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:33.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:33.291 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:33.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:33.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:33.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:33.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:33.301 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:34.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:34.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:34.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:34.335 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:34.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:34.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:34.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:34.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:34.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:35.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:35.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:35.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:35.390 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:35.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:35.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:35.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:35.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:35.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:36.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:36.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:36.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:36.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:36.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:36.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:36.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:36.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:36.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:37.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:37.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:37.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:37.474 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:37.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:37.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:37.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:37.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:37.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:38.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:38.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:38.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:38.510 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:38.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:38.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:38.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:38.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:38.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:39.553 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:39.564 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:40.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:40.593 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:20:40.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:40.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:40.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:40.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:40.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:40.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:40.605 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:41.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:41.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:41.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:41.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:41.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:41.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:41.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:41.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:41.643 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:42.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:42.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:42.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:42.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:42.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:42.687 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:42.687 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:42.687 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:42.688 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:43.733 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:20:43.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:43.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:43.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:43.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:43.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:43.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:43.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:43.744 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:44.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:44.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:44.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:44.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:44.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:44.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:44.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:44.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:44.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:45.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:45.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:45.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:45.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:45.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:45.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:45.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:45.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:20:45.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:46.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:46.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:46.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:46.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:46.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:46.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:46.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:46.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:46.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:47.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:47.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:47.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:47.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:47.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:47.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:47.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:47.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:47.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:48.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:48.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:48.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:48.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:48.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:48.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:48.945 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:20:48.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:48.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:49.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:49.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:49.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:49.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:49.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:49.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:49.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:49.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:49.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:51.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:51.012 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:51.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:51.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:51.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:51.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:51.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:51.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:51.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:52.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:52.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:52.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:52.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:52.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:20:52.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:52.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:52.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:52.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:53.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:53.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:53.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:53.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:53.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:53.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:53.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:53.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:53.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:54.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:54.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:54.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:54.114 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:54.124 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:54.125 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:55.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:55.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:55.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:20:55.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:20:55.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:55.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:55.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:55.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:55.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:56.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:56.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:56.190 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:56.191 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:56.201 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:57.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:57.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:57.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:57.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:57.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:57.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:58.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:58.272 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:58.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:58.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:58.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:58.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:58.282 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:59.310 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:20:59.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:20:59.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:20:59.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:20:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:20:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:20:59.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:20:59.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:20:59.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:00.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:00.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:00.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:00.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:00.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:00.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:00.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:00.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:00.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:01.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:21:01.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:01.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:01.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:01.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:01.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:01.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:01.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:01.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:02.410 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:02.421 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:02.422 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:03.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:03.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:03.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:03.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:03.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:03.462 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:03.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:03.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:03.463 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:04.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:04.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:04.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:04.494 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:04.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:04.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:04.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:04.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:04.505 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:05.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:05.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:05.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:05.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:05.542 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:05.543 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:06.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:06.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:06.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:06.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:21:06.583 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:06.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:07.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:07.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:07.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:07.610 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:07.621 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:07.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:08.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:08.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:08.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:08.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:08.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:08.664 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:09.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:09.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:09.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:09.692 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:09.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:09.703 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:21:09.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:09.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:09.703 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:10.730 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:10.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:10.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:10.731 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:10.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:10.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:10.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:10.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:10.741 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:11.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:11.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:11.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:11.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:11.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:11.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:11.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:11.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:11.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:12.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:12.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:12.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:12.814 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:12.824 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:12.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:12.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:12.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:12.825 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:13.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:13.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:13.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:13.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:14.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:14.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:14.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:14.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:14.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:14.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:14.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:14.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:14.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:15.931 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:15.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:15.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:21:15.933 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:15.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:15.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:15.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:15.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:15.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:16.973 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:16.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:16.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:16.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:16.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:16.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:18.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:18.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:18.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:18.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:18.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:18.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:18.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:18.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:18.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:19.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:19.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:19.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:19.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:19.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:19.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:20.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:20.073 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:20.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:20.074 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:20.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:20.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:20.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:20.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:20.085 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:21.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:21.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:21.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:21.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:21.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:21.123 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:21:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:22.134 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:22.145 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:23.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:23.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:23.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:23.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:23.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:23.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:23.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:23.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:23.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:24.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:24.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:24.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:24.192 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:24.202 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:25.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:25.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:25.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:25.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:25.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:25.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:25.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:25.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:25.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:26.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:26.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:26.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:26.275 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:26.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:26.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:26.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:26.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:26.286 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:26.660 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B4F1C1D8, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:21:26.962
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F1C1D8,
securityToken=52C858D3
13.01.20 14:21:27.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:27.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:27.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
```

```
13.01.20 14:21:27.311 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:27.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:27.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:27.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:27.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:27.322 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:28.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:28.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:28.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:28.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:28.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:28.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:28.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:28.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:28.365 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:29.391 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:29.401 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:29.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:30.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:30.442 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:30.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:31.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:31.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:31.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:31.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:31.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:31.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:31.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:31.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:31.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:31.962 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 14:21:31.963 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 14:21:31.963 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 14:21:31.988 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 14:21:31.989 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 14:21:31.989 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 14:21:31.989 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=1
13.01.20 14:21:31.992 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 14:21:31.993 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:21:31.995 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:21:31.995 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 14:21:32.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:32.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:32.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:32.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:32.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:32.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:32.940 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 14:21:33.385 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 14:21:33.386 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 14:21:33.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 14:21:33.404 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 14:21:33.437 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 14:21:33.438 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 14:21:33.440 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 14:21:33.441 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 14:21:33.442 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=6
13.01.20 14:21:33.450 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 14:21:33.452 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 14:21:33.452 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=2
13.01.20 14:21:33.909 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 14:21:39.835 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
```

```
13.01.20 14:21:39.835 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 14:21:40.772 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 14:21:41.917 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 14:21:41.919 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 14:21:41.924 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 14:21:41.929 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 14:21:41.937 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 14:21:41.941 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 14:21:42.277 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 14:21:42.278 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 14:21:42.283 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 14:21:42.293 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=10
13.01.20 14:21:42.300 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 14:21:42.301 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 14:21:42.302 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 14:21:42.303 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/32, active=0/5, esdk=0/5, gds=0/1
13.01.20 14:21:42.304 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=4
13.01.20 14:21:42.314 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
13.01.20 14:21:42.456 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 14:21:42.680 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 14:21:42.684 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 73! Please add some variables...
13.01.20 14:21:43.260 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 73! Please add some variables...
13.01.20 14:21:43.263 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 14:21:43.265 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:21:43.265 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:21:43.266 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 14:21:43.267 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 14:21:43.268 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 14:21:43.270 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 14:21:43.271 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 14:21:43.271 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 14:21:43.272 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 14:21:43.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:43.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:43.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:43.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:43.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:43.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:43.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:43.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:43.425 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:44.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:44.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:44.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:44.453 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:44.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:44.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:44.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:44.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:44.464 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:45.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:45.490 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:45.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:45.490 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:45.500 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:45.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:45.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:45.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:45.501 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:46.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:46.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:46.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:46.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:46.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:46.524 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:47.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:47.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:47.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:47.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:47.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:47.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:47.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:47.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:47.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:21:48.591 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:48.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:48.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:48.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:48.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:48.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:48.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:48.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:48.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:49.061 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 14:21:49.067 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 14:21:49.067 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 14:21:49.068 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 14:21:49.068 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/30, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:21:49.068 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=1
13.01.20 14:21:49.088 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 14:21:49.089 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:21:49.090 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:21:49.090 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 14:21:49.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:49.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:49.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:49.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:49.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:49.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:49.641 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:21:49.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:49.641 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:50.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:50.673 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:50.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:50.674 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:50.683 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:50.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:50.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:50.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:50.684 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:51.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:51.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:51.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:51.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:51.722 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:51.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:51.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:51.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:51.723 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:52.332 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/27, active=0/1, esdk=0/1, gds=0/0
13.01.20 14:21:52.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:52.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:52.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:21:52.755 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:52.765 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:52.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:52.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:52.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:52.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:53.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:53.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:54.834 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:54.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:54.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:54.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:54.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:54.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:54.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:54.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:54.845 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:55.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:55.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:55.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:21:55.873 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:55.884 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:56.912 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:56.922 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:56.923 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:57.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:57.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:57.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:57.932 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:57.942 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:57.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:57.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:57.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:57.943 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:58.974 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:21:58.975 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:21:58.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:21:58.975 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:21:58.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:21:58.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:21:58.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:21:58.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:21:58.986 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:00.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:00.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:00.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:00.013 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:00.023 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:00.024 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:01.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:01.050 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:01.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:01.051 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:01.061 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:01.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:01.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:01.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:01.062 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:22:02.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:02.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:02.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:02.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:02.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:02.107 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:02.107 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:02.107 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:02.107 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:02.346 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/29, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:22:03.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:03.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:03.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:03.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:03.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:03.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:03.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:03.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:03.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:04.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:04.172 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:04.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:04.173 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:04.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:04.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:04.184 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:22:04.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:04.184 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:05.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:05.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:05.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:05.210 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:05.221 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:06.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:06.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:06.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:06.263 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:07.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:07.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:07.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:07.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:22:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:07.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:08.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:08.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:08.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:08.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:08.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:09.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:09.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:09.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:09.351 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:09.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:09.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:09.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:09.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:09.362 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:10.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:10.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:10.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:10.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:22:10.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:10.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:10.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:10.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:10.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:11.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:11.444 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:12.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:12.473 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:12.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:12.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:12.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:12.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:12.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:12.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:12.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:12.712 Arp.Plc.Gds.Internal.Subscription.SubscriptionManager
  ERROR - Subscription 0 not exist!
13.01.20 14:22:12.902 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 80! Please add some variables...
13.01.20 14:22:13.511 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:22:13.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:13.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:13.512 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:13.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:13.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:13.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:13.522 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:13.523 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:14.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:14.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:14.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:14.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:14.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:14.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:14.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:14.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:14.562 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:15.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:22:15.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:16.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:16.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:16.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:16.614 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:16.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:16.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:16.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:16.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:16.626 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:17.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:17.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:17.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:17.652 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:17.662 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:17.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:17.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:17.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:17.663 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:18.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:18.696 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:18.696 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:18.696 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:18.707 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:18.707 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:18.707 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:22:18.707 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:18.707 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:19.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:19.734 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:19.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:19.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:19.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:19.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:19.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:19.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:19.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:20.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:20.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:20.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:20.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:20.783 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:20.784 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:21.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:21.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:21.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:21.811 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:22:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:21.822 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:22.854 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:22.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:22.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:23.896 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:23.896 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:23.896 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:23.896 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:23.907 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:23.907 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:23.907 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:23.907 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:23.907 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:24.934 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:22:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:24.944 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:24.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:25.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:25.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:25.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:25.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:25.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:25.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:27.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:27.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:27.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:27.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:27.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:27.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:27.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:27.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:27.025 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:27.147 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 81! Please add some variables...
13.01.20 14:22:28.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:28.055 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:28.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:28.055 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:28.065 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:29.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:29.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:29.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:29.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:29.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:29.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:29.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:29.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:29.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:30.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:30.131 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:30.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:30.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:30.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:30.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:30.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:30.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:30.143 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:22:30.641 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 82 subscribed.
13.01.20 14:22:31.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:31.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:31.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:31.171 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:31.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:31.182 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:31.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:31.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:31.183 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:32.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:32.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:32.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:32.213 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:32.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:32.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:32.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:32.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:32.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:33.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:33.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:33.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:33.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:33.261 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:33.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:33.262 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:22:33.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:33.262 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:34.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:34.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:34.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:34.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:34.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:34.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:34.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:34.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:34.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:35.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:35.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:35.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:35.332 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:35.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:35.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:35.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:35.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:35.343 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:36.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:36.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:36.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:36.375 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:36.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:22:36.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:36.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:36.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:36.385 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:37.432 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:37.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:37.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:37.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:37.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:37.718 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 82 unsubscribed
13.01.20 14:22:37.842 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 83! Please add some variables...
13.01.20 14:22:38.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:38.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:38.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:38.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:38.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:39.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:39.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:22:39.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:39.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:39.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:39.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:39.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:39.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:39.546 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:39.684 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 84 subscribed.
13.01.20 14:22:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:40.573 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:40.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:40.584 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:40.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:40.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:40.585 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:41.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:41.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:41.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:41.611 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:41.622 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:41.623 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/31, active=0/2, esdk=0/2, gds=0/1
13.01.20 14:22:42.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:42.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:42.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:42.650 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:42.661 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:43.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:43.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:43.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:43.695 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:43.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:43.705 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:43.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:43.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:43.706 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:44.735 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
13.01.20 14:22:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:44.746 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:45.774 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:45.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:45.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:45.775 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:45.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:45.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:45.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:45.785 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:45.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:46.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:46.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:46.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:46.813 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:46.823 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:46.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:46.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:46.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:46.824 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:47.851 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
```

```
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:47.862 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:48.894 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:48.895 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:48.905 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:48.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:48.906 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:49.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:49.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:49.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:49.935 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:49.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:49.945 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:49.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:49.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:49.946 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:22:50.972 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:50.982 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:50.983 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:52.010 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:52.021 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:52.022 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:53.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:53.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:53.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:53.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:53.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:53.066 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:54.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:54.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:22:54.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:54.093 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:54.104 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:54.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:54.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:54.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:54.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:55.130 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:55.141 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:55.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:55.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:55.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:55.142 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:56.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:56.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:56.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:56.152 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:56.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:56.163 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:56.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:56.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:56.164 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:57.195 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
13.01.20 14:22:57.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:57.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:57.195 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:57.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:57.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:57.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:57.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:57.206 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:58.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:58.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:58.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:58.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:58.243 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:58.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:58.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:58.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:22:58.244 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:59.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:22:59.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:22:59.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:22:59.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:22:59.284 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:22:59.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:22:59.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:22:59.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
```

```
13.01.20 14:22:59.285 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:00.313 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:00.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:00.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:00.314 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:00.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:00.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:00.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:00.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:00.325 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:01.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:01.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:01.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:01.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:01.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:01.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:01.363 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:01.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:01.364 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:02.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:02.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:02.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:02.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:02.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:02.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:02.405 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ARUserID = 1
13.01.20 14:23:02.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:02.405 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:03.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:03.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:03.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:03.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:03.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:03.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:03.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:03.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:03.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:04.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:04.474 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:04.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:04.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:04.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:04.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:04.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:04.485 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:04.486 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:05.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:05.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:05.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:05.514 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:05.525 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
```

```
13.01.20 14:23:05.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:05.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:05.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:05.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:06.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:06.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:06.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:06.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:06.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:06.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:06.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:06.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:06.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:07.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:07.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:07.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:07.592 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:07.603 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:07.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:07.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:07.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:07.604 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:08.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:08.630 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:08.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:08.631 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
```

```
13.01.20 14:23:08.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:08.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:08.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:08.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:08.642 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:09.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:09.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:09.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:09.675 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:09.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:09.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:09.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:09.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:09.686 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:10.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:10.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:10.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:10.710 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:10.720 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:10.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:10.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:10.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:10.721 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:11.753 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:11.754 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:11.764 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:11.765 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:12.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:12.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:12.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:12.792 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:12.803 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:12.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:12.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:12.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:12.804 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:13.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:13.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:13.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:13.830 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:13.842 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:13.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:13.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:13.843 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:14.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
```

```
13.01.20 14:23:14.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:14.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:14.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:14.863 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:14.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:14.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:14.864 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:14.865 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:15.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:15.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:15.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:15.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:15.903 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:15.904 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:16.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:16.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:16.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:16.951 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:16.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:16.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:16.962 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:16.963 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:16.963 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:17.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:17.991 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:17.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:17.992 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:18.002 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:18.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:18.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:18.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:18.003 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:19.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:19.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:19.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:19.035 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:19.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:19.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:19.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:19.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:19.046 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:20.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:20.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:20.071 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:20.072 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:23:20.083 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:20.084 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:21.115 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:21.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:21.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:21.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:21.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:21.126 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:22.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:22.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:22.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:22.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:22.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:22.167 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:23.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:23.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:23.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:23.193 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:23.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:23.204 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:23:23.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:23.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:23.204 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:24.233 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:24.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:24.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:24.234 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:24.245 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:24.246 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:24.246 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:24.246 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:24.246 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:25.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:25.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:25.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:25.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:25.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:25.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:25.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:25.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:25.281 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:26.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:26.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:26.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:23:26.293 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:26.304 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:26.304 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:26.305 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:27.330 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:27.342 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:28.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:28.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:28.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:28.371 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
13.01.20 14:23:28.383 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
13.01.20 14:23:29.433 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:29.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:29.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
```

```
13.01.20 14:23:29.434 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:29.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x40 ErrorCode2:
0x4, Message: PNIO_CMRPC_OUT_OF_AR_RESOURCES
13.01.20 14:23:29.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:29.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:29.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x40 0x 4
13.01.20 14:23:29.443 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_CMRPC_OUT_OF_AR_RESOURCES
13.01.20 14:23:30.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:30.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:30.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:30.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:30.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0x81 ErrorCode1: 0x45 ErrorCode2:
0x1, Message: CLRPC_ERR_REJECTED
13.01.20 14:23:30.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:30.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:30.483 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0x45 0x 1
13.01.20 14:23:30.484 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = CLRPC_ERR_REJECTED
13.01.20 14:23:31.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:31.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:31.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:31.511 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:33.528 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:23:33.528 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:33.529 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:33.529 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:23:33.529 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:23:34.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:34.555 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:34.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:34.555 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:36.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:23:36.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:36.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:36.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:23:36.561 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:23:37.594 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:37.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:37.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:37.595 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:37.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Application Ready indication reached
13.01.20 14:23:37.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID        = 1
13.01.20 14:23:37.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Device name = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:37.771 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Module diffblock is available
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ******  wNumberOfRelatedAPIs = 1
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->dwAPI           : 0
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->wNumberOfModules: 1
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wSlotNumber        : 0
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->dwModuleIdentNumber: 0xa
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wModuleState       : 0x2
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                          MODULE_STATE_PROPER_MODULE
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wNumberOfSubmodules: 1
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubslotNumber     : 32770
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->dwSubmoduleIdentNum: 0x101
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubmoduleState    : 0x8040
```

```
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_ADD_INFO_NONE
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                                SUBMODULE_STATE_FAULT
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_AR_INFO_OWN
13.01.20 14:23:37.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_IDENT_INFO_OK
13.01.20 14:23:37.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - NBH Changed indication reached
13.01.20 14:23:37.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID   = 1
13.01.20 14:23:37.786 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Alias name = port-001.hmixb21190
13.01.20 14:23:37.787 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - NBH Changed indication reached
13.01.20 14:23:37.787 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID   = 1
13.01.20 14:23:37.787 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Alias name = port-001.axc-f-2152-1
13.01.20 14:23:39.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:23:39.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:23:39.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
13.01.20 14:23:39.612 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
13.01.20 14:23:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:23:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:23:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:23:40.632 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Application Ready indication reached
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID        = 1
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Device name = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Module diffblock is available
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ******  wNumberOfRelatedAPIs = 1
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->dwAPI           : 0
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->wNumberOfModules: 1
13.01.20 14:23:40.772 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - ** poListOfModules->wSlotNumber        : 0
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->dwModuleIdentNumber: 0xa
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wModuleState       : 0x2
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                          MODULE_STATE_PROPER_MODULE
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wNumberOfSubmodules: 1
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubslotNumber     : 32770
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->dwSubmoduleIdentNum: 0x101
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubmoduleState    : 0x8040
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_ADD_INFO_NONE
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                                SUBMODULE_STATE_FAULT
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_AR_INFO_OWN
13.01.20 14:23:40.773 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_IDENT_INFO_OK
13.01.20 14:25:49.009 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:25:49.009 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:25:49.009 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 0
13.01.20 14:25:49.009 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = unknown x - PNIO - RTA_ERR_CLS_PROTOCOL -  ERROR_CODE2
error
13.01.20 14:25:50.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:25:50.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:25:50.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:25:50.030 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:26:00.612 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B4F18B40
13.01.20 14:26:00.613 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=C594CCEE
13.01.20 14:26:00.616 CommonRemoting
  INFO  - Closing connection: connectionId=B4F18B40
13.01.20 14:26:06.939 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 84 unsubscribed
13.01.20 14:26:09.378 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Application Ready indication reached
13.01.20 14:26:09.378 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - ARUserID        = 1
13.01.20 14:26:09.378 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Device name = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:26:09.378 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Module diffblock is available
13.01.20 14:26:09.378 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ******  wNumberOfRelatedAPIs = 1
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->dwAPI           : 0
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->wNumberOfModules: 1
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wSlotNumber        : 0
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->dwModuleIdentNumber: 0xa
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wModuleState       : 0x2
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                          MODULE_STATE_PROPER_MODULE
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wNumberOfSubmodules: 1
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubslotNumber     : 32770
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->dwSubmoduleIdentNum: 0x101
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubmoduleState    : 0x8040
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_ADD_INFO_NONE
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                                SUBMODULE_STATE_FAULT
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_AR_INFO_OWN
13.01.20 14:26:09.379 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_IDENT_INFO_OK
13.01.20 14:26:23.249 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:26:23.249 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:26:23.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 0
13.01.20 14:26:23.250 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = unknown x - PNIO - RTA_ERR_CLS_PROTOCOL -  ERROR_CODE2
error
13.01.20 14:26:24.270 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:26:24.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:26:24.271 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:26:24.271 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:26:32.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Application Ready indication reached
13.01.20 14:26:32.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID        = 1
13.01.20 14:26:32.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Device name = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:26:32.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Module diffblock is available
13.01.20 14:26:32.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ******  wNumberOfRelatedAPIs = 1
13.01.20 14:26:32.579 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->dwAPI           : 0
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->wNumberOfModules: 1
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wSlotNumber        : 0
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->dwModuleIdentNumber: 0xa
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wModuleState       : 0x2
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                          MODULE_STATE_PROPER_MODULE
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wNumberOfSubmodules: 1
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubslotNumber     : 32770
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->dwSubmoduleIdentNum: 0x101
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubmoduleState    : 0x8040
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_ADD_INFO_NONE
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                                SUBMODULE_STATE_FAULT
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_AR_INFO_OWN
13.01.20 14:26:32.580 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_IDENT_INFO_OK
13.01.20 14:27:58.559 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:27:58.559 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:27:58.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
13.01.20 14:27:58.560 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
13.01.20 14:28:03.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:28:03.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
```

```
13.01.20 14:28:03.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:28:03.831 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:28:05.835 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:28:05.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:28:05.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:28:05.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:28:05.836 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:28:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:28:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:28:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:28:06.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:28:08.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:28:08.867 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:28:08.868 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:28:08.868 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:28:08.868 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:28:09.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:28:09.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:28:09.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:28:09.893 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:28:09.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Application Ready indication reached
13.01.20 14:28:09.984 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID        = 1
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Device name = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Module diffblock is available
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ******  wNumberOfRelatedAPIs = 1
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->dwAPI           : 0
```

```
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->wNumberOfModules: 1
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wSlotNumber        : 0
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->dwModuleIdentNumber: 0xa
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wModuleState       : 0x2
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                          MODULE_STATE_PROPER_MODULE
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wNumberOfSubmodules: 1
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubslotNumber     : 32770
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->dwSubmoduleIdentNum: 0x101
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubmoduleState    : 0x8040
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_ADD_INFO_NONE
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                            SUBMODULE_STATE_FAULT
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_AR_INFO_OWN
13.01.20 14:28:09.985 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_IDENT_INFO_OK
13.01.20 14:30:01.660 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B4F1B248, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:30:01.937
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F1B248,
securityToken=3E5E21E2
13.01.20 14:30:12.109 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 85! Please add some variables...
13.01.20 14:30:12.529 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 86 subscribed.
13.01.20 14:30:44.938 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 86 unsubscribed
13.01.20 14:30:49.050 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F1B248
13.01.20 14:30:49.051 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=3E5E21E2
13.01.20 14:30:49.054 CommonRemoting
  INFO  - Closing connection: connectionId=B4F1B248
13.01.20 14:30:56.405 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B4F1BDC8, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:30:56.680
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F1BDC8,
```

```
securityToken=2385E614
13.01.20 14:33:19.871 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F1BDC8
13.01.20 14:33:19.872 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=2385E614
13.01.20 14:33:19.876 CommonRemoting
  INFO  - Closing connection: connectionId=B4F1BDC8
13.01.20 14:33:31.370 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B4F1C1D8
13.01.20 14:33:31.371 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=52C858D3
13.01.20 14:33:31.375 CommonRemoting
  INFO  - Closing connection: connectionId=B4F1C1D8
13.01.20 14:33:50.549 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:33:50.550 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:33:50.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 0
13.01.20 14:33:50.551 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = unknown x - PNIO - RTA_ERR_CLS_PROTOCOL -  ERROR_CODE2
error
13.01.20 14:33:51.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:33:51.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:33:51.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:33:51.571 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:33:58.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Application Ready indication reached
13.01.20 14:33:58.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID        = 1
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - Device name = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Module diffblock is available
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ******  wNumberOfRelatedAPIs = 1
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->dwAPI           : 0
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - * poRelatedAPI->wNumberOfModules: 1
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wSlotNumber        : 0
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->dwModuleIdentNumber: 0xa
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wModuleState       : 0x2
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                          MODULE_STATE_PROPER_MODULE
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ** poListOfModules->wNumberOfSubmodules: 1
```

```
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubslotNumber     : 32770
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->dwSubmoduleIdentNum: 0x101
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - **** poListOfSubmodules->wSubmoduleState    : 0x8040
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_ADD_INFO_NONE
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -                                                SUBMODULE_STATE_FAULT
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_AR_INFO_OWN
13.01.20 14:33:58.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  -
SUBMODULE_STATE_IDENT_INFO_OK
13.01.20 14:34:34.809 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:34:34.809 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:34:34.809 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 0
13.01.20 14:34:34.810 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = unknown x - PNIO - RTA_ERR_CLS_PROTOCOL -  ERROR_CODE2
error
13.01.20 14:34:35.852 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:34:35.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:34:35.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:34:35.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:35:03.989 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F1BDC8, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:35:04.272
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F1BDC8,
securityToken=51E2D327
13.01.20 14:35:13.949 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 87! Please add some variables...
13.01.20 14:35:14.148 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 88 subscribed.
13.01.20 14:35:30.695 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 88 unsubscribed
13.01.20 14:36:09.988 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F1BDC8
13.01.20 14:36:09.989 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=51E2D327
13.01.20 14:36:09.992 CommonRemoting
  INFO  - Closing connection: connectionId=B4F1BDC8
13.01.20 14:37:38.116 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  WARN  - Abort indication reached
13.01.20 14:37:38.117 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:37:38.117 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
13.01.20 14:37:38.117 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
13.01.20 14:37:50.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:37:50.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:37:50.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:37:50.452 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:37:52.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:37:52.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:37:52.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:37:52.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:37:52.475 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:37:56.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:37:56.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:37:56.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:37:56.333 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:37:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:37:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:37:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:37:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:37:58.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:37:59.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:37:59.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:37:59.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:37:59.372 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:38:59.813 CommonRemoting
```

```
  INFO  - Accepted connection #0: connectionId=B4F18B40, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:39:00.090
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F18B40,
securityToken=023943AD
13.01.20 14:39:07.682 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 89! Please add some variables...
13.01.20 14:39:07.980 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 90 subscribed.
13.01.20 14:39:52.977 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F18B40
13.01.20 14:39:52.978 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=023943AD
13.01.20 14:39:52.981 CommonRemoting
  INFO  - Closing connection: connectionId=B4F18B40
13.01.20 14:40:05.286 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F689A8, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:40:05.534
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F689A8,
securityToken=5A5863AE
13.01.20 14:40:17.299 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 91! Please add some variables...
13.01.20 14:40:17.712 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 92 subscribed.
13.01.20 14:41:08.344 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F689A8
13.01.20 14:41:08.345 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=5A5863AE
13.01.20 14:41:08.348 CommonRemoting
  INFO  - Closing connection: connectionId=B4F689A8
13.01.20 14:43:21.679 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F18C18, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:43:21.970
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F18C18,
securityToken=7D08AB07
13.01.20 14:43:25.849 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 14:43:25.849 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 14:43:25.849 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 14:43:25.909 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 14:43:25.910 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 14:43:25.910 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 14:43:25.911 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=3
```

```
13.01.20 14:43:25.913 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 14:43:25.913 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:43:25.915 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:43:25.915 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 14:43:26.189 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 14:43:26.503 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 14:43:26.505 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 14:43:26.508 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 90 unsubscribed
13.01.20 14:43:26.508 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 92 unsubscribed
13.01.20 14:43:26.526 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:43:26.527 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:43:26.527 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
13.01.20 14:43:26.527 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
13.01.20 14:43:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
13.01.20 14:43:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 14:43:26.535 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 14:43:28.129 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 14:43:28.130 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 14:43:28.132 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 14:43:28.133 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 14:43:28.134 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=5
13.01.20 14:43:28.135 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 14:43:28.136 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 14:43:28.137 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=2
13.01.20 14:43:28.552 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 14:43:34.906 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
```

```
13.01.20 14:43:34.907 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 14:43:35.742 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 14:43:36.901 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 14:43:36.902 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 14:43:36.908 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 14:43:36.914 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 14:43:36.921 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 14:43:36.923 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 14:43:37.251 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 14:43:37.252 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 14:43:37.254 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 14:43:37.265 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=11
13.01.20 14:43:37.266 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 14:43:37.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 14:43:37.269 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 14:43:37.270 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/31, active=0/3, esdk=0/3, gds=0/1
13.01.20 14:43:37.271 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=4
13.01.20 14:43:37.278 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=24/25, active=0/1, esdk=0/0, gds=0/1
13.01.20 14:43:37.408 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 14:43:37.496 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 14:43:37.500 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 94! Please add some variables...
13.01.20 14:43:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:43:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:43:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:43:38.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:43:38.374 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 94! Please add some variables...
```

```
13.01.20 14:43:38.380 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 14:43:38.381 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:43:38.385 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:43:38.387 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 14:43:38.390 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 14:43:38.393 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 14:43:38.395 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 14:43:38.399 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 14:43:38.400 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 14:43:38.401 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 14:43:41.113 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 14:43:41.115 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 14:43:41.115 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 14:43:41.115 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 14:43:41.115 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:43:41.115 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=0
13.01.20 14:43:41.133 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 14:43:41.134 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:43:41.136 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:43:41.137 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 14:43:46.553 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 101! Please add some variables...
13.01.20 14:43:46.739 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 102 subscribed.
13.01.20 14:43:48.034 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/26, active=0/2, esdk=0/2, gds=0/1
13.01.20 14:43:59.777 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 102 unsubscribed
13.01.20 14:45:21.580 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 14:45:21.580 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
```

```
13.01.20 14:45:21.580 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 14:45:21.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 14:45:21.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 14:45:21.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 14:45:21.651 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=0
13.01.20 14:45:21.654 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 14:45:21.654 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:45:21.655 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:45:21.655 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 14:45:21.834 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 14:45:22.280 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 14:45:22.280 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 14:45:22.298 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:45:22.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:45:22.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
13.01.20 14:45:22.299 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
13.01.20 14:45:22.308 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 14:45:22.308 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
13.01.20 14:45:22.308 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 14:45:22.308 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 14:45:22.308 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 14:45:22.331 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 14:45:22.332 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 14:45:22.332 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 14:45:22.333 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 14:45:22.334 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=3
13.01.20 14:45:22.340 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 14:45:22.341 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 14:45:22.342 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
13.01.20 14:45:22.751 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 14:45:28.286 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 14:45:28.288 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 14:45:29.131 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 14:45:29.289 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 14:45:29.293 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 14:45:29.298 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 14:45:29.306 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 14:45:29.315 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 14:45:29.318 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 14:45:29.648 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 14:45:29.650 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 14:45:29.655 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 14:45:29.670 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=16
13.01.20 14:45:29.676 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 14:45:29.678 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 14:45:29.678 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 14:45:29.679 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/2
13.01.20 14:45:29.679 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=3
13.01.20 14:45:29.831 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 14:45:29.948 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 14:45:29.951 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 104! Please add some variables...
13.01.20 14:45:30.766 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 104! Please add some variables...
```

```
13.01.20 14:45:30.770 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 14:45:30.771 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:45:30.772 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:45:30.773 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 14:45:30.775 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 14:45:30.775 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 14:45:30.776 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 14:45:30.777 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 14:45:30.780 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 14:45:30.781 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 14:45:30.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:45:30.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:45:30.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:45:30.791 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:45:33.860 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 14:45:33.863 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 14:45:33.863 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 14:45:33.863 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 14:45:33.864 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:45:33.864 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=2
13.01.20 14:45:33.880 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/25, active=0/0, esdk=0/0, gds=0/0
13.01.20 14:45:33.883 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 14:45:33.888 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:45:33.888 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:45:33.888 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 14:45:39.554 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 111! Please add some variables...
```

```
13.01.20 14:45:39.823 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 112 subscribed.
13.01.20 14:45:43.938 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/26, active=0/2, esdk=0/1, gds=0/1
13.01.20 14:46:21.472 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F18C18
13.01.20 14:46:21.474 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=7D08AB07
13.01.20 14:46:21.476 CommonRemoting
  INFO  - Closing connection: connectionId=B4F18C18
13.01.20 14:46:32.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:46:32.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:46:32.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
13.01.20 14:46:32.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
13.01.20 14:46:43.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:46:43.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:46:43.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:46:43.054 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:46:45.069 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:46:45.069 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:46:45.069 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:46:45.069 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:46:45.069 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:46:45.071 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/28, active=0/2, esdk=0/2, gds=0/1
13.01.20 14:46:46.090 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:46:46.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:46:46.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:46:46.091 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:46:48.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:46:48.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:46:48.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
```

```
13.01.20 14:46:48.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:46:48.099 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:46:49.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:46:49.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:46:49.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:46:49.132 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:48:56.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:48:56.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:48:56.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
13.01.20 14:48:56.096 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
13.01.20 14:49:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:49:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:49:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:49:05.634 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:49:07.653 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

13.01.20 14:49:07.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:49:07.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:49:07.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
13.01.20 14:49:07.654 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
13.01.20 14:49:08.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:49:08.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:49:08.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
13.01.20 14:49:08.670 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:49:47.520 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F05C20, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:49:47.796
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F05C20,
securityToken=20D57FA9
```

```
13.01.20 14:49:52.844 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
13.01.20 14:49:52.845 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
13.01.20 14:49:52.845 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStopping
13.01.20 14:49:52.901 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
13.01.20 14:49:52.902 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
13.01.20 14:49:52.903 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
13.01.20 14:49:52.903 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=2
13.01.20 14:49:52.906 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStopped
13.01.20 14:49:52.908 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:49:52.909 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:49:52.910 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStopped
13.01.20 14:49:54.645 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcUnloading, onError=false
13.01.20 14:49:55.095 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728   Clear
13.01.20 14:49:55.095 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcUnloading
13.01.20 14:49:55.097 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 112 unsubscribed
13.01.20 14:49:55.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
13.01.20 14:49:55.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
13.01.20 14:49:55.112 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0xFD 0x10
13.01.20 14:49:55.113 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_DEVICE_DEACTIVATED
13.01.20 14:49:55.122 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 14:49:55.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - AR is disabled
13.01.20 14:49:55.122 Arp.Io.ProfinetStack.Controller.Internal.AR.ARManager
  WARN  - Could not get ar with user id '1'
13.01.20 14:49:55.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
13.01.20 14:49:55.122 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
13.01.20 14:49:55.148 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
13.01.20 14:49:55.148 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
13.01.20 14:49:55.150 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
13.01.20 14:49:55.151 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
13.01.20 14:49:55.152 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=4
13.01.20 14:49:55.159 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
13.01.20 14:49:55.161 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
13.01.20 14:49:55.163 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=3
13.01.20 14:49:55.638 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcUnloaded, onError=false
13.01.20 14:50:00.947 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
13.01.20 14:50:00.947 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcLoading
13.01.20 14:50:02.070 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
13.01.20 14:50:03.218 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
13.01.20 14:50:03.220 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
13.01.20 14:50:03.225 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
13.01.20 14:50:03.231 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
13.01.20 14:50:03.238 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
13.01.20 14:50:03.240 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
13.01.20 14:50:03.574 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
13.01.20 14:50:03.575 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
13.01.20 14:50:03.576 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
13.01.20 14:50:03.586 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=10
13.01.20 14:50:03.593 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
13.01.20 14:50:03.595 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
13.01.20 14:50:03.596 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
13.01.20 14:50:03.597 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/28, active=0/2, esdk=0/2, gds=0/1
13.01.20 14:50:03.598 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=5
13.01.20 14:50:03.622 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/26, active=0/0, esdk=0/0, gds=0/0
```

```
13.01.20 14:50:03.772 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
13.01.20 14:50:03.859 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
13.01.20 14:50:03.863 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 114! Please add some variables...
13.01.20 14:50:04.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
13.01.20 14:50:04.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
13.01.20 14:50:04.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
13.01.20 14:50:04.691 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
13.01.20 14:50:04.836 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 114! Please add some variables...
13.01.20 14:50:04.840 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcLoaded
13.01.20 14:50:04.841 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:50:04.843 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:50:04.844 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadChecksumFromFile Cannot ReadChecksumFromFile
13.01.20 14:50:04.844 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    Cannot read the type.dictionary.json file.
13.01.20 14:50:04.845 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    TypeDictionary->Load() failure!!!
13.01.20 14:50:04.846 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   ReadProjectChecksumFromFile Cannot GetFileChecksum
13.01.20 14:50:04.849 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728   Load Cannot read fileName=data.dictionary.json
13.01.20 14:50:04.849 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697089728    DataDictionary->Load() failure!!!
13.01.20 14:50:04.851 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcLoaded
13.01.20 14:50:07.329 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 EhmiComponent: OnPlcStarting, startKind=Warm
13.01.20 14:50:07.333 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
13.01.20 14:50:07.333 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
13.01.20 14:50:07.333 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
13.01.20 14:50:07.335 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
13.01.20 14:50:07.335 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=3
13.01.20 14:50:07.355 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Enter EhmiComponent: OnPlcStarted
13.01.20 14:50:07.356 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728    Cannot find authorizationTokenTimeout in project.json
13.01.20 14:50:07.357 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 2697089728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
13.01.20 14:50:07.357 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697089728 Exit  EhmiComponent: OnPlcStarted
13.01.20 14:50:12.971 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 121! Please add some variables...
13.01.20 14:50:13.493 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 122 subscribed.
13.01.20 14:50:27.856 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/26, active=0/2, esdk=0/2, gds=0/1
13.01.20 14:52:42.128 CommonRemoting
  ERROR - BinaryReader2::ReadStreamData(): any stream error occurs
13.01.20 14:52:42.128 CommonRemoting
  ERROR - RemotingContext::AbortConnection(): connectionID=B4F05C20,
errorCode=40001002
13.01.20 14:52:42.129 CommonRemoting
  ERROR - Connection was closed remotely while writing data, connection
ID=B4F05C20, streamError=FFFFFFFF
13.01.20 14:52:42.129 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F05C20
13.01.20 14:52:42.130 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=20D57FA9
13.01.20 14:52:42.132 CommonRemoting
  INFO  - Closing connection: connectionId=B4F05C20
13.01.20 14:55:31.488 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B4F611D8, 192.168.0.25 ->
0.0.0.0:41100
13.01.20 14:55:31.763
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B4F611D8,
securityToken=F4C48806
13.01.20 14:55:42.806 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 123! Please add some variables...
13.01.20 14:55:43.361 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 124 subscribed.
13.01.20 14:55:53.149 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 124 unsubscribed
13.01.20 15:01:08.786 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 125! Please add some variables...
13.01.20 15:01:09.285 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 126 subscribed.
13.01.20 15:01:18.622 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  INFO  - Subscription 126 unsubscribed
13.01.20 15:01:32.890 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B4F611D8
13.01.20 15:01:32.892 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=F4C48806
13.01.20 15:01:32.897 CommonRemoting
  INFO  - Closing connection: connectionId=B4F611D8
16.01.20 14:57:35.276 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
16.01.20 14:57:35.298 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
16.01.20 14:57:35.298 CommonRemoting
```

```
  INFO  - Starting remoting server (version=4)
16.01.20 14:57:35.298 CommonRemoting
  INFO  - Start listening on TCP port 41120
16.01.20 14:57:35.298 CommonRemoting
  INFO  - Start listening on TCP port 41121
16.01.20 14:57:35.426 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
16.01.20 14:57:35.679 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
16.01.20 14:57:35.689 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 14:57:35.690 CommonRemoting
  INFO  - Start listening on TCP port 41124
16.01.20 14:57:35.695 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1C01660, IPC
16.01.20 14:57:35.734 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1C023F0, IPC
16.01.20 14:57:35.737 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
16.01.20 14:57:35.748 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 14:57:35.748 CommonRemoting
  INFO  - Start listening on TCP port 41123
16.01.20 14:57:35.755 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1C02860, IPC
16.01.20 14:57:35.800 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1C02CD0, IPC
16.01.20 14:57:35.841 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1301B38, IPC
16.01.20 14:57:35.867 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
16.01.20 14:57:35.897 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1B02848, IPC
16.01.20 14:57:35.926 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
16.01.20 14:57:35.942 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
16.01.20 14:57:35.949 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
16.01.20 14:57:36.991 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
16.01.20 14:57:37.137 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
16.01.20 14:57:37.146 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
16.01.20 14:57:37.188 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
16.01.20 14:57:37.195 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.238 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.584 Arp.System.Acf.Internal.Sm.ProcessesController
```

```
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:37.655 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.658 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.660 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.663 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.666 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.669 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.705 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.708 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.744 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
16.01.20 14:57:37.886 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:37.941 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:38.161 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
16.01.20 14:57:38.224 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
16.01.20 14:57:38.246 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:38.313 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
16.01.20 14:57:39.526 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:39.648 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:39.673 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
'MainProcess' loaded.
16.01.20 14:57:39.942 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
16.01.20 14:57:39.945 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:39.947 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
16.01.20 14:57:39.977 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
```

```
loaded.
16.01.20 14:57:39.980 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
16.01.20 14:57:40.008 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
16.01.20 14:57:40.013 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
16.01.20 14:57:40.017 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
16.01.20 14:57:40.020 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
16.01.20 14:57:40.023 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
16.01.20 14:57:40.023 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
16.01.20 14:57:40.102 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
16.01.20 14:57:40.140 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
16.01.20 14:57:40.147 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
16.01.20 14:57:40.152 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
16.01.20 14:57:40.156 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
16.01.20 14:57:40.157 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
16.01.20 14:57:40.158 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
16.01.20 14:57:40.159 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
16.01.20 14:57:40.165 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
16.01.20 14:57:40.166 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
16.01.20 14:57:40.167 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
16.01.20 14:57:40.168 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
16.01.20 14:57:40.169 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
16.01.20 14:57:40.169 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
16.01.20 14:57:40.170 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
16.01.20 14:57:40.176 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
16.01.20 14:57:40.177 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
```

```
16.01.20 14:57:40.177 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
16.01.20 14:57:40.184 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
16.01.20 14:57:40.185 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
16.01.20 14:57:40.186 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
16.01.20 14:57:40.254 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
16.01.20 14:57:40.255 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
16.01.20 14:57:40.257 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
16.01.20 14:57:40.259 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
16.01.20 14:57:40.260 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
16.01.20 14:57:40.261 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
16.01.20 14:57:40.262 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
16.01.20 14:57:40.264 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
16.01.20 14:57:40.265 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
16.01.20 14:57:40.266 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
16.01.20 14:57:40.266 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
16.01.20 14:57:40.267 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
16.01.20 14:57:40.269 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
16.01.20 14:57:40.272 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
16.01.20 14:57:40.274 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
16.01.20 14:57:40.275 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
16.01.20 14:57:40.290 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
16.01.20 14:57:40.291 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
16.01.20 14:57:40.291 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
16.01.20 14:57:40.292 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
16.01.20 14:57:40.292 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
```

```
16.01.20 14:57:40.294 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
16.01.20 14:57:40.295 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
16.01.20 14:57:40.300 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
16.01.20 14:57:40.301 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
16.01.20 14:57:40.302 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
16.01.20 14:57:40.302 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
16.01.20 14:57:40.303 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
16.01.20 14:57:40.409 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
16.01.20 14:57:40.433 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
16.01.20 14:57:40.435 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
16.01.20 14:57:40.943 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
16.01.20 14:57:40.945 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
16.01.20 14:57:41.451 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
16.01.20 14:57:41.455 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1274 for script '/etc/init.d/plcnext stop'
16.01.20 14:57:41.489 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
16.01.20 14:57:41.516 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
16.01.20 14:57:41.597 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
16.01.20 14:57:42.015 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
16.01.20 14:57:42.122 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
16.01.20 14:57:42.122 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
16.01.20 14:57:42.124 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
16.01.20 14:57:42.152 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
16.01.20 14:57:42.158 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
16.01.20 14:57:42.163 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
```

```
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
16.01.20 14:57:42.182 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupSettings. startEsdk=true
16.01.20 14:57:42.215 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
16.01.20 14:57:42.215 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
16.01.20 14:57:42.216 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
16.01.20 14:57:42.216 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 14:57:42.216 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 14:57:42.217 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
16.01.20 14:57:42.218 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, EtherNet/IP stack successfully initialized
16.01.20 14:57:42.219 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Exit  EtIPAdapterStart()
16.01.20 14:57:42.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
16.01.20 14:57:42.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
16.01.20 14:57:42.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 14:57:42.220 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 14:57:42.221 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
16.01.20 14:57:42.221 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, Reading in all host ip addresses
16.01.20 14:57:42.221 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 14:57:42.221 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 14:57:42.222 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 ESDK 0x0001, Enter EIPTask()
16.01.20 14:57:42.243 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
16.01.20 14:57:42.243 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
```

```
16.01.20 14:57:42.244 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
16.01.20 14:57:42.244 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
16.01.20 14:57:42.244 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, New Network LED value = 1
16.01.20 14:57:42.244 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, installedIpAddressCount=1
16.01.20 14:57:42.245 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
16.01.20 14:57:42.245 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
16.01.20 14:57:42.245 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x13
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, LoadNics, Releasing all host ip addresses
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x12
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, New Network LED value = 0
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 14:57:42.246 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 14:57:42.267 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
16.01.20 14:57:42.267 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
16.01.20 14:57:42.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
16.01.20 14:57:42.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
16.01.20 14:57:42.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0x0002, New Network LED value = 1
16.01.20 14:57:42.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=8/8, active=0/0, esdk=0/0, gds=0/0
16.01.20 14:57:42.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupSettings. Elapsed=86
16.01.20 14:57:42.268 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 OnNewNetworkLedChange ledState=true.
16.01.20 14:57:42.269 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 OnNewNetworkLedChange ledState=false.
16.01.20 14:57:42.269 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 OnNewNetworkLedChange ledState=true.
16.01.20 14:57:42.269 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  WARN  - 2891768512 OnEndOfEipCycle thisActiveTime=46 > TimerIntervalMax=25 !!!
16.01.20 14:57:42.270 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=8/8, active=46/46, esdk=46/46, gds=0/0
16.01.20 14:57:42.428 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
16.01.20 14:57:42.434 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
16.01.20 14:57:42.435 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
16.01.20 14:57:42.890 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
16.01.20 14:57:44.859 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
16.01.20 14:57:46.657 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 14:57:46.657 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 14:57:46.658 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 14:57:46.658 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 14:57:46.658 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 14:57:46.658 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
16.01.20 14:57:46.671 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
16.01.20 14:57:48.265 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
16.01.20 14:57:48.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 14:57:48.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 14:57:48.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 14:57:48.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 14:57:48.266 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
16.01.20 14:57:48.271 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
16.01.20 14:57:48.708 Arp.Services.AppManager.AppManager
  INFO  - AppManager created
16.01.20 14:57:48.709 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
16.01.20 14:57:48.709 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
16.01.20 14:57:48.710 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
16.01.20 14:57:48.710 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
16.01.20 14:57:48.710 Arp.Services.AppManager.AppManager
```

```
  INFO  - Installation Mode disabled
16.01.20 14:57:48.711 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter EhmiComponent: Initialize
16.01.20 14:57:48.712 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  EhmiComponent: Initialize
16.01.20 14:57:48.713 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 EhmiComponent: SubscribeServices
16.01.20 14:57:48.713 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
16.01.20 14:57:48.731 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  EhmiComponent: LoadSettings
16.01.20 14:57:48.731 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter EhmiComponent: SetupSettings
16.01.20 14:57:48.755 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 SetupSettings Created directory '/var/tmp/ehmi'
16.01.20 14:57:48.761 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 SetThreshold level=6.
16.01.20 14:57:48.762 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584    IndentSize=0
16.01.20 14:57:48.769 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584    IndentSize=0
16.01.20 14:57:48.770 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
16.01.20 14:57:48.770 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
16.01.20 14:57:48.771 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  EhmiComponent: SetupSettings
16.01.20 14:57:48.772 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 EhmiComponent: PublishServices
16.01.20 14:57:49.392 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
16.01.20 14:57:50.030 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
16.01.20 14:57:50.034 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
16.01.20 14:57:50.037 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
16.01.20 14:57:50.074 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
16.01.20 14:57:50.102 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
16.01.20 14:57:50.189 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 14:57:50.191 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3070035584 EhmiComponent: OnPlcLoading
16.01.20 14:57:50.776 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
16.01.20 14:57:50.777 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
16.01.20 14:57:50.782 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
16.01.20 14:57:50.787 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
16.01.20 14:57:50.796 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
16.01.20 14:57:50.808 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=11
16.01.20 14:57:50.949 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
16.01.20 14:57:50.967 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
16.01.20 14:57:51.975 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
16.01.20 14:57:51.976 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
16.01.20 14:57:52.218 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/72, active=0/46, esdk=0/46, gds=0/0
16.01.20 14:57:52.320 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
16.01.20 14:57:52.321 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
16.01.20 14:57:52.325 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
16.01.20 14:57:52.326 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
16.01.20 14:57:52.326 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
16.01.20 14:57:52.326 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/72, active=0/46, esdk=0/46, gds=0/0
16.01.20 14:57:52.327 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=1
16.01.20 14:57:52.455 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
16.01.20 14:57:52.460 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
16.01.20 14:57:52.771 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
16.01.20 14:57:52.773 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter EhmiComponent: OnPlcLoaded
16.01.20 14:57:52.774 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 14:57:52.775 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584    Cannot read the type.dictionary.json file.
16.01.20 14:57:52.776 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584    TypeDictionary->Load() failure!!!
16.01.20 14:57:52.777 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 3070035584   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 14:57:52.777 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   Load Cannot read fileName=data.dictionary.json
16.01.20 14:57:52.778 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584    DataDictionary->Load() failure!!!
16.01.20 14:57:52.785 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  EhmiComponent: OnPlcLoaded
16.01.20 14:57:54.687 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 EhmiComponent: LoadConfig
16.01.20 14:57:54.688 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 EhmiComponent: SetupConfig
16.01.20 14:57:55.009 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 14:57:55.080 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
16.01.20 14:57:55.082 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
16.01.20 14:57:56.212
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
16.01.20 14:57:56.519 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
16.01.20 14:57:56.520 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
16.01.20 14:57:56.521 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
16.01.20 14:57:56.546 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 EhmiComponent: OnPlcStarting, startKind=Warm
16.01.20 14:57:56.552 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StartPlc. startKind=Warm
16.01.20 14:57:56.552 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStarted
16.01.20 14:57:56.552 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=1
16.01.20 14:57:56.552 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 14:57:56.553 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StartPlc. Elapsed=0
16.01.20 14:57:56.573 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter EhmiComponent: OnPlcStarted
16.01.20 14:57:56.574 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  EhmiComponent: OnPlcStarted
16.01.20 14:57:56.575 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter EhmiComponent: Start
16.01.20 14:57:56.595 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter Start.
16.01.20 14:57:56.596 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
16.01.20 14:57:56.596 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Enter OpenListenSocket.
```

```
16.01.20 14:57:56.597 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   OpenInetStreamSocket sock=0x2e
16.01.20 14:57:56.598 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   SetReuseAddr Sock=0x2e, reuseAddr=1, ok=1
16.01.20 14:57:56.598 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   SetLinger Sock=0x2e, linger=1, seconds=0, ok=1
16.01.20 14:57:56.599 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   Bind Sock=0x2e, to=127.0.0.1:9999, ok=1
16.01.20 14:57:56.599 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   Listen Sock=0x2e, backlog=10, ok=1
16.01.20 14:57:56.600 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   OpenListenSocket ListenSocket=0x2e,
BindPort=127.0.0.1:9999
16.01.20 14:57:56.600 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  OpenListenSocket. elapsed=3
16.01.20 14:57:56.601 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  Start. elapsed=6
16.01.20 14:57:56.602 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584    Cannot find authorizationTokenTimeout in project.json
16.01.20 14:57:56.603 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 14:57:56.604 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584   Clear
16.01.20 14:57:56.604 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584    Cannot find authorizationTokenTimeout in project.json
16.01.20 14:57:56.605 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 14:57:56.606 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 14:57:56.606 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584    Cannot read the type.dictionary.json file.
16.01.20 14:57:56.607 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584    TypeDictionary->Load() failure!!!
16.01.20 14:57:56.608 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 14:57:56.609 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   Load Cannot read fileName=data.dictionary.json
16.01.20 14:57:56.610 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584    DataDictionary->Load() failure!!!
16.01.20 14:57:56.611 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584    Cannot find authorizationTokenTimeout in project.json
16.01.20 14:57:56.612 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3070035584   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 14:57:56.613 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3070035584 Exit  EhmiComponent: Start
16.01.20 14:57:56.614 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
16.01.20 14:57:56.614 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 14:57:56.615 CommonRemoting
```

```
  INFO  - Start listening on TCP port 41100
16.01.20 14:57:56.619 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
16.01.20 14:58:02.222 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2891768512 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 15:29:47.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 15:29:47.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 15:29:47.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
16.01.20 15:29:47.403 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
16.01.20 15:31:50.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 15:31:50.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 15:31:50.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 0
16.01.20 15:31:50.341 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = unknown x - PNIO - RTA_ERR_CLS_PROTOCOL -  ERROR_CODE2
error
16.01.20 15:31:51.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 15:31:51.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 15:31:51.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
16.01.20 15:31:51.386 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
16.01.20 15:31:51.392 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0x81 ErrorCode1: 0x45 ErrorCode2:
0x1, Message: CLRPC_ERR_REJECTED
16.01.20 15:31:51.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 15:31:51.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 15:31:51.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x81 0x81 0x45 0x 1
16.01.20 15:31:51.393 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = CLRPC_ERR_REJECTED
16.01.20 15:31:52.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 15:31:52.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 15:31:52.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
16.01.20 15:31:52.402 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
16.01.20 15:31:54.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 15:31:54.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
```

```
16.01.20 15:31:54.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 15:31:54.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 15:31:54.416 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 15:31:55.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 15:31:55.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 15:31:55.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 15:31:55.445 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdevice.cpxa343-1xaleanxb16845
16.01.20 15:31:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - connect error detected: ErrorCode: 0xdb ErrorCode1: 0x3 ErrorCode2:
0xa, Message: PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
16.01.20 15:31:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 15:31:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 15:31:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xDB 0x81 0x 3 0x A
16.01.20 15:31:57.463 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_FAULTY_EXP_SUBMODULE_BLOCK_REQ
16.01.20 15:38:16.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
16.01.20 15:38:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
16.01.20 15:38:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
16.01.20 15:38:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Event Archive Entry, Module ID: b2, Message: UTILS_StationNameCheck:
character "P" not allowed in label
16.01.20 15:38:16.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
16.01.20 15:38:18.503 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:38:18.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:38:18.504 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:38:35.105 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:38:35.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:38:35.106 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:39:35.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
```

```
16.01.20 15:39:35.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:39:35.821 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:41:03.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:41:03.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:41:03.095 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:41:34.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:41:34.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:41:34.075 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:42:26.086 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5005400, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 15:42:43.568 Arp.System.Um.Internal.SessionManagement
  WARN  - Session creation failed, wrong username or password
16.01.20 15:42:43.569
Arp.System.Security.Services.PasswordAuthenticationServiceImpl WARN  - Failed
authentication: connectionId=B5005400
16.01.20 15:42:43.842 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B5005400
16.01.20 15:42:43.848 CommonRemoting
  INFO  - Closing connection: connectionId=B5005400
16.01.20 15:43:07.601 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:43:07.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:43:07.602 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:43:34.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:43:34.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:43:34.952 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:45:48.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 15:45:48.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 15:45:48.346 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 15:46:05.896 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B50182F8, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 15:46:11.249
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B50182F8,
securityToken=747CDE7F
16.01.20 15:46:12.335 Arp.Device.Interface.Internal.DeviceStatus
```

```
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 15:46:12.349 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 15:46:12.355 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 15:48:03.785 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
16.01.20 15:48:03.785 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
16.01.20 15:48:03.785 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 EhmiComponent: OnPlcStopping
16.01.20 15:48:03.889 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  StopPlc
16.01.20 15:48:03.890 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcStopped
16.01.20 15:48:03.890 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, SetRunMode, run=0
16.01.20 15:48:03.890 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   StopPlc. Elapsed=1
16.01.20 15:48:03.892 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 Enter EhmiComponent: OnPlcStopped
16.01.20 15:48:03.893 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368    Cannot find authorizationTokenTimeout in project.json
16.01.20 15:48:03.894 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697970368   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 15:48:03.895 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 Exit  EhmiComponent: OnPlcStopped
16.01.20 15:48:04.129 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 Enter EhmiComponent: OnPlcUnloading, onError=false
16.01.20 15:48:04.995 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368   Clear
16.01.20 15:48:04.995 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 Exit  EhmiComponent: OnPlcUnloading
16.01.20 15:48:05.014 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
16.01.20 15:48:05.015 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
16.01.20 15:48:05.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
16.01.20 15:48:05.045 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
16.01.20 15:48:05.046 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
16.01.20 15:48:05.046 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
16.01.20 15:48:05.047 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=2
16.01.20 15:48:05.053 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
16.01.20 15:48:05.054 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
16.01.20 15:48:05.054 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=1
16.01.20 15:48:05.493 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 EhmiComponent: OnPlcUnloaded, onError=false
16.01.20 15:48:12.007 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 15:48:12.007 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697970368 EhmiComponent: OnPlcLoading
16.01.20 15:48:12.956 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
16.01.20 15:48:14.098 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
16.01.20 15:48:14.100 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
16.01.20 15:48:14.106 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
16.01.20 15:48:14.112 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
16.01.20 15:48:14.121 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
16.01.20 15:48:14.122 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
16.01.20 15:48:14.453 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
16.01.20 15:48:14.453 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
16.01.20 15:48:14.456 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  LoadPlc. isChanging=false
16.01.20 15:48:14.467 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   LoadPlc. Elapsed=11
16.01.20 15:48:14.473 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  SetupPlc. isChanging=false, startKind=Warm
16.01.20 15:48:14.475 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcLoaded PlcLoaded=false
16.01.20 15:48:14.475 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
16.01.20 15:48:14.476 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 LogStatistics cycle=25/27, active=1/2, esdk=1/2, gds=0/1
16.01.20 15:48:14.477 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   SetupPlc. Elapsed=3
16.01.20 15:48:14.610 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
16.01.20 15:48:14.839 Arp.Plc.Domain.Internal.PlcManager
  ERROR - Exception occurs while setting up plc component 'Arp.Plc.Gds':
Exception of type 'Arp::System::Commons::KeyNotFoundException' was thrown
GetComponentBuffer: Could not find data buffer of component '*INVALID*'.
         at:
Arp::Plc::Gds::Internal::Connections::GdsConnectionInfosBuilder::CreateDataConne
ctionInfos(Arp::Plc::Gds::Internal::Config::GdsConfiguration const&,
Arp::Plc::Gds::Internal::GdsContext&)
         at:
Arp::Plc::Gds::Internal::Connections::GdsConnectionInfosBuilder::CreateConnectio
```

```
nInfos(Arp::Plc::Gds::Internal::Config::GdsConfiguration const&,
Arp::Plc::Gds::Internal::GdsContext&,
std::map<std::tuple<std::shared_ptr<Arp::Plc::Commons::Gds::IGdsBuffer>,
std::shared_ptr<Arp::Plc::Commons::Gds::IGdsBuffer> >,
Arp::Plc::Gds::Internal::Connections::ConnectionInfo,
std::less<std::tuple<std::shared_ptr<Arp::Plc::Commons::Gds::IGdsBuffer>,
std::shared_ptr<Arp::Plc::Commons::Gds::IGdsBuffer> > >,
std::allocator<std::pair<std::tuple<std::shared_ptr<Arp::Plc::Commons::Gds::IGds
Buffer>, std::shared_ptr<Arp::Plc::Commons::Gds::IGdsBuffer> > const,
Arp::Plc::Gds::Internal::Connections::ConnectionInfo> > >&)
         at: Arp::Plc::Gds::Internal::GdsDomain::Setup()
         at: Arp::Plc::Gds::GdsComponent::SetupPlc(bool,
Arp::Plc::Commons::Domain::PlcStartKind)
         at: Arp::Plc::Domain::Internal::PlcComponentInfo::SetupPlc(bool,
Arp::Plc::Commons::Domain::PlcStartKind)
         at:
Arp::Plc::Domain::Internal::PlcManager::LoadAndSetupPlcComponents(bool)
         at: Arp::Plc::Domain::Internal::PlcManager::LoadAndSetupPlcInternal()
         at:
Arp::System::Commons::Threading::TaskQueue::ProcessTasksInternal(unsigned int)
         at: Arp::System::Commons::Threading::TaskQueue::ProcessTasks()
         at: Arp::System::Commons::Threading::TaskThread::RunInternal(void*)
         at:
Arp::System::Commons::Threading::Thread::RunThread(Arp::System::Commons::Threadi
ng::ThreadBinaryCompatibilityExtensions*)
         at: Arp::System::Commons::Threading::Thread::RunInternal(void*)
         at: Arp::System::Ve::Internal::Linux::ThreadService::RunInternal(void*)

16.01.20 15:48:14.840 Arp.Plc.Domain.Internal.PlcManager
  ERROR - Plc component 'Arp.Plc.Gds' returns false while
SetupPlc(isChanging=false, startKind=Warm) was called.
16.01.20 15:48:14.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - AR stop indication reached
16.01.20 15:48:14.853 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - ARUserID = 1
16.01.20 15:48:14.885 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  ResetPlc. isChanging=false
16.01.20 15:48:14.886 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=true
16.01.20 15:48:14.886 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Enter RemoveAllAssemblies
16.01.20 15:48:14.887 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 ESDK 0xffff, Exit  RemoveAllAssemblies
16.01.20 15:48:14.887 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   ResetPlc. Elapsed=2
16.01.20 15:48:14.894 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Enter  UnloadPlc. isChanging=false
16.01.20 15:48:14.895 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 OnPlcUnloaded PlcLoaded=false
16.01.20 15:48:14.895 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2972705472 Exit   UnloadPlc. Elapsed=2
16.01.20 15:48:15.290 Arp.Plc.Domain.Internal.PlcManager
  ERROR - Reverted all yet loaded components.
16.01.20 15:48:15.293 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 2697970368 EhmiComponent: OnPlcUnloaded, onError=true
16.01.20 15:49:02.891 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 57 ErrCode = 0xD357060B, AddInfo = 0x0
Codelab: 0x5500012B dcparp_util.c(299)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 1: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 2: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 3: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 4: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 5: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 6: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 7: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:49:02.892 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 8: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 15:55:26.769 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B50054A8, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 15:55:27.065
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B50054A8,
securityToken=D8722FBC
16.01.20 15:55:27.615 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 15:55:27.628 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 15:55:27.647 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 15:57:19.133 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B50054A8
16.01.20 15:57:19.135 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=D8722FBC
16.01.20 15:57:19.140 CommonRemoting
  INFO  - Closing connection: connectionId=B50054A8
16.01.20 15:57:37.059 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B50182F8
16.01.20 15:57:37.060 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=747CDE7F
16.01.20 15:57:37.061 CommonRemoting
  INFO  - Closing connection: connectionId=B50182F8
```

```
16.01.20 15:58:09.165 Arp.System.Watchdog.Internal.SystemWatchdogRebootCounter
  INFO  - WaitForResetRebootCounterThreadBody reboot counter resetted, more than
60 minutes in run mode
16.01.20 15:58:18.767 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B50054A8, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 15:58:19.032
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B50054A8,
securityToken=08F75BF6
16.01.20 15:58:19.675 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 15:58:19.700 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 15:58:19.745 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:01:24.283 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B50054A8
16.01.20 16:01:24.285 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=08F75BF6
16.01.20 16:01:24.287 CommonRemoting
  INFO  - Closing connection: connectionId=B50054A8
16.01.20 16:01:27.966 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B50057F8, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:01:28.255
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B50057F8,
securityToken=0AB584C4
16.01.20 16:01:28.854 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:01:28.873 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 16:01:28.885 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:02:50.503 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B50057F8
16.01.20 16:02:50.505 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=0AB584C4
16.01.20 16:02:50.506 CommonRemoting
  INFO  - Closing connection: connectionId=B50057F8
16.01.20 16:05:45.992 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5014D20, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:05:53.459
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B5014D20,
securityToken=7AD716B2
16.01.20 16:05:54.161 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:05:54.178 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
```

```
16.01.20 16:05:54.192 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:05:54.192 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - Disable logging 'Status.Interfaces.Ethernet.2.1...' not found
16.01.20 16:06:53.239 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
16.01.20 16:06:53.265 CommonRemoting
  INFO  - [IpcRemotingBroker]: Starting IPC Remoting Broker
16.01.20 16:06:53.265 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 16:06:53.265 CommonRemoting
  INFO  - Start listening on TCP port 41120
16.01.20 16:06:53.266 CommonRemoting
  INFO  - Start listening on TCP port 41121
16.01.20 16:06:53.387 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'MainProcess' started successfully.
16.01.20 16:06:53.631 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
16.01.20 16:06:53.647 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 16:06:53.648 CommonRemoting
  INFO  - Start listening on TCP port 41123
16.01.20 16:06:53.655 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1B01660, IPC
16.01.20 16:06:53.693 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B1B023F0, IPC
16.01.20 16:06:53.712 Arp.System.Acf.Internal.ApplicationBase
  INFO  - ArpVersion: 2020.0 LTS (20.0.0.24752)
16.01.20 16:06:53.723 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 16:06:53.723 CommonRemoting
  INFO  - Start listening on TCP port 41124
16.01.20 16:06:53.730 CommonRemoting
  INFO  - Accepted connection #2: connectionId=B1B02860, IPC
16.01.20 16:06:53.763 CommonRemoting
  INFO  - Accepted connection #3: connectionId=B1B02CD0, IPC
16.01.20 16:06:53.795 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B5000AB8, IPC
16.01.20 16:06:53.823 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'ExternalIoProcess' was setup successfully.
16.01.20 16:06:53.871 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B1B01628, IPC
16.01.20 16:06:53.896 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'ExternalIoProcess' started successfully.
16.01.20 16:06:53.901 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'LocalIoProcess' was setup successfully.
16.01.20 16:06:54.006 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Process 'LocalIoProcess' started successfully.
16.01.20 16:06:54.996 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.EthernetIP.Library' in process 'ExternalIoProcess'
loaded.
16.01.20 16:06:55.154 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Pn.Library' in process 'ExternalIoProcess' loaded.
```

```
16.01.20 16:06:55.162 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'ExternalIoProcess'
loaded.
16.01.20 16:06:55.203 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'LocalIoProcess' loaded.
16.01.20 16:06:55.212 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Access.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.256 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.HmiLed.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.629 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Device.Interface.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:55.665 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Io.Axl.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.668 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Domain.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.670 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Eclr.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.672 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Esm.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.675 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Fbm.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.677 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Gds.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.698 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Plm.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.701 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Plc.Retain.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.720 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Alarms.Library' in process 'MainProcess' loaded.
16.01.20 16:06:55.799 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.AppManager.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:55.857 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.DataLogger.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:56.085 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Ehmi.Library' in process 'MainProcess' loaded.
16.01.20 16:06:56.149 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Fwm.Library' in process 'MainProcess' loaded.
16.01.20 16:06:56.172 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NmUtilities.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:56.239 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.NotificationLogger.Library' in process
'MainProcess' loaded.
16.01.20 16:06:57.453 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.OpcUAServer.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:57.581 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.ProfiCloud.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:57.606 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.TraceController.Library' in process
```

```
'MainProcess' loaded.
16.01.20 16:06:57.885 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.Services.Wbm.Library' in process 'MainProcess' loaded.
16.01.20 16:06:57.888 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Commons.Services.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:57.891 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Fwu.Library' in process 'MainProcess' loaded.
16.01.20 16:06:58.059 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.RscGateway.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:58.063 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Scm.Library' in process 'MainProcess' loaded.
16.01.20 16:06:58.091 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Security.Services.Library' in process
'MainProcess' loaded.
16.01.20 16:06:58.096 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.SystemWatchdog.Library' in process 'MainProcess'
loaded.
16.01.20 16:06:58.099 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.Um.Library' in process 'MainProcess' loaded.
16.01.20 16:06:58.103 Arp.System.Acf.Internal.Sm.ProcessesController
  INFO  - Library 'Arp.System.UmRscAuthorizator.Library' in process
'MainProcess' loaded.
16.01.20 16:06:58.105 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - EthernetIPComponent
16.01.20 16:06:58.107 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.EthernetIP' in process 'ExternalIoProcess' created.
16.01.20 16:06:58.187 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnC' in process 'ExternalIoProcess' created.
16.01.20 16:06:58.225 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnD' in process 'ExternalIoProcess' created.
16.01.20 16:06:58.231 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.PnS' in process 'ExternalIoProcess' created.
16.01.20 16:06:58.237 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.ExternalIoProcess' in process
'ExternalIoProcess' created.
16.01.20 16:06:58.239 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.DomainProxy.LocalIoProcess' in process
'LocalIoProcess' created.
16.01.20 16:06:58.240 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Access' in process 'MainProcess' created.
16.01.20 16:06:58.241 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.HmiLed' in process 'MainProcess' created.
16.01.20 16:06:58.241 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Device.Interface' in process 'MainProcess' created.
16.01.20 16:06:58.247 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.AxlC' in process 'MainProcess' created.
16.01.20 16:06:58.248 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.AxlC' in process 'MainProcess' created.
16.01.20 16:06:58.249 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.EthernetIP' in process 'MainProcess' created.
16.01.20 16:06:58.250 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.IbM' in process 'MainProcess' created.
```

```
16.01.20 16:06:58.250 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnC' in process 'MainProcess' created.
16.01.20 16:06:58.251 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Io.FbIo.PnD' in process 'MainProcess' created.
16.01.20 16:06:58.251 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Domain' in process 'MainProcess' created.
16.01.20 16:06:58.257 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr' in process 'MainProcess' created.
16.01.20 16:06:58.258 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Eclr.ArpDomain' in process 'MainProcess' created.
16.01.20 16:06:58.258 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EclrServices' in process 'MainProcess' created.
16.01.20 16:06:58.264 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Esm' in process 'MainProcess' created.
16.01.20 16:06:58.265 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.EsmController' in process 'MainProcess' created.
16.01.20 16:06:58.266 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Fbm' in process 'MainProcess' created.
16.01.20 16:06:58.330 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Gds' in process 'MainProcess' created.
16.01.20 16:06:58.331 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Manager' in process 'MainProcess' created.
16.01.20 16:06:58.332 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Meta' in process 'MainProcess' created.
16.01.20 16:06:58.333 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Plm' in process 'MainProcess' created.
16.01.20 16:06:58.335 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Plc.Retain' in process 'MainProcess' created.
16.01.20 16:06:58.336 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Alarms' in process 'MainProcess' created.
16.01.20 16:06:58.336 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.AppManager' in process 'MainProcess' created.
16.01.20 16:06:58.337 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.DataLogger' in process 'MainProcess' created.
16.01.20 16:06:58.339 Arp.Services.Ehmi.EhmiComponent
  INFO  - EhmiComponent: EhmiComponent
16.01.20 16:06:58.339 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Ehmi' in process 'MainProcess' created.
16.01.20 16:06:58.340 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.Fwm' in process 'MainProcess' created.
16.01.20 16:06:58.340 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NmUtilities.NmPlcStateListener' in process
'MainProcess' created.
16.01.20 16:06:58.342 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.NotificationLogger' in process 'MainProcess'
created.
16.01.20 16:06:58.344 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.OpcUAServer' in process 'MainProcess' created.
16.01.20 16:06:58.347 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.ProfiCloud' in process 'MainProcess' created.
16.01.20 16:06:58.348 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.Services.TraceController' in process 'MainProcess'
created.
16.01.20 16:06:58.360 Arp.System.Acf.Internal.Sm.ComponentsController
```

```
  INFO  - Component 'Arp.Services.Wbm' in process 'MainProcess' created.
16.01.20 16:06:58.361 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Commons.Services' in process 'MainProcess'
created.
16.01.20 16:06:58.361 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Fwu' in process 'MainProcess' created.
16.01.20 16:06:58.362 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Lm' in process 'MainProcess' created.
16.01.20 16:06:58.363 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.RscGateway' in process 'MainProcess' created.
16.01.20 16:06:58.364 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Scm' in process 'MainProcess' created.
16.01.20 16:06:58.364 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Security.Services' in process 'MainProcess'
created.
16.01.20 16:06:58.370 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Um' in process 'MainProcess' created.
16.01.20 16:06:58.371 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator' in process 'MainProcess'
created.
16.01.20 16:06:58.371 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.ExternalIoProcess' in process
'MainProcess' created.
16.01.20 16:06:58.372 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.UmRscAuthorizator.LocalIoProcess' in process
'MainProcess' created.
16.01.20 16:06:58.373 Arp.System.Acf.Internal.Sm.ComponentsController
  INFO  - Component 'Arp.System.Watchdog.MainProcess' in process 'MainProcess'
created.
16.01.20 16:06:58.474 Arp.Device.Access.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
16.01.20 16:06:58.498 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system started
16.01.20 16:06:58.500 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - user 'admin' selected for export
16.01.20 16:06:59.012 Arp.System.Um.Internal.LinuxUserProvider
  INFO  - Export of um users to Linux system finished
16.01.20 16:06:59.014 Arp.System.Watchdog.SystemWatchdogComponent
  INFO  - starting SystemWatchdog on process: MainProcess
16.01.20 16:06:59.537 Arp.Device.Interface.Internal.Target.HwFuncEthernet
  INFO  - Found ethernet device 1 (eth0 at A8:74:1D:02:99:4F) with 2 ports.
16.01.20 16:06:59.540 Arp.Device.Interface.Internal.Target.HwFuncSystem
  INFO  - Save PID 1275 for script '/etc/init.d/plcnext stop'
16.01.20 16:06:59.579 Arp.Device.Interface.Internal.Target.HwFuncFpga
  INFO  - Device Interface: FPGA version = 1.1.72.
16.01.20 16:06:59.603 Arp.Device.Interface.Internal.Target.HwFuncDevInfo
  INFO  - System Interface: TPM data version 2 found (length 180)
16.01.20 16:06:59.685 Arp.System.Lm.LicenseManager
  INFO  - License runtime version: 2.32.1285
16.01.20 16:07:00.084 Arp.Plc.Eclr.Internal.EclrDomain
  INFO  - EclrComponent eclr version 3.2.893.0
16.01.20 16:07:00.160 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Initialize.
16.01.20 16:07:00.161 Arp.Io.Axioline.Internal.System
```

```
  INFO  - Axioline: Setup(): Setup Axio bus component and driver.
16.01.20 16:07:00.162 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load settings from
path=/etc/plcnext/device/Io/AxlC/AxlC.settings
16.01.20 16:07:00.196 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - Initialize
16.01.20 16:07:00.201 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SubscribeServices
16.01.20 16:07:00.206 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - LoadSettings,
settingsPath=/etc/plcnext/device/Io/EthernetIP/EthernetIP.settings
16.01.20 16:07:00.223 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupSettings. startEsdk=true
16.01.20 16:07:00.258 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - SetupSettings, articleName=AXC F 2152, articleNumber=2404267,
serialNumber=1361697158
16.01.20 16:07:00.258 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Start threshold=6, esdkLogType=0x000b, nics=all,
minConsumingDataRate=10, minProducingDataRate=10, statisticsLogLevel=Info,
statisticsLogInterval=10000, statisticsSampleCountLimit=2000,
statisticsStepMinAverage=false, statisticsStepMaxAverage=false,
forceLoadAssemblies=false
16.01.20 16:07:00.258 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Start, threshold=6, esdkLogType=0x000b,
nics=all, heartBeatID=198, listenOnlyID=199, productType=0x0e, productName=AXC F
2152, serialNumber=1361697158, productCode=8220, timerIntervalMin=1,
timerIntervalMax=25
16.01.20 16:07:00.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 16:07:00.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 16:07:00.259 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
16.01.20 16:07:00.260 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, EtherNet/IP stack successfully initialized
16.01.20 16:07:00.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Exit  EtIPAdapterStart()
16.01.20 16:07:00.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketSetTimerIntervalMax
s_TimerIntervalMax=25
16.01.20 16:07:00.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, EtIPSetTimerIntervalLimits: timerInterval=25,
min=1, max=25
16.01.20 16:07:00.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 16:07:00.262 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 16:07:00.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, socketInitTargetData Total Host IP Addresses:
1
16.01.20 16:07:00.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, Reading in all host ip addresses
16.01.20 16:07:00.263 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 16:07:00.263 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 16:07:00.265 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 ESDK 0x0001, Enter EIPTask()
16.01.20 16:07:00.286 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
16.01.20 16:07:00.287 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
16.01.20 16:07:00.287 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
16.01.20 16:07:00.287 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
16.01.20 16:07:00.287 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 1
16.01.20 16:07:00.288 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, installedIpAddressCount=1
16.01.20 16:07:00.288 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x13
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Mac id a8:74:1d:02:99:4f for address:
192.168.0.2
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x13
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, ip=192.168.0.2,
mac=a8:74:1d:02:99:4f, label=eth0
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, LoadNics, Releasing all host ip addresses
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x12
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 0
16.01.20 16:07:00.289 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x11
16.01.20 16:07:00.290 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformCloseSocket, sock=0x11
16.01.20 16:07:00.311 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, Claimed IP address: 192.168.0.2,
sm=255.255.255.0, gw=0.0.0.0, primaryNameSvr=8.8.8.8, secondary=0.0.0.0, domain=
16.01.20 16:07:00.311 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=1, protocol=0, sock=0x11
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0001, platformSocket, type=2, protocol=0, sock=0x12
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, srcIp=192.168.0.2, socketClass1Init allocated
socket 0x12, bBroadcast=1, lBufferSize=4096, iPort=44818, bConsumeMcast=0
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0x0002, New Network LED value = 1
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 LogStatistics cycle=7/7, active=0/0, esdk=0/0, gds=0/0
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupSettings. Elapsed=89
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=true.
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=false.
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 OnNewNetworkLedChange ledState=true.
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  WARN  - 2892522176 OnEndOfEipCycle thisActiveTime=48 > TimerIntervalMax=25 !!!
16.01.20 16:07:00.312 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=7/7, active=48/48, esdk=48/48, gds=0/0
16.01.20 16:07:00.463 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Dev at 1
16.01.20 16:07:00.469 Arp.Device.HmiLed.Internal.LedManager
  INFO  - LedManager: PN-Ctrl at 1
16.01.20 16:07:00.470 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - Initialize: PN Version Info: v6.3.9755
16.01.20 16:07:00.872 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Event Archive Entry, Module ID: 51, Message:
ioar_alarm_func_Initialize: Could not get alarm receive callback thread prio
from ini file.
16.01.20 16:07:02.833 Arp.Io.ProfinetStack.System.Internal.System
  INFO  - ProfinetStack is initialized
16.01.20 16:07:04.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 16:07:04.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 16:07:04.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 16:07:04.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 16:07:04.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 16:07:04.570 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
16.01.20 16:07:04.582 Arp.Io.ProfinetStack.Device.Internal.Device
  INFO  - Device Instance with Id = 1 (PRL-Supported) added successfully.
16.01.20 16:07:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the controller received
16.01.20 16:07:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 16:07:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 16:07:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 16:07:06.352 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 16:07:06.353 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 0
16.01.20 16:07:06.358 Arp.Io.ProfinetStack.Controller.Internal.Controller
  INFO  - Controller instance added successfully
16.01.20 16:07:07.032 Arp.Services.AppManager.AppManager
```

```
  INFO  - AppManager created
16.01.20 16:07:07.033 Arp.Services.AppManager.AppManager
  INFO  - Enabling installation Mode
16.01.20 16:07:07.033 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode enabled
16.01.20 16:07:07.034 Arp.Services.AppManager.AppManager
  INFO  - Checking active apps licenses
16.01.20 16:07:07.035 Arp.Services.AppManager.AppManager
  INFO  - Disabling installation Mode
16.01.20 16:07:07.035 Arp.Services.AppManager.AppManager
  INFO  - Installation Mode disabled
16.01.20 16:07:07.036 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter EhmiComponent: Initialize
16.01.20 16:07:07.037 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  EhmiComponent: Initialize
16.01.20 16:07:07.037 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 EhmiComponent: SubscribeServices
16.01.20 16:07:07.038 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter EhmiComponent: LoadSettings
settingsPath=/etc/plcnext/device/Services/Ehmi/ehmi.settings
16.01.20 16:07:07.064 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  EhmiComponent: LoadSettings
16.01.20 16:07:07.065 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter EhmiComponent: SetupSettings
16.01.20 16:07:07.089 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 SetupSettings Created directory '/var/tmp/ehmi'
16.01.20 16:07:07.102 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 SetThreshold level=6.
16.01.20 16:07:07.103 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728    IndentSize=0
16.01.20 16:07:07.116 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728    IndentSize=0
16.01.20 16:07:07.117 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   Initialize
ehmiUsersBinPath=/opt/plcnext/projects/current/Services/__ehmiusers.bin,
ehmiUsersBinFileServiceID=OSFileServiceID
16.01.20 16:07:07.118 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   PlcnextDataAccessService GdsAccessID=DataAccess,
CacheTimeFactor=1, GroupTimeout=120000, NormalizeArrayIndexes=0
16.01.20 16:07:07.119 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  EhmiComponent: SetupSettings
16.01.20 16:07:07.119 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 EhmiComponent: PublishServices
16.01.20 16:07:07.752 Arp.Services.TraceController.TraceControllerComponent
  INFO  - Loading settings from
/etc/plcnext/device/Services/TraceController/TraceController.settings
16.01.20 16:07:08.419 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: serialNumber=8949017230002848293,CN=PLCnext Device Signing
CA,OU=PHOENIX CONTACT GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
16.01.20 16:07:08.422 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License PLCnext Sub CA G1,OU=PHOENIX CONTACT
GmbH & Co KG,O=PHOENIX CONTACT,L=Blomberg,ST=NRW,C=DE
16.01.20 16:07:08.426 Arp.System.Commons.Security.IdentityStore
  INFO  - Add cert: CN=PhoenixSign License Root CA G1,OU=PHOENIX CONTACT Cyber
```

```
Security,O=PHOENIX CONTACT,L=Berlin,ST=Berlin,C=DE
16.01.20 16:07:08.478 Arp.Device.Interface.Internal.DeviceSettings
  INFO  - DiUserConfigurationDocument at
'/opt/plcnext/projects/Default/Device/Interface/Di.User.config' not found
16.01.20 16:07:08.503 Arp.Io.Axioline.AxiolineComponent
  INFO  - Axioline: Load configuration.
16.01.20 16:07:08.589 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 16:07:08.590 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 EhmiComponent: OnPlcLoading
16.01.20 16:07:09.334 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
16.01.20 16:07:09.336 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
16.01.20 16:07:09.341 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
16.01.20 16:07:09.346 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
16.01.20 16:07:09.353 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
16.01.20 16:07:09.367 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=14
16.01.20 16:07:09.485 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
16.01.20 16:07:09.502 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
16.01.20 16:07:10.279 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/160, active=0/48, esdk=0/48, gds=0/0
16.01.20 16:07:10.508 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
16.01.20 16:07:10.509 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
16.01.20 16:07:10.856 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
16.01.20 16:07:10.857 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
16.01.20 16:07:10.861 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
16.01.20 16:07:10.862 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
16.01.20 16:07:10.862 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
16.01.20 16:07:10.862 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/160, active=0/48, esdk=0/48, gds=0/0
16.01.20 16:07:10.862 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=1
16.01.20 16:07:10.988 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
16.01.20 16:07:10.993 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
16.01.20 16:07:11.014 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
```

```
  WARN  - Nothing to subscribe for ID 2! Please add some variables...
16.01.20 16:07:11.017 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter EhmiComponent: OnPlcLoaded
16.01.20 16:07:11.018 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 16:07:11.018 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728    Cannot read the type.dictionary.json file.
16.01.20 16:07:11.019 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728    TypeDictionary->Load() failure!!!
16.01.20 16:07:11.020 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 16:07:11.021 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   Load Cannot read fileName=data.dictionary.json
16.01.20 16:07:11.022 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728    DataDictionary->Load() failure!!!
16.01.20 16:07:11.147 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  EhmiComponent: OnPlcLoaded
16.01.20 16:07:13.175 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 EhmiComponent: LoadConfig
16.01.20 16:07:13.175 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 EhmiComponent: SetupConfig
16.01.20 16:07:13.555 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 16:07:13.633 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - CheckHwTask running
16.01.20 16:07:13.634 Arp.Device.Interface.Internal.DeviceStatus
  INFO  - Alloc memory for 2 ports
16.01.20 16:07:15.216
Arp.Services.OpcUAServer.Internal.Config.OpcUAConfigManager  INFO  - Using the
self-signed certificate.
16.01.20 16:07:15.529 OpcServer
  INFO  - OPC UA server opened endpoint URI opc.tcp://axc-f-2152-1:4840
listening at opc.tcp://0.0.0.0:4840
16.01.20 16:07:15.530 Arp.Services.OpcUAServer.OpcUAServerComponent
  INFO  - Started OPC UA Server successfully.
16.01.20 16:07:15.531 Arp.Services.OpcUAServer.Internal.Security.SessionManager
  INFO  - Applying configuration for client authentication to 1 endpoints:
trustAll=true, checkCRLs=false, checkIssuerCRLs=false, ignoreValidity=false
16.01.20 16:07:15.553 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 EhmiComponent: OnPlcStarting, startKind=Warm
16.01.20 16:07:15.558 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
16.01.20 16:07:15.559 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
16.01.20 16:07:15.559 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
16.01.20 16:07:15.560 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 16:07:15.560 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=2
16.01.20 16:07:15.580 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter EhmiComponent: OnPlcStarted
16.01.20 16:07:15.580 Arp.Services.Ehmi.EhmiComponent
```

```
  INFO  - 3069273728 Exit  EhmiComponent: OnPlcStarted
16.01.20 16:07:15.581 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter EhmiComponent: Start
16.01.20 16:07:15.606 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter Start.
16.01.20 16:07:15.607 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   Start BindPort=127.0.0.1:9999, InactivityTimeout=30000,
MaxClients=10000
16.01.20 16:07:15.607 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Enter OpenListenSocket.
16.01.20 16:07:15.607 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   OpenInetStreamSocket sock=0x2f
16.01.20 16:07:15.608 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   SetReuseAddr Sock=0x2f, reuseAddr=1, ok=1
16.01.20 16:07:15.608 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   SetLinger Sock=0x2f, linger=1, seconds=0, ok=1
16.01.20 16:07:15.611 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   Bind Sock=0x2f, to=127.0.0.1:9999, ok=1
16.01.20 16:07:15.611 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   Listen Sock=0x2f, backlog=10, ok=1
16.01.20 16:07:15.611 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   OpenListenSocket ListenSocket=0x2f,
BindPort=127.0.0.1:9999
16.01.20 16:07:15.612 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  OpenListenSocket. elapsed=5
16.01.20 16:07:15.612 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  Start. elapsed=5
16.01.20 16:07:15.613 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:07:15.613 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:07:15.614 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728   Clear
16.01.20 16:07:15.614 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:07:15.615 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:07:15.616 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 16:07:15.617 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728    Cannot read the type.dictionary.json file.
16.01.20 16:07:15.617 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728    TypeDictionary->Load() failure!!!
16.01.20 16:07:15.617 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 16:07:15.618 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728   Load Cannot read fileName=data.dictionary.json
16.01.20 16:07:15.618 Arp.Services.Ehmi.EhmiComponent
  WARN  - 3069273728    DataDictionary->Load() failure!!!
16.01.20 16:07:15.619 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:07:15.621 Arp.Services.Ehmi.EhmiComponent
```

```
  WARN  - 3069273728   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:07:15.621 Arp.Services.Ehmi.EhmiComponent
  INFO  - 3069273728 Exit  EhmiComponent: Start
16.01.20 16:07:15.622 Arp.Services.ProfiCloud.Internal.ProficloudConnectAdapter
  INFO  - Will not start Proficloud service. It is disabled via service
settings.
16.01.20 16:07:15.622 CommonRemoting
  INFO  - Starting remoting server (version=4)
16.01.20 16:07:15.623 CommonRemoting
  INFO  - Start listening on TCP port 41100
16.01.20 16:07:15.626 Arp.System.Acf.Internal.ApplicationBase
  INFO  - Application 'MainProcess' was setup successfully.
16.01.20 16:07:20.295 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 16:07:22.671 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2513358, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:07:22.947
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B2513358,
securityToken=EABEA8CA
16.01.20 16:07:23.476 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:07:23.496 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 16:07:23.510 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:07:26.843 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
16.01.20 16:07:26.843 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
16.01.20 16:07:26.843 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcStopping
16.01.20 16:07:26.899 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
16.01.20 16:07:26.899 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
16.01.20 16:07:26.900 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
16.01.20 16:07:26.900 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=1
16.01.20 16:07:26.902 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcStopped
16.01.20 16:07:26.902 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:07:26.903 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:07:26.903 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcStopped
16.01.20 16:07:27.638 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcUnloading, onError=false
```

```
16.01.20 16:07:28.202 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456   Clear
16.01.20 16:07:28.202 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcUnloading
16.01.20 16:07:28.247 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
16.01.20 16:07:28.247 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
16.01.20 16:07:28.249 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
16.01.20 16:07:28.249 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
16.01.20 16:07:28.249 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=3
16.01.20 16:07:28.255 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
16.01.20 16:07:28.256 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
16.01.20 16:07:28.256 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=1
16.01.20 16:07:28.738 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcUnloaded, onError=false
16.01.20 16:07:34.620 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 16:07:34.620 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcLoading
16.01.20 16:07:35.513 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
16.01.20 16:07:35.632 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
16.01.20 16:07:35.633 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
16.01.20 16:07:35.639 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
16.01.20 16:07:35.644 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
16.01.20 16:07:35.651 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
16.01.20 16:07:35.653 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
16.01.20 16:07:35.983 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
16.01.20 16:07:35.983 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
16.01.20 16:07:35.986 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
16.01.20 16:07:35.996 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=10
16.01.20 16:07:36.002 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
16.01.20 16:07:36.003 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
```

```
16.01.20 16:07:36.004 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
16.01.20 16:07:36.004 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 16:07:36.005 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=3
16.01.20 16:07:36.107 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
16.01.20 16:07:36.185 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
16.01.20 16:07:36.190 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
16.01.20 16:07:36.229 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 10! Please add some variables...
16.01.20 16:07:36.233 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcLoaded
16.01.20 16:07:36.234 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:07:36.235 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:07:36.237 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 16:07:36.238 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    Cannot read the type.dictionary.json file.
16.01.20 16:07:36.240 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    TypeDictionary->Load() failure!!!
16.01.20 16:07:36.241 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 16:07:36.242 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   Load Cannot read fileName=data.dictionary.json
16.01.20 16:07:36.243 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    DataDictionary->Load() failure!!!
16.01.20 16:07:36.244 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcLoaded
16.01.20 16:07:39.282 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcStarting, startKind=Warm
16.01.20 16:07:39.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
16.01.20 16:07:39.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
16.01.20 16:07:39.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
16.01.20 16:07:39.285 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 16:07:39.286 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=1
16.01.20 16:07:39.303 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcStarted
16.01.20 16:07:39.305 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:07:39.307 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
```

```
project.json
16.01.20 16:07:39.308 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcStarted
16.01.20 16:07:52.493 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2513358
16.01.20 16:07:52.494 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=EABEA8CA
16.01.20 16:07:52.497 CommonRemoting
  INFO  - Closing connection: connectionId=B2513358
16.01.20 16:08:20.014 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B2516638, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:08:23.657
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B2516638,
securityToken=D7B32DB2
16.01.20 16:08:24.352 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:08:24.370 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 16:08:24.383 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:08:35.514 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
16.01.20 16:08:35.514 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
16.01.20 16:08:35.514 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcStopping
16.01.20 16:08:35.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
16.01.20 16:08:35.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
16.01.20 16:08:35.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
16.01.20 16:08:35.621 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=0
16.01.20 16:08:35.624 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcStopped
16.01.20 16:08:35.624 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:08:35.625 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:08:35.625 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcStopped
16.01.20 16:08:35.802 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcUnloading, onError=false
16.01.20 16:08:36.562 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456   Clear
16.01.20 16:08:36.562 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcUnloading
16.01.20 16:08:36.602 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
```

```
16.01.20 16:08:36.602 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
16.01.20 16:08:36.602 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
16.01.20 16:08:36.602 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
16.01.20 16:08:36.603 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
16.01.20 16:08:36.609 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
16.01.20 16:08:36.610 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
16.01.20 16:08:36.610 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=1
16.01.20 16:08:37.035 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcUnloaded, onError=false
16.01.20 16:08:41.914 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 16:08:41.914 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcLoading
16.01.20 16:08:42.765 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
16.01.20 16:08:43.897 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
16.01.20 16:08:43.900 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
16.01.20 16:08:43.905 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
16.01.20 16:08:43.912 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
16.01.20 16:08:43.918 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
16.01.20 16:08:43.920 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
16.01.20 16:08:44.248 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
16.01.20 16:08:44.249 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
16.01.20 16:08:44.251 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
16.01.20 16:08:44.261 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=11
16.01.20 16:08:44.267 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
16.01.20 16:08:44.269 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
16.01.20 16:08:44.269 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
16.01.20 16:08:44.270 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/27, active=0/2, esdk=0/2, gds=0/1
16.01.20 16:08:44.270 Arp.Io.EthernetIP.EthernetIPComponent
```

```
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=4
16.01.20 16:08:44.367 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS configuration successfully loaded.
16.01.20 16:08:44.446 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
16.01.20 16:08:44.450 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 18! Please add some variables...
16.01.20 16:08:44.481 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 18! Please add some variables...
16.01.20 16:08:44.487 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcLoaded
16.01.20 16:08:44.489 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:08:44.490 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:08:44.491 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 16:08:44.492 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    Cannot read the type.dictionary.json file.
16.01.20 16:08:44.493 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    TypeDictionary->Load() failure!!!
16.01.20 16:08:44.494 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 16:08:44.494 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   Load Cannot read fileName=data.dictionary.json
16.01.20 16:08:44.495 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    DataDictionary->Load() failure!!!
16.01.20 16:08:44.496 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcLoaded
16.01.20 16:08:47.434 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcStarting, startKind=Warm
16.01.20 16:08:47.438 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
16.01.20 16:08:47.438 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
16.01.20 16:08:47.439 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
16.01.20 16:08:47.439 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 16:08:47.439 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=1
16.01.20 16:08:47.458 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcStarted
16.01.20 16:08:47.459 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:08:47.461 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:08:47.461 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcStarted
16.01.20 16:09:53.811 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/31, active=0/2, esdk=0/1, gds=0/1
16.01.20 16:10:43.887 CommonRemoting
```

```
  INFO  - Connection was lost remotely, connectionId=B2516638
16.01.20 16:10:43.889 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=D7B32DB2
16.01.20 16:10:43.895 CommonRemoting
  INFO  - Closing connection: connectionId=B2516638
16.01.20 16:12:48.530 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B25153B8, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:12:48.845
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B25153B8,
securityToken=A338F79F
16.01.20 16:12:49.683 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:12:49.713 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 16:12:49.727 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:13:01.183 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Stopped Proficloud TSD service
16.01.20 16:13:01.183 Arp.Services.ProfiCloud.Internal.ProficloudAppAdapter
  INFO  - Stopped Proficloud AppStore service
16.01.20 16:13:01.183 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcStopping
16.01.20 16:13:01.274 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StopPlc
16.01.20 16:13:01.274 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStopped
16.01.20 16:13:01.274 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=0
16.01.20 16:13:01.274 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StopPlc. Elapsed=0
16.01.20 16:13:01.276 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcStopped
16.01.20 16:13:01.277 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:13:01.277 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:13:01.278 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcStopped
16.01.20 16:13:01.616 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcUnloading, onError=false
16.01.20 16:13:02.507 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456   Clear
16.01.20 16:13:02.507 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcUnloading
16.01.20 16:13:02.551 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  ResetPlc. isChanging=false
16.01.20 16:13:02.552 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=true
16.01.20 16:13:02.552 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Enter RemoveAllAssemblies
```

```
16.01.20 16:13:02.553 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, Exit  RemoveAllAssemblies
16.01.20 16:13:02.553 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   ResetPlc. Elapsed=1
16.01.20 16:13:02.559 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  UnloadPlc. isChanging=false
16.01.20 16:13:02.559 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcUnloaded PlcLoaded=false
16.01.20 16:13:02.559 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   UnloadPlc. Elapsed=0
16.01.20 16:13:02.979 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcUnloaded, onError=false
16.01.20 16:13:09.457 Arp.Services.ProfiCloud.Internal.ProficloudTSDAdapter
  INFO  - Could not read GDS metrics file
/opt/plcnext/projects/ProfiCloud/metrics.json.
16.01.20 16:13:09.457 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcLoading
16.01.20 16:13:10.480 Arp.Plc.Esm.Internal.TaskController
  INFO  - Configuring Sleep class with a sync point interval of 100000us, an
watchdog interval of 100000us and an axio interval of 100000us
16.01.20 16:13:11.619 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: Load tic configuration.
16.01.20 16:13:11.621 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 1.tic
16.01.20 16:13:11.625 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: 2.tic
16.01.20 16:13:11.631 Arp.Io.Axioline.Internal.AxiolineDomain
  INFO  - Axioline: XML-File: a64fb0bb-bea4-40f1-8cdc-9f8bc4dc006e.tic
16.01.20 16:13:11.638 Arp.Io.Axioline.Internal.TicConfig.Tic2ConfigSvc
  INFO  - Axioline: Start converting tic files.
16.01.20 16:13:11.640 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Initialize/configure bus.
16.01.20 16:13:11.978 Arp.Io.Axioline.Internal.System
  INFO  - Axioline: Connect to shared FbIo System.
16.01.20 16:13:11.978 Arp.Io.Axioline.Internal.System
  INFO  - sleep mode
16.01.20 16:13:11.981 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  LoadPlc. isChanging=false
16.01.20 16:13:11.992 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   LoadPlc. Elapsed=11
16.01.20 16:13:11.998 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  SetupPlc. isChanging=false, startKind=Warm
16.01.20 16:13:12.000 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcLoaded PlcLoaded=false
16.01.20 16:13:12.001 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, AddAssemblies, toInstanceID=110, toSize=256,
otInstanceID=100, otSize=256
16.01.20 16:13:12.001 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/31, active=0/2, esdk=0/2, gds=0/1
16.01.20 16:13:12.002 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   SetupPlc. Elapsed=4
16.01.20 16:13:12.009 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2892522176 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/0
16.01.20 16:13:12.182 Arp.Plc.Gds.Internal.GdsDomain
```

```
  INFO  - GDS configuration successfully loaded.
16.01.20 16:13:12.276 Arp.Plc.Gds.Internal.GdsDomain
  INFO  - GDS data connections successfully created.
16.01.20 16:13:12.281 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 26! Please add some variables...
16.01.20 16:13:12.845 Arp.Plc.Gds.Internal.Subscription.SubscriptionBase
  WARN  - Nothing to subscribe for ID 26! Please add some variables...
16.01.20 16:13:12.847 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcLoaded
16.01.20 16:13:12.848 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:13:12.850 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
project.json
16.01.20 16:13:12.852 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   ReadChecksumFromFile Cannot ReadChecksumFromFile
16.01.20 16:13:12.853 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    Cannot read the type.dictionary.json file.
16.01.20 16:13:12.853 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    TypeDictionary->Load() failure!!!
16.01.20 16:13:12.854 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   ReadProjectChecksumFromFile Cannot GetFileChecksum
16.01.20 16:13:12.854 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   Load Cannot read fileName=data.dictionary.json
16.01.20 16:13:12.855 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456    DataDictionary->Load() failure!!!
16.01.20 16:13:12.857 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcLoaded
16.01.20 16:13:13.154 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:13:13.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:13:13.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:13:13.155 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:13:16.071 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 EhmiComponent: OnPlcStarting, startKind=Warm
16.01.20 16:13:16.077 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Enter  StartPlc. startKind=Warm
16.01.20 16:13:16.077 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 OnPlcStarted
16.01.20 16:13:16.077 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 ESDK 0xffff, SetRunMode, run=1
16.01.20 16:13:16.077 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 LogStatistics cycle=25/26, active=0/1, esdk=0/1, gds=0/1
16.01.20 16:13:16.077 Arp.Io.EthernetIP.EthernetIPComponent
  INFO  - 2973758144 Exit   StartPlc. Elapsed=0
16.01.20 16:13:16.096 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Enter EhmiComponent: OnPlcStarted
16.01.20 16:13:16.098 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456    Cannot find authorizationTokenTimeout in project.json
16.01.20 16:13:16.099 Arp.Services.Ehmi.EhmiComponent
  WARN  - 2697163456   LoadDefaultTimeout Cannot get sessionTimeout from
```

```
project.json
16.01.20 16:13:16.101 Arp.Services.Ehmi.EhmiComponent
  INFO  - 2697163456 Exit  EhmiComponent: OnPlcStarted
16.01.20 16:15:12.455 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:15:12.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:15:12.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
16.01.20 16:15:12.456 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
16.01.20 16:15:34.693 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:15:34.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:15:34.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:15:34.694 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:15:36.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:15:36.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:15:36.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:15:36.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:15:36.712 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:15:46.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:15:46.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:15:46.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:15:46.215 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:15:48.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:15:48.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:15:48.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:15:48.223 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:15:48.224 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:15:49.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:15:49.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:15:49.252 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:15:49.252 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:15:51.273 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:15:51.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:15:51.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:15:51.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:15:51.274 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:15:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:15:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:15:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:15:52.294 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:17:03.578 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B2515410, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:17:03.935
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B2515410,
securityToken=F25639A0
16.01.20 16:17:04.687 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:17:04.700 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 16:17:04.735 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:17:27.045 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2515410
16.01.20 16:17:27.046 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=F25639A0
16.01.20 16:17:27.051 CommonRemoting
  INFO  - Closing connection: connectionId=B2515410
16.01.20 16:17:35.862 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B25150F8, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:17:36.139
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B25150F8,
securityToken=7B5F3A03
16.01.20 16:17:36.828 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Link" not found
16.01.20 16:17:36.841 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Duplex" not found
16.01.20 16:17:36.855 Arp.Device.Interface.Internal.DeviceStatus
```

```
  WARN  - DeviceStatus: Ident "Status.Interfaces.Ethernet.2.1.Baudrate" not
found
16.01.20 16:17:36.856 Arp.Device.Interface.Internal.DeviceStatus
  WARN  - Disable logging 'Status.Interfaces.Ethernet.2.1...' not found
16.01.20 16:19:53.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:19:53.639 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:19:53.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
16.01.20 16:19:53.640 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
16.01.20 16:20:15.076 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B25153B8
16.01.20 16:20:15.077 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=A338F79F
16.01.20 16:20:15.078 CommonRemoting
  INFO  - Closing connection: connectionId=B25153B8
16.01.20 16:20:51.256 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:20:51.256 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:20:51.256 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:20:51.256 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:22:16.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - I&M0 request for the device instance ID 1 received
16.01.20 16:22:16.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSlotNumber      = 0
16.01.20 16:22:16.532 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - wSubslotNumber   = 1
16.01.20 16:22:27.397 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B2514480, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:22:27.691
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B2514480,
securityToken=21B622C5
16.01.20 16:23:48.309 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B25150F8
16.01.20 16:23:48.311 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=7B5F3A03
16.01.20 16:23:48.316 CommonRemoting
  INFO  - Closing connection: connectionId=B25150F8
16.01.20 16:25:02.358 CommonRemoting
  INFO  - Connection was lost remotely, connectionId=B2514480
16.01.20 16:25:02.359 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=21B622C5
16.01.20 16:25:02.364 CommonRemoting
  INFO  - Closing connection: connectionId=B2514480
16.01.20 16:25:04.925 CommonRemoting
  INFO  - Accepted connection #0: connectionId=B25150F8, 192.168.0.25 ->
0.0.0.0:41100
```

```
16.01.20 16:25:05.184
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B25150F8,
securityToken=D29A87D1
16.01.20 16:26:15.995 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:26:15.996 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:26:15.996 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
16.01.20 16:26:15.996 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
16.01.20 16:26:16.058 Arp.Io.ProfinetStack.System.Internal.Adaption
  ERROR - Error Stack Entry 0: ModId: 80 ErrCode = 0xE1800402, AddInfo = 0x0
Codelab: 0xD600016F osl_time.c(367)
16.01.20 16:27:09.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:27:09.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:27:09.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:27:09.316 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:27:11.323 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:27:11.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:27:11.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:27:11.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:27:11.324 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:27:12.356 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:27:12.356 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:27:12.356 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:27:12.356 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:27:14.373 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:27:14.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:27:14.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:27:14.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:27:14.374 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:27:15.394 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
16.01.20 16:27:15.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:27:15.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
16.01.20 16:27:15.394 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:27:21.198 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:27:21.198 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:27:21.198 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0xCF 0x81 0xFD 0x 5
16.01.20 16:27:21.199 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg = PNIO_RTA_ERR_AR_CONSUMER_DHT_EXPIRED
16.01.20 16:27:36.354 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:27:36.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:27:36.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
16.01.20 16:27:36.355 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:27:38.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:27:38.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:27:38.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:27:38.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:27:38.366 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:27:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - DCP indication reached
16.01.20 16:27:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:27:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP      = 192.168.0.54
16.01.20 16:27:39.395 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:27:41.414 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ~~~~ no DCP/ARP response for IP address Ŕ.¨. .6 found

16.01.20 16:27:41.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Abort indication reached
16.01.20 16:27:41.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ARUserID = 1
16.01.20 16:27:41.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - ErrorState = 0x 0 0x 0 0x 0 0x 0
16.01.20 16:27:41.415 Arp.Io.ProfinetStack.System.Internal.Adaption
  WARN  - Error msg =
16.01.20 16:27:42.435 Arp.Io.ProfinetStack.System.Internal.Adaption
```

```
  INFO  - DCP indication reached
16.01.20 16:27:42.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcMAC     = 0:1b:1b:bb:71:43
16.01.20 16:27:42.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pbySrcIP     = 192.168.0.54
16.01.20 16:27:42.435 Arp.Io.ProfinetStack.System.Internal.Adaption
  INFO  - pcStationName = ixbdeviceb5e1
16.01.20 16:28:09.266 CommonRemoting
  INFO  - Accepted connection #1: connectionId=B2522088, 192.168.0.25 ->
0.0.0.0:41100
16.01.20 16:28:09.545
Arp.System.Security.Services.PasswordAuthenticationServiceImpl INFO  -
Successful authentication for name="admin": connectionId=B2522088,
securityToken=F1F8E92C
16.01.20 16:30:28.862 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "9A6F8E25" not exist
16.01.20 16:30:28.871 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "9A6F8E25" not exist
16.01.20 16:31:15.904 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B25150F8
16.01.20 16:31:15.906 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=D29A87D1
16.01.20 16:31:15.908 CommonRemoting
  INFO  - Closing connection: connectionId=B25150F8
16.01.20 16:35:13.926 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "B1D3C59F" not exist
16.01.20 16:35:13.935 Arp.System.Um.Internal.SessionManagement
  INFO  - failed with GetSessionByToken Session with ID: "B1D3C59F" not exist
16.01.20 16:35:38.994 CommonRemoting
  INFO  - Connection timeout expires, connectionId=B2522088
16.01.20 16:35:38.997 Arp.System.UmRscAuthorizator.Internal.UmAuthorizator
  INFO  - Clearing authentication: securityToken=F1F8E92C
16.01.20 16:35:38.999 CommonRemoting
  INFO  - Closing connection: connectionId=B2522088
```